Network Working Group Request for Comments: 2933 Category: Standards Track K. McCloghrie cisco Systems D. Farinacci Procket Networks D. Thaler Microsoft October 2000

Internet Group Management Protocol MIB

Status of this Memo

This document specifies an Internet standards track protocol for the Internet community, and requests discussion and suggestions for improvements. Please refer to the current edition of the "Internet Official Protocol Standards" (STD 1) for the standardization state and status of this protocol. Distribution of this memo is unlimited.

Copyright Notice

Copyright (C) The Internet Society (2000). All Rights Reserved.

Abstract

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it describes objects used for managing the Internet Group Management Protocol (IGMP).

Table of Contents

1	Introduction	1
2	The SNMP Network Management Framework	2
3	Overview	3
4	Definitions	3
5	Security Considerations	14
6	Intellectual Property Notice	15
7	Acknowledgements	15
8	Authors' Addresses	16
9	References	17
L 0	Full Copyright Statement	19

1. Introduction

This memo defines a portion of the Management Information Base (MIB) for use with network management protocols in the Internet community. In particular, it describes objects used for managing the Internet

Group Management Protocol (IGMP), version 1 [16] or version 2 [17]. A future version of this MIB will support IGMP version 3 (currently a work in progress). All of this MIB module is applicable to ${\ \ \, }$ IPv4 multicast routers; a subset is applicable to hosts implementing IGMP. Since IGMP is specific to IPv4, this MIB does not support management of equivalent functionality for other address families, such as IPv6. Such management may be supported by other MIBs.

2. The SNMP Network Management Framework

The SNMP Management Framework presently consists of five major components:

- An overall architecture, described in RFC 2571 [1].
- Mechanisms for describing and naming objects and events for the purpose of management. The first version of this Structure of Management Information (SMI) is called SMIv1 and described in STD 16, RFC 1155 [2], STD 16, RFC 1212 [3] and RFC 1215 [4]. The second version, called SMIv2, is described in STD 58, RFC 2578 [5], STD 58, RFC 2579 [6] and STD 58, RFC 2580 [7].
- Message protocols for transferring management information. 0 first version of the SNMP message protocol is called SNMPv1 and described in STD 15, RFC 1157 [8]. A second version of the SNMP message protocol, which is not an Internet standards track protocol, is called SNMPv2c and described in RFC 1901 [9] and RFC 1906 [10]. The third version of the message protocol is called SNMPv3 and described in RFC 1906 [10], RFC 2572 [11] and RFC 2574 [12].
- Protocol operations for accessing management information. The first set of protocol operations and associated PDU formats is described in STD 15, RFC 1157 [8]. A second set of protocol operations and associated PDU formats is described in RFC 1905 [13].
- A set of fundamental applications described in RFC 2573 [14] and the view-based access control mechanism described in RFC 2575 [15].

Managed objects are accessed via a virtual information store, termed the Management Information Base or MIB. Objects in the MIB are defined using the mechanisms defined in the SMI.

This memo specifies a MIB module that is compliant to the SMIv2. A MIB conforming to the SMIv1 can be produced through the appropriate translations. The resulting translated MIB must be semantically

equivalent, except where objects or events are omitted because no translation is possible (use of Counter64). Some machine readable information in SMIv2 will be converted into textual descriptions in SMIv1 during the translation process. However, this loss of machine readable information is not considered to change the semantics of the MIB.

3. Overview

This MIB module contains two tables:

- (1) the IGMP Interface Table which contains one row for each interface on which IGMP is enabled, and
- (2) the IGMP Cache Table which contains one row for each IP multicast group for which there are members on a particular interface.

Both tables are intended to be implemented by hosts and routers, but some columnar objects in each table apply only to routers.

4. Definitions

IGMP-STD-MIB DEFINITIONS ::= BEGIN

IMPORTS

MODULE-IDENTITY, OBJECT-TYPE, mib-2, Counter32, Gauge32, Unsigned32, IpAddress, TimeTicks FROM SNMPv2-SMI RowStatus, TruthValue FROM SNMPv2-TC MODULE-COMPLIANCE, OBJECT-GROUP FROM SNMPv2-CONF InterfaceIndexOrZero, InterfaceIndex FROM IF-MIB;

igmpStdMIB MODULE-IDENTITY

LAST-UPDATED "200009280000Z" -- September 28, 2000 ORGANIZATION "IETF IDMR Working Group." CONTACT-INFO

> " Dave Thaler Microsoft Corporation One Microsoft Way Redmond, WA 98052-6399 US

Phone: +1 425 703 8835

EMail: dthaler@microsoft.com"

"The MIB module for IGMP Management."

REVISION "200009280000Z" -- September 28, 2000

```
DESCRIPTION
           "Initial version, published as RFC 2933."
    ::= \{ mib-2 85 \}
igmpMIBObjects     OBJECT IDENTIFIER ::= { igmpStdMIB 1 }
-- The IGMP Interface Table
igmpInterfaceTable OBJECT-TYPE
   SYNTAX SEQUENCE OF IgmpInterfaceEntry
   MAX-ACCESS not-accessible
   STATUS
           current
   DESCRIPTION
           "The (conceptual) table listing the interfaces on which IGMP
           is enabled."
    ::= { igmpMIBObjects 1 }
igmpInterfaceEntry OBJECT-TYPE
             IgmpInterfaceEntry
   MAX-ACCESS not-accessible
   STATUS
           current
   DESCRIPTION
           "An entry (conceptual row) representing an interface on
           which IGMP is enabled."
    INDEX { igmpInterfaceIfIndex }
    ::= { igmpInterfaceTable 1 }
IgmpInterfaceEntry ::= SEQUENCE {
    igmpInterfaceIfIndex
                                     InterfaceIndex,
    igmpInterfaceQueryInterval
                                    Unsigned32,
    igmpInterfaceStatus
                                     RowStatus,
    igmpInterfaceVersion
                                    Unsigned32,
    igmpInterfaceQuerier
                                     IpAddress,
    igmpInterfaceQueryMaxResponseTime Unsigned32,
                                     TimeTicks,
    igmpInterfaceQuerierUpTime
    igmpInterfaceQuerierExpiryTime
                                      TimeTicks,
   igmpInterfaceVersion1QuerierTimer TimeTicks,
    igmpInterfaceWrongVersionQueries Counter32,
    igmpInterfaceJoins
                                     Counter32,
    igmpInterfaceProxyIfIndex
                                  Gauge32,
                                     InterfaceIndexOrZero,
    igmpInterfaceGroups
    igmpInterfaceRobustness
                                     Unsigned32,
    igmpInterfaceLastMembQueryIntvl Unsigned32
}
```

```
igmpInterfaceIfIndex OBJECT-TYPE
   SYNTAX InterfaceIndex
   MAX-ACCESS not-accessible
   STATUS current
   DESCRIPTION
           "The ifIndex value of the interface for which IGMP is
           enabled."
    ::= { igmpInterfaceEntry 1 }
igmpInterfaceQueryInterval OBJECT-TYPE
   SYNTAX Unsigned32
             "seconds"
   UNITS
   MAX-ACCESS read-create
   STATUS
          current
   DESCRIPTION
           "The frequency at which IGMP Host-Query packets are
           transmitted on this interface."
           { 125 }
   DEFVAL
    ::= { igmpInterfaceEntry 2 }
igmpInterfaceStatus OBJECT-TYPE
   SYNTAX
            RowStatus
   MAX-ACCESS read-create
   STATUS
           current
   DESCRIPTION
           "The activation of a row enables IGMP on the interface. The
           destruction of a row disables IGMP on the interface."
    ::= { igmpInterfaceEntry 3 }
igmpInterfaceVersion OBJECT-TYPE
   SYNTAX Unsigned32
   MAX-ACCESS read-create
   STATUS
          current
   DESCRIPTION
           "The version of IGMP which is running on this interface.
           This object can be used to configure a router capable of
           running either value. For IGMP to function correctly, all
           routers on a LAN must be configured to run the same version
           of IGMP on that LAN."
   DEFVAL
            { 2 }
    ::= { igmpInterfaceEntry 4 }
igmpInterfaceQuerier OBJECT-TYPE
   SYNTAX IpAddress
   MAX-ACCESS read-only
   STATUS
           current
   DESCRIPTION
           "The address of the IGMP Querier on the IP subnet to which
```

```
this interface is attached."
    ::= { igmpInterfaceEntry 5 }
igmpInterfaceQueryMaxResponseTime OBJECT-TYPE
   SYNTAX Unsigned32 (0..255)
              "tenths of seconds"
   UNITS
   MAX-ACCESS read-create
   STATUS current
   DESCRIPTION
           "The maximum query response time advertised in IGMPv2
           queries on this interface."
   DEFVAL { 100 }
   ::= { igmpInterfaceEntry 6 }
igmpInterfaceQuerierUpTime OBJECT-TYPE
   SYNTAX TimeTicks
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The time since igmpInterfaceQuerier was last changed."
    ::= { igmpInterfaceEntry 7 }
igmpInterfaceQuerierExpiryTime OBJECT-TYPE
             TimeTicks
   SYNTAX
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The amount of time remaining before the Other Querier
           Present Timer expires. If the local system is the querier,
           the value of this object is zero."
    ::= { igmpInterfaceEntry 8 }
igmpInterfaceVersion1QuerierTimer OBJECT-TYPE
   SYNTAX TimeTicks
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The time remaining until the host assumes that there are no
           IGMPv1 routers present on the interface. While this is non-
           zero, the host will reply to all queries with version 1
           membership reports."
    ::= { igmpInterfaceEntry 9 }
igmpInterfaceWrongVersionQueries OBJECT-TYPE
            Counter32
   MAX-ACCESS read-only
   STATUS
            current
   DESCRIPTION
```

```
"The number of queries received whose IGMP version does not
           match igmpInterfaceVersion, over the lifetime of the row
           entry. IGMP requires that all routers on a LAN be
           configured to run the same version of IGMP. Thus, if any
           queries are received with the wrong version, this indicates
           a configuration error."
    ::= { igmpInterfaceEntry 10 }
igmpInterfaceJoins OBJECT-TYPE
   SYNTAX Counter32
   MAX-ACCESS read-only
   STATUS
           current
   DESCRIPTION
           "The number of times a group membership has been added on
           this interface; that is, the number of times an entry for
           this interface has been added to the Cache Table. This
           object gives an indication of the amount of IGMP activity
           over the lifetime of the row entry."
    ::= { igmpInterfaceEntry 11 }
igmpInterfaceProxyIfIndex OBJECT-TYPE
             InterfaceIndexOrZero
   MAX-ACCESS read-create
   STATUS
           current
   DESCRIPTION
           "Some devices implement a form of IGMP proxying whereby
           memberships learned on the interface represented by this
           row, cause IGMP Host Membership Reports to be sent on the
           interface whose if Index value is given by this object. Such
           a device would implement the igmpV2RouterMIBGroup only on
           its router interfaces (those interfaces with non-zero
           igmpInterfaceProxyIfIndex). Typically, the value of this
           object is 0, indicating that no proxying is being done."
              { 0 }
    ::= { igmpInterfaceEntry 12 }
igmpInterfaceGroups OBJECT-TYPE
   SYNTAX Gauge32
   MAX-ACCESS read-only
   STATUS
           current
   DESCRIPTION
            "The current number of entries for this interface in the
           Cache Table."
    ::= { igmpInterfaceEntry 13 }
igmpInterfaceRobustness OBJECT-TYPE
   SYNTAX
             Unsigned32 (1..255)
   MAX-ACCESS read-create
```

```
STATUS
            current
   DESCRIPTION
           "The Robustness Variable allows tuning for the expected
           packet loss on a subnet. If a subnet is expected to be
           lossy, the Robustness Variable may be increased. IGMP is
           robust to (Robustness Variable-1) packet losses."
   DEFVAL
              { 2 }
    ::= { igmpInterfaceEntry 14 }
igmpInterfaceLastMembQueryIntvl OBJECT-TYPE
   SYNTAX Unsigned32 (0..255)
             "tenths of seconds"
   UNITS
   MAX-ACCESS read-create
   STATUS
           current
   DESCRIPTION
           "The Last Member Query Interval is the Max Response Time
           inserted into Group-Specific Queries sent in response to
           Leave Group messages, and is also the amount of time between
           Group-Specific Query messages. This value may be tuned to
           modify the leave latency of the network. A reduced value
           results in reduced time to detect the loss of the last
           member of a group. The value of this object is irrelevant
           if igmpInterfaceVersion is 1."
   DEFVAL { 10 }
    ::= { igmpInterfaceEntry 15 }
  The IGMP Cache Table
igmpCacheTable OBJECT-TYPE
   SYNTAX SEQUENCE OF IgmpCacheEntry
   MAX-ACCESS not-accessible
   STATUS
             current
   DESCRIPTION
           "The (conceptual) table listing the IP multicast groups for
           which there are members on a particular interface."
    ::= { igmpMIBObjects 2 }
igmpCacheEntry OBJECT-TYPE
           IgmpCacheEntry
   SYNTAX
   MAX-ACCESS not-accessible
   STATUS current
   DESCRIPTION
           "An entry (conceptual row) in the igmpCacheTable."
    INDEX { igmpCacheAddress, igmpCacheIfIndex }
   ::= { igmpCacheTable 1 }
```

```
IgmpCacheEntry ::= SEQUENCE {
    igmpCacheAddress
                               IpAddress,
    igmpCacheIfIndex
                              InterfaceIndex,
    igmpCacheSelf
                              TruthValue,
   igmpCacheUpTime
                              TimeTicks,
   igmpCacheExpiryTime TimeTicks, igmpCacheStatus RowStatus
   igmpCacheStatus
                             RowStatus,
    igmpCacheVersion1HostTimer TimeTicks
}
igmpCacheAddress OBJECT-TYPE
   SYNTAX IpAddress
   MAX-ACCESS not-accessible
   STATUS current
   DESCRIPTION
           "The IP multicast group address for which this entry
           contains information."
    ::= { igmpCacheEntry 1 }
igmpCacheIfIndex OBJECT-TYPE
           InterfaceIndex
   MAX-ACCESS not-accessible
   STATUS current
   DESCRIPTION
           "The interface for which this entry contains information for
           an IP multicast group address."
    ::= { iqmpCacheEntry 2 }
igmpCacheSelf OBJECT-TYPE
   SYNTAX TruthValue
   MAX-ACCESS read-create
   STATUS
           current
   DESCRIPTION
           "An indication of whether the local system is a member of
           this group address on this interface."
   DEFVAL { true }
   ::= { igmpCacheEntry 3 }
igmpCacheLastReporter OBJECT-TYPE
   SYNTAX
          IpAddress
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The IP address of the source of the last membership report
           received for this IP Multicast group address on this
           interface. If no membership report has been received, this
           object has the value 0.0.0.0."
```

```
::= { igmpCacheEntry 4 }
igmpCacheUpTime OBJECT-TYPE
   SYNTAX TimeTicks
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The time elapsed since this entry was created."
    ::= { igmpCacheEntry 5 }
igmpCacheExpiryTime OBJECT-TYPE
   SYNTAX TimeTicks
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The minimum amount of time remaining before this entry will
           be aged out. A value of O indicates that the entry is only
           present because igmpCacheSelf is true and that if the router
           left the group, this entry would be aged out immediately.
           Note that some implementations may process membership
           reports from the local system in the same way as reports
           from other hosts, so a value of 0 is not required."
    ::= { igmpCacheEntry 6 }
igmpCacheStatus OBJECT-TYPE
   SYNTAX RowStatus
   MAX-ACCESS read-create
   STATUS current
   DESCRIPTION
           "The status of this entry."
    ::= { igmpCacheEntry 7 }
igmpCacheVersion1HostTimer OBJECT-TYPE
   SYNTAX TimeTicks
   MAX-ACCESS read-only
   STATUS current
   DESCRIPTION
           "The time remaining until the local router will assume that
           there are no longer any IGMP version 1 members on the IP
           subnet attached to this interface. Upon hearing any IGMPv1
           Membership Report, this value is reset to the group
           membership timer. While this time remaining is non-zero,
           the local router ignores any IGMPv2 Leave messages for this
           group that it receives on this interface."
    ::= { igmpCacheEntry 8 }
```

```
igmpMIBConformance
               OBJECT IDENTIFIER ::= { igmpStdMIB 2 }
igmpMIBCompliances
              OBJECT IDENTIFIER ::= { igmpMIBConformance 1 }
igmpMIBGroups OBJECT IDENTIFIER ::= { igmpMIBConformance 2 }
-- compliance statements
igmpV1HostMIBCompliance MODULE-COMPLIANCE
   STATUS current
   DESCRIPTION
           "The compliance statement for hosts running IGMPv1 and
           implementing the IGMP MIB."
   MODULE -- this module
   MANDATORY-GROUPS { igmpBaseMIBGroup }
             igmpInterfaceStatus
    OBJECT
   MIN-ACCESS read-only
   DESCRIPTION
            "Write access is not required."
    OBJECT
             igmpCacheStatus
   MIN-ACCESS read-only
   DESCRIPTION
             "Write access is not required."
    ::= { igmpMIBCompliances 1 }
igmpV1RouterMIBCompliance MODULE-COMPLIANCE
    STATUS current
   DESCRIPTION
           "The compliance statement for routers running IGMPv1 and
           implementing the IGMP MIB."
   MODULE -- this module
     MANDATORY-GROUPS { igmpBaseMIBGroup,
                      igmpRouterMIBGroup
                     }
              igmpInterfaceStatus
    OBJECT
   MIN-ACCESS read-only
   DESCRIPTION
            "Write access is not required."
    OBJECT igmpCacheStatus
   MIN-ACCESS read-only
   DESCRIPTION
             "Write access is not required."
```

::= { igmpMIBCompliances 2 }

```
igmpV2HostMIBCompliance MODULE-COMPLIANCE
    STATUS current
    DESCRIPTION
           "The compliance statement for hosts running IGMPv2 and
           implementing the IGMP MIB."
    MODULE -- this module
    MANDATORY-GROUPS { igmpBaseMIBGroup,
                       igmpV2HostMIBGroup
    OBJECT
              igmpInterfaceStatus
    MIN-ACCESS read-only
    DESCRIPTION
             "Write access is not required."
    OBJECT
             igmpCacheStatus
    MIN-ACCESS read-only
    DESCRIPTION
             "Write access is not required."
    ::= { igmpMIBCompliances 3 }
igmpV2RouterMIBCompliance MODULE-COMPLIANCE
    STATUS current
    DESCRIPTION
            "The compliance statement for routers running IGMPv2 and
            implementing the IGMP MIB."
    MODULE -- this module
    MANDATORY-GROUPS { igmpBaseMIBGroup,
                       igmpRouterMIBGroup,
                       igmpV2RouterMIBGroup
                     }
              igmpInterfaceStatus
    OBJECT
    MIN-ACCESS read-only
    DESCRIPTION
            "Write access is not required."
              igmpCacheStatus
    OBJECT
    MIN-ACCESS read-only
    DESCRIPTION
             "Write access is not required."
    ::= { igmpMIBCompliances 4 }
-- units of conformance
McCloghrie, et al. Standards Track
                                                               [Page 12]
```

```
igmpBaseMIBGroup OBJECT-GROUP
    OBJECTS { igmpCacheSelf,
              igmpCacheStatus, igmpInterfaceStatus
    STATUS current
    DESCRIPTION
            "The basic collection of objects providing management of
            IGMP version 1 or 2."
    ::= { igmpMIBGroups 1 }
igmpRouterMIBGroup OBJECT-GROUP
    OBJECTS { igmpCacheUpTime, igmpCacheExpiryTime,
              igmpInterfaceJoins, igmpInterfaceGroups,
              igmpCacheLastReporter, igmpInterfaceQuerierUpTime,
              igmpInterfaceQuerierExpiryTime,
              igmpInterfaceQueryInterval
    STATUS current
   DESCRIPTION
            "A collection of additional objects for management of IGMP
            version 1 or 2 in routers."
    ::= { igmpMIBGroups 2 }
igmpV2HostMIBGroup OBJECT-GROUP
    OBJECTS { igmpInterfaceVersion1QuerierTimer }
    STATUS current
   DESCRIPTION
            "A collection of additional objects for management of IGMP
            version 2 in hosts."
    ::= { igmpMIBGroups 3 }
igmpHostOptMIBGroup OBJECT-GROUP
    OBJECTS { igmpCacheLastReporter, igmpInterfaceQuerier }
    STATUS current
   DESCRIPTION
            "A collection of optional objects for IGMP hosts.
            Supporting this group can be especially useful in an
            environment with a router which does not support the IGMP
            MIB."
    ::= { igmpMIBGroups 4 }
igmpV2RouterMIBGroup OBJECT-GROUP
    OBJECTS { igmpInterfaceVersion, igmpInterfaceQuerier,
              igmpInterfaceQueryMaxResponseTime,
              igmpInterfaceRobustness,
              igmpInterfaceWrongVersionQueries,
```

```
igmpInterfaceLastMembQueryIntvl,
              igmpCacheVersion1HostTimer
    STATUS current
    DESCRIPTION
            "A collection of additional objects for management of IGMP
            version 2 in routers."
    ::= { igmpMIBGroups 5 }
igmpV2ProxyMIBGroup OBJECT-GROUP
    OBJECTS { igmpInterfaceProxyIfIndex }
    STATUS current
   DESCRIPTION
           "A collection of additional objects for management of IGMP
           proxy devices."
    ::= { igmpMIBGroups 6 }
```

END

5. Security Considerations

This MIB contains readable objects whose values provide information related to multicast sessions. Some of these objects could contain sensitive information. In particular, the igmpCacheSelf and igmpCacheLastReporter can be used to identify machines which are listening to a given group address. There are also a number of objects that have a MAX-ACCESS clause of read-write and/or readcreate, which allow an administrator to configure IGMP in the router.

While unauthorized access to the readable objects is relatively innocuous, unauthorized access to the write-able objects could cause a denial of service. Hence, the support for SET operations in a non-secure environment without proper protection can have a negative effect on network operations.

SNMPv1 by itself is such an insecure environment. Even if the network itself is secure (for example by using IPSec), even then, there is no control as to who on the secure network is allowed to access and SET (change/create/delete) the objects in this MIB.

It is recommended that the implementers consider the security features as provided by the SNMPv3 framework. Specifically, the use of the User-based Security Model RFC 2574 [12] and the View-based Access Control Model RFC 2575 [15] is recommended.

It is then a customer/user responsibility to ensure that the SNMP entity giving access to this MIB, is properly configured to give access to those objects only to those principals (users) that have legitimate rights to access them.

6. Intellectual Property Notice

The IETF takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on the IETF's procedures with respect to rights in standards-track and standards-related documentation can be found in BCP-11. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification can be obtained from the IETF Secretariat.

The IETF invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to practice this standard. Please address the information to the IETF Executive Director.

7. Acknowledgements

This MIB module was updated based on feedback from the IETF's Inter-Domain Multicast Routing (IDMR) Working Group.

8. Authors' Addresses

Keith McCloghrie cisco Systems, Inc. 170 West Tasman Drive San Jose, CA 95134-1706

Phone: +1 408 526 5260 EMail: kzm@cisco.com

Dino Farinacci Procket Networks 3850 North First Street San Jose, CA 95134

Phone: +1 408-954-7909 Email: dino@procket.com

Dave Thaler Microsoft Corporation One Microsoft Way Redmond, WA 48105-6399

Phone: +1 425 703 8835

EMail: dthaler@microsoft.com

9. References

- Wijnen, B., Harrington, D. and R. Presuhn, "An Architecture for Describing SNMP Management Frameworks", RFC 2571, April 1999.
- [2] Rose, M. and K. McCloghrie, "Structure and Identification of Management Information for TCP/IP-based Internets", STD 16, RFC 1155, May 1990.
- [3] Rose, M. and K. McCloghrie, "Concise MIB Definitions", STD 16, RFC 1212, March 1991.
- Rose, M., "A Convention for Defining Traps for use with the [4] SNMP", RFC 1215, March 1991.
- [5] McCloghrie, K., Perkins, D., Schoenwaelder, J., Case, J., Rose, M. and S. Waldbusser, "Structure of Management Information Version 2 (SMIv2)", STD 58, RFC 2578, April 1999.
- [6] McCloghrie, K., Perkins, D., Schoenwaelder, J., Case, J., Rose, M. and S. Waldbusser, "Textual Conventions for SMIv2", STD 58, RFC 2579, April 1999.
- McCloghrie, K., Perkins, D., Schoenwaelder, J., Case, J., Rose, M. and S. Waldbusser, "Conformance Statements for SMIv2", STD 58, RFC 2580, April 1999.
- [8] Case, J., Fedor, M., Schoffstall, M. and J. Davin, "Simple Network Management Protocol", STD 15, RFC 1157, May 1990.
- [9] Case, J., McCloghrie, K., Rose, M. and S. Waldbusser, "Introduction to Community-based SNMPv2", RFC 1901, January 1996.
- [10] Case, J., McCloghrie, K., Rose, M. and S. Waldbusser, "Transport Mappings for Version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1906, January 1996.
- [11] Case, J., Harrington D., Presuhn R. and B. Wijnen, "Message Processing and Dispatching for the Simple Network Management Protocol (SNMP)", RFC 2572, April 1999.
- [12] Blumenthal, U. and B. Wijnen, "User-based Security Model (USM) for version 3 of the Simple Network Management Protocol (SNMPv3)", RFC 2574, April 1999.

- [13] Case, J., McCloghrie, K., Rose, M. and S. Waldbusser, "Protocol Operations for Version 2 of the Simple Network Management Protocol (SNMPv2)", RFC 1905, January 1996.
- [14] Levi, D., Meyer, P. and B. Stewart, "SNMPv3 Applications", RFC 2573, April 1999.
- [15] Wijnen, B., Presuhn, R. and K. McCloghrie, "View-based Access Control Model (VACM) for the Simple Network Management Protocol (SNMP)", RFC 2575, April 1999.
- [16] Deering, S., "Host Extensions for IP Multicasting", STD 5, RFC 1112, August 1989.
- [17] Fenner, W., "Internet Group Management Protocol, Version 2", RFC 2236, November 1997.

10. Full Copyright Statement

Copyright (C) The Internet Society (2000). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Acknowledgement

Funding for the RFC Editor function is currently provided by the Internet Society.