

Package ‘CR2’

June 17, 2022

Title Compute Cluster Robust Standard Errors with Degrees of Freedom Adjustments

Version 0.1.1

Date 2022-06-10

Description Estimate different types of cluster robust standard errors (CR0, CR1, CR2) with degrees of freedom adjustments. Standard errors are computed based on 'Liang and Zeger' (1986) <[doi:10.1093/biomet/73.1.13](https://doi.org/10.1093/biomet/73.1.13)> and Bell and 'McCaffrey' <<https://www150.statcan.gc.ca/n1/en/pub/12-001-x/2002002/article/9058-eng.pdf?st=NxMjN1YZ>>. Functions used in Huang and Li <[doi:10.3758/s13428-021-01627-0](https://doi.org/10.3758/s13428-021-01627-0)>, Huang, 'Wiedermann', and 'Zhang' <[doi:10.1080/00273171.2022.2077290](https://doi.org/10.1080/00273171.2022.2077290)>, and Huang, 'Zhang', and Li (forthcoming: Journal of Research on Educational Effectiveness).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.2

URL <https://github.com/flh3/CR2>

BugReports <https://github.com/flh3/CR2/issues>

Depends R (>= 2.10)

Imports stats, lme4, nlme, Matrix, methods

NeedsCompilation no

Author Francis Huang [aut, cre] (<<https://orcid.org/0000-0002-5900-7763>>),
Bixi Zhang [aut]

Maintainer Francis Huang <flhuang2000@yahoo.com>

Repository CRAN

Date/Publication 2022-06-16 23:20:03 UTC

R topics documented:

clustSE	2
crct	3
getV	4
gpadat	5
MatSqrtInverse	6
ncvMLM	6
robust_mixed	7
satdf	8
sch25	9
sharedat	9

Index	11
--------------	-----------

clustSE	<i>Cluster robust standard errors with degrees of freedom adjustments (for lm and glm objects)</i>
---------	--

Description

Function to compute the CR0, CR1, CR2 cluster robust standard errors (SE) with Bell and McCaffrey (2002) degrees of freedom (df) adjustments. Useful when dealing with datasets with a few clusters. Shows output using different CR types and degrees of freedom choices (for comparative purposes only). For linear and logistic regression models (as well as other GLMs). Computes the BRL-S2 variant.

Usage

```
clustSE(mod, clust = NULL, digits = 3, ztest = FALSE)
```

Arguments

mod	The lm model object.
clust	The cluster variable (with quotes).
digits	Number of decimal places to display.
ztest	If a normal approximation should be used as the naive degrees of freedom. If FALSE, the between-within degrees of freedom will be used.

Value

A data frame with the CR adjustments with p-values.

estimate	The regression coefficient.
se.unadj	The model-based (regular, unadjusted) SE.
CR0	Cluster robust SE based on Liang & Zeger (1986).
CR1	Cluster robust SE (using an adjustment based on number of clusters).

CR2	Cluster robust SE based on Bell and McCaffrey (2002).
tCR2	t statistic based on CR2.
dfn	Degrees of freedom(naive): can be infinite (z) or between-within (default). User specified.
dfBM	Degrees of freedom based on Bell and McCaffrey (2002).
pv.unadj	p value based on model-based standard errors.
CR0pv	p value based on CR0 SE with dfBM.
CR0pv.n	p value based on CR0 SE with naive df.
CR1pv	p value based on CR1 SE with dfBM.
CR1pv.n	p value based on CR1 SE with naive df.
CR2pv	p value based on CR2 SE with dfBM.
CR2pv.n	p value based on CR2 SE with naive df.

References

Bell, R., & McCaffrey, D. (2002). *Bias reduction in standard errors for linear regression with multi-stage samples*. *Survey Methodology*, 28, 169-182. ([link](#))

Liang, K.Y., & Zeger, S. L. (1986). Longitudinal data analysis using generalized linear models. *Biometrika*, 73(1), 13–22. doi: [10.1093/biomet/73.1.13](https://doi.org/10.1093/biomet/73.1.13)

Examples

```
clustSE(lm(mpg ~ am + wt, data = mtcars), 'cyl')
data(sch25)
clustSE(lm(math ~ ses + minority + mses + mhmwk, data = sch25), 'schid')
```

crct	<i>Simulated data from 18 schools (from a cluster randomized controlled trial)</i>
------	--

Description

Synthetic dataset used in the manuscript in the Journal of Research on Educational Effectiveness.

Usage

```
data(crct)
```

Format

A data frame with 4233 rows and 12 variables:

usid Unique school identifier (the grouping variable).

stype School type (elementary, middle, or high school).

trt Treatment indicator. 1 = intervention; 0 = control.

odr_post Office disciplinary referral outcome.

odr_pre Office disciplinary referral (baseline).

size School enrollment size (to the nearest hundred).

female Student is female: 1 = yes.

stype_ms Dummy code for school type; middle school.

stype_lem Dummy code for school type; elementary school.

stype_hs Dummy code for school type; high school.

race_Black Dummy code for student race/ethnicity; Black student.

race_Hispanic Dummy code for student race/ethnicity; Hispanic student.

getV

Get V matrix for merMod objects

Description

Function to extract V matrix.

Usage

```
getV(x)
```

Arguments

x lme4 object

Value

V matrix (weight) for multilevel models

gpadat

Grade point average (GPA) data of students from 25 schools

Description

For investigating heteroskedasticity.

Usage

```
data(gpadat)
```

Format

A data frame with 8,956 rows and 18 variables:

gpa Grade point average. 1 = D ... 4 = A.

female Gender. Female = 1.

race Student race/ethnicity (factor).

dis Disability status (1 = yes/0 = no).

frpl Free/reduced price lunch status.

race_w Dummy coded race (White).

race_a Dummy coded race (Asian).

race_b Dummy coded race (Black).

race_h Dummy coded race (Hispanic).

race_o Dummy coded race (Other).

per_asian Group-aggregated Asian variable.

per_black Group-aggregated Black variable.

per_hisp Group-aggregated Hispanic variable.

per_other Group-aggregated Other variable.

per_fem Group-aggregated female variable.

per_dis Group-aggregated disability variable.

per_frpl Group-aggregated frpl variable.

schoolid School identifier (cluster variable).

MatSqrtInverse	<i>Compute the inverse square root of a matrix</i>
----------------	--

Description

From Imbens and Kolesar (2016).

Usage

```
MatSqrtInverse(A)
```

Arguments

A	The matrix object.
---	--------------------

Value

Returns a matrix.

ncvMLM	<i>Testing for nonconstant variance (ncv)</i>
--------	---

Description

Function to detect heteroscedasticity in two-level random intercept models. Uses a generalization of the Breusch-Pagan-type (using squared residuals) and Levene-type test (using the absolute value of residuals). Note: this will not tell you if including random slopes are warranted (for that, use the `robust_mixed`) function and compare differences in model-based and robust standard errors.

Usage

```
ncvMLM(mx, bp = TRUE)
```

Arguments

mx	The lme or merMod model object.
bp	Computes a Breusch-Pagan-type test (TRUE). If FALSE computes a Levene-type test.

Value

A p-value ($p < .05$ suggests heteroskedasticity).

References

Huang, F., Wiedermann, W., & Zhang, B. (2022). Accounting for Heteroskedasticity Resulting from Between-group Differences in Multilevel Models. *Multivariate Behavioral Research*.

Examples

```
require(lme4)
data(sch25)
ncvMLM(lmer(math ~ byhomewk + male + ses + (1|schid), data = sch25)) #supported
ncvMLM(lmer(math ~ byhomewk + male + ses + minority + (1|schid), data = sch25)) #hetero
```

robust_mixed	<i>Cluster robust standard errors with degrees of freedom adjustments for lmerMod/lme objects</i>
--------------	---

Description

Function to compute the CR2/CR0 cluster robust standard errors (SE) with Bell and McCaffrey (2002) degrees of freedom (dof) adjustments. Suitable even with a low number of clusters. The model based (mb) and cluster robust standard errors are shown for comparison purposes.

Usage

```
robust_mixed(m1, digits = 3, type = "CR2", satt = TRUE, Gname = NULL)
```

Arguments

m1	The lmerMod or lme model object.
digits	Number of decimal places to display.
type	Type of cluster robust standard error to use ("CR2" or "CR0").
satt	If Satterthwaite degrees of freedom are to be computed (if not, between-within df are used).
Gname	Group/cluster name if more than two levels of clustering (does not work with lme).

Value

A data frame (results) with the cluster robust adjustments with p-values.

Estimate	The regression coefficient.
mb.se	The model-based (regular, unadjusted) SE.
cr.se	The cluster robust standard error.
df	degrees of freedom: Satterthwaite or between-within.
p.val	p-value using CR0/CR2 standard error.
stars	stars showing statistical significance.

Author(s)

Francis Huang, <huangf@missouri.edu>
 Bixi Zhang, <bixizhang@missouri.edu>

References

Bell, R., & McCaffrey, D. (2002). *Bias reduction in standard errors for linear regression with multi-stage samples*. *Survey Methodology*, 28, 169-182. ([link](#))

Liang, K.Y., & Zeger, S. L. (1986). *Longitudinal data analysis using generalized linear models*. *Biometrika*, 73(1), 13-22. ([link](#))

Examples

```
require(lme4)
data(sch25, package = 'CR2')
robust_mixed(lmer(math ~ male + minority + mses + mhmwk + (1|schid), data = sch25))
```

satdf

Compute Satterthwaite degrees of freedom

Description

Function to compute empirical degrees of freedom based on Bell and McCaffrey (2002).

Usage

```
satdf(m1, type = "none", Vinv2, Vm2, br2, Gname = NULL)
```

Arguments

m1	The lmerMod or lme model object.
type	The type of cluster robust correction used (i.e., CR2 or none).
Vinv2	Inverse of the variance matrix.
Vm2	The variance matrix.
br2	The bread component.
Gname	The group (clustering variable) name'

Value

Returns a vector of degrees of freedom.

Author(s)

Francis Huang, <huangf@missouri.edu>

Bixi Zhang, <bixizhang@missouri.edu>

sch25

Data from 25 schools (based on the NELS dataset)

Description

For examining the association between amount homework done per week and math outcome.

Usage

```
data(sch25)
```

Format

A data frame with 546 rows and 8 variables:

schid The school identifier (the grouping variable)

ses Student-level socioeconomic status

byhomewk Total amount of time the student spent on homework per week. 1 = None, 2 = Less than one hour, 3 = 1 hour, 4 = 2 hours, 5 = 3 hours, 6 = 4-6 hours, 7 = 7 - 9 hours, 8 = 10 or more

math Mathematics score.

male Dummy coded gender, 1 = male, 0 = female

minority Dummy coded minority status, 1 = yes, 0 = no

mses Aggregated socioeconomic status at the school level

mhmwk Aggregated time spent on homework at the school level

Source

<https://nces.ed.gov/pubs92/92030.pdf>

sharedat

Data from Project SHARE

Description

Project SHARE (Sexual Health and Relationships) was a cluster randomized trial (CRT) in Scotland carried out to measure the impact of a school-based sexual health program (Wight et al., 2002).

Usage

```
data(sharedat)
```

Format

A data frame with 5399 observations and 7 variables.

school The cluster variable

sex factor indicating F or M

arm treatment arm = 1 vs control = 0

kscore Pupil knowledge of sexual health

idno student id number

sc factor showing the highest social class of the father or mother based on occupation (coded 10: I (highest), 20: II, 31: III non-manual, 32: III manual, 40: IV, 50: V (lowest), 99: not coded).

zscore standardized knowledge score

Source

doi: [10.7910/DVN/YXMQZM](https://doi.org/10.7910/DVN/YXMQZM)Harvard dataverse

References

Moulton, L. (2015). *readme.txt contains an overall explanation of the data sets.* Harvard. doi: [10.7910/DVN/YXMQZM](https://doi.org/10.7910/DVN/YXMQZM)

Wight, D., Raab, G. M., Henderson, M., Abraham, C., Buston, K., Hart, G., & Scott, S. (2002). *Limits of teacher delivered sex education: Interim behavioural outcomes from randomised trial.* *BMJ*, 324, 1430. doi: [10.1136/bmj.324.7351.1430](https://doi.org/10.1136/bmj.324.7351.1430)

Examples

```
data(sharedat)
```

Index

* datasets

- crct, 3
- gpadat, 5
- sch25, 9
- sharedat, 9

clustSE, 2

crct, 3

getV, 4

gpadat, 5

MatSqrtInverse, 6

ncvMLM, 6

robust_mixed, 7

satdf, 8

sch25, 9

sharedat, 9