Package 'MMWRweek'

April 22, 2020

Type Package
Title Convert Dates to MMWR Day, Week, and Year
Version 0.1.3
Date 2020-04-22
Author Jarad Niemi <niemi@iastate.edu></niemi@iastate.edu>
Maintainer Jarad Niemi <niemi@iastate.edu></niemi@iastate.edu>
Suggests testthat
Description The first day of any MMWR week is Sunday. MMWR week numbering is sequential beginning with 1 and incrementing with each week to a maximum of 52 or 53. MMWR week #1 of an MMWR year is the first week of the year that has at least four days in the calendar year. This package provides functionality to convert Dates to MMWR day, week, and year and the reverse.
License GPL (>= 2) file LICENSE
LazyLoad yes
<pre>URL http://wwwn.cdc.gov/nndss/document/MMWR_Week_overview.pdf</pre>
RoxygenNote 7.0.1
NeedsCompilation no
Repository CRAN
Date/Publication 2020-04-22 15:42:08 UTC
R topics documented:
get_start_date
Index

2 MMWRweek

get_start_date

Finds the start date for the year associated with date.

Description

Finds the start date for the year associated with date.

Usage

```
get_start_date(date)
```

Arguments

date

vector which can be coerced to class Date

Value

Date vector for start date of MMWR year associated with date

Author(s)

Jarad Niemi <niemi@iastate.edu>

See Also

start_date

MMWRweek

MMWR day, week, and year

Description

This function returns the MMWR day, week, and year for the Date(s) provided.

Usage

```
MMWRweek(date)
```

Arguments

date

vector which can be coerced to class Date

MMWRweek2Date 3

Details

The first day of any MMWR week is Sunday. MMWR week numbering is sequential beginning with 1 and incrementing with each week to a maximum of 52 or 53. MMWR week #1 of an MMWR year is the first week of the year that has at least four days in the calendar year. For example, if January 1 occurs on a Sunday, Monday, Tuesday or Wednesday, the calendar week that includes January 1 would be MMWR week #1. If January 1 occurs on a Thursday, Friday, or Saturday, the calendar week that includes January 1 would be the last MMWR week of the previous year (#52 or #53). Because of this rule, December 29, 30, and 31 could potentially fall into MMWR week #1 of the following MMWR year.

Value

data.frame with elements MMWRday (of the week), MMWRweek, and MMWRyear

Author(s)

Jarad Niemi <niemi@iastate.edu>

References

http://wwwn.cdc.gov/nndss/document/MMWR_Week_overview.pdf

See Also

MMWRweekday, MMWRweek2Date

Examples

```
y = as.Date(paste(1999:2011, "-12-31", sep = ""))
cbind(y, MMWRweek(y))
```

MMWRweek2Date

Convert MMWRweek to Date

Description

Computes the Date from the MMWR year, week, and day.

Usage

```
MMWRweek2Date(MMWRyear, MMWRweek, MMWRday = NULL)
```

Arguments

MMWRyear numeric vector of years

MMWRweek numeric vector of weeks

MMWRday numeric vector of days, defaults to a vector of 1s

4 MMWRweekday

Value

Date vector of dates associated with MMWR year, week, and day

Author(s)

Jarad Niemi <niemi@iastate.edu>

See Also

MMWRweek

Examples

```
MMWRweek2Date(MMWRyear=2015,MMWRweek=36,MMWRday=3)
```

MMWRweekday

Day of week according to MMWR

Description

This function returns the weekday of a given date according to MMWR.

Usage

```
MMWRweekday(date)
```

Arguments

date

vector which can be coerced to class Date

Value

vector of weekdays as a factor (first level is Sunday)

Author(s)

Sebastian Meyer < seb.meyer@fau.de>

See Also

MMWRweek

Examples

```
y <- as.Date(paste(1999:2011, "-12-31", sep = ""))
data.frame(date = format(y), MMWRweekday = MMWRweekday(y))</pre>
```

start_date 5

 $start_date$

Find start date for a calendar year

Description

Finds the state date given a numeric calendar year

Usage

```
start_date(year)
```

Arguments

year

integer vector of four digit years

Value

Date vector for January 1st of the calendar year

Author(s)

Jarad Niemi <niemi@iastate.edu>

See Also

```
get_start_date
```

Index

```
get_start_date, 2, 5

MMWRweek, 2, 4

MMWRweek2Date, 3, 3

MMWRweekday, 3, 4

start_date, 2, 5
```