# Package 'PakPMICS2018'

January 25, 2020

Type Package

Title Multiple Indicator Cluster Survey (MICS) 2017-18 Data for Punjab, Pakistan

Version 1.0.0

Maintainer Muhammad Yaseen <myaseen208@gmail.com>

**Description** Provides data set and function for exploration of Multiple Indicator Cluster Survey (MICS) 2017-18 data for Punjab, Pakistan. The results of the present survey are critically important for the purposes of SDG monitoring, as the survey produces information on 32 global SDG indicators. The data was collected from 53,840 households selected at the second stage with systematic random sampling out of a sample of 2,692 clusters selected using Probability Proportional to size sampling. Six questionnaires were used in the survey: (1) a household questionnaire to collect basic demographic information on all de jure household members (usual residents), the household, and the dwelling; (2) a water quality testing questionnaire administered in three households in each cluster of the sample; (3) a questionnaire for individual women administered in every second household to all men age 15-49 years; (4) a questionnaire for individual men administered in every second household to all men age 15-49 years; (5) an under-5 questionnaire, administered to mothers (or caretakers) of all children under 5 living in the household; and (6) a questionnaire for children age 5-17 years, administered to the mother (or caretaker) of one randomly selected child age 5-17 years living in the household (<a href="http://www.mics.unicef.org/surveys">http://www.mics.unicef.org/surveys</a>).

**Depends** R (>= 3.5.0)

- Copyright 2019-2020, UAF
- License GPL-2 | GPL-3

Encoding UTF-8

LazyData true

VignetteBuilder R.rsp

NeedsCompilation no

RoxygenNote 7.0.2

URL https://github.com/myaseen208/PakPMICS2018

https://CRAN.R-project.org/package=PakPMICS2018
https://myaseen208.github.io/PakPMICS2018/

BugReports https://github.com/myaseen208/PakPMICS2018/issues

**Note** Department of Mathematics and Statistics, University of Agriculture Faisalabad, Faisalabad-Pakistan.

Imports tibble

Suggests testthat, R.rsp

Author Muhammad Yaseen [aut, cre] (<https://orcid.org/0000-0002-5923-1714>)

**Repository** CRAN

Date/Publication 2020-01-25 07:00:02 UTC

# **R** topics documented:

PakPMICS2018bh																								2
PakPMICS2018ch .																								5
PakPMICS2018fs .																								17
PakPMICS2018hh				•	•	•	•					•	•	•	•	•		•	•	•	•	•	•	26
$PakPMICS2018hl \ .$				•		•	•					•	•	•	•	•		•	•	•	•	•	•	36
PakPMICS2018mm				•		•	•					•	•	•	•	•		•	•	•	•	•	•	39
PakPMICS2018mn				•		•	•					•	•	•	•	•		•	•	•	•	•	•	41
PakPMICS2018wm							•							•	•								•	47
																								60

# Index

PakPMICS2018bh

Multiple Indicator Cluster Survey (MICS) 2018 Child Questionnaire Data for Punjab, Pakistan

# Description

PakPMICS2018bh data of Child questionnaire, MICS Punjab, 2014.

# Format

A data frame with 157899 rows and 62 variables:

- HH1 Cluster number
- HH2 Household number
- WM1 Cluster number
- WM2 Household number
- WMINT Interviewer number
- WM3 Woman's line number
- LN Line number
- BH0 Line Number
- BH2 Twins

BH3 Sex of child BH4D Day of birth BH4M Month of birth BH4Y Year of birth BH4A Premature birth (Birth before 37 weeks of pregnancy) BH5 Still alive BH6 Age of child BH7 Living with respondent BH8 Line number of child in HH BH9U Age at death (units) BH9N Age at death (number) BH10 Any other between births BH4C Date of birth of child (CMC) BH4F Date flag for BH4C BH9C Age at death months (imputed) BH9F Date flag for BH9C HH4 Supervisor number HH6 Area WDOI Date of interview women (CMC) WDOB Date of birth of woman (CMC) majorcity majorcity wscore Combined wealth score windex5 Wealth index quintile windex10 Percentile Group of com1 wscoreu Urban wealth score windex5u Urban wealth index quintile windex10u Percentile Group of urb1 wscorer Rural wealth score windex5r Rural wealth index quintile windex10r Percentile Group of rur1 division Division hh6r Area suburban suburban hh7 Districts BHLN BHLN brthord Birth order magebrt Mother's age at birth

- birthint Previous birth interval
- welevel Mother's education
- disability Functional difficulties (age 18-49 years)
- insurance Health insurance
- BH4D\_first Day of birth
- BH4M\_first Month of birth
- BH4Y\_first Year of birth
- BH6\_first Age of child
- BH3\_last Sex of newborns
- BH4D\_last Day of birth
- BH4M\_last Month of birth
- BH4Y\_last Year of birth
- BH6\_last Age of child
- wmweight Woman's sample weight
- stratum stratum
- psu psu

#### Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

# References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

# Examples

```
# Loading PakPMICS2018bh
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018bh.RData"
))
PakPMICS2018bh
```

## End(Not run)

Multiple Indicator Cluster Survey (MICS) 2018 Child Questionnaire Data for Punjab, Pakistan

#### Description

PakPMICS2018ch provides data set and function for exploration of Multiple Indicator Cluster Survey (MICS) 2017-18 Children Under Five questionnaire data for Punjab, Pakistan. The results of the present survey are critically important for the purposes of SDG monitoring, as the survey produces information on 32 global SDG indicators. The data was collected from 53,840 households selected at the second stage with systematic random sampling out of a sample of 2,692 clusters selected using Probability Proportional to size sampling. Six questionnaires were used in the survey: 1. a household questionnaire to collect basic demographic information on all de jure household members (usual residents), the household, and the dwelling; 2. a water quality testing questionnaire administered in three household to all women age 15-49 years; 4. a questionnaire for individual women administered in every second household to all men age 15-49 years; 5. an under-5 questionnaire, administered to mothers (or caretakers) of all children under 5 living in the household; and 6. a questionnaire for children age 5-17 years, administered to the mother (or caretaker) of one randomly selected child age 5-17 years living in the household.

#### Format

A data frame with 42408 rows and 420 variables:

- HH1 Cluster number
- HH2 Household number
- LN Line number
- UF1 Cluster number
- UF2 Household number
- UF3 Child's line number
- UFINT Interviewer number
- UF4 Mother / Caretaker's line number
- UF5 Interviewer number
- UF6 Supervisor's number
- UF7D Day of interview
- UF7M Month of interview
- UF7Y Year of interview
- UF9 Household interviewer
- UF10 Consent
- UF17 Result of interview for children under 5
- UF8H Start of interview Hour

- UF8M Start of interview Minutes
- UF11H End of interview Hour
- UF11M End of interview Minutes
- UF12 Language of the questionnaire
- UF13 Language of the interview
- UF14 Native language of the respondent
- UF15 Translator used
- UFHINT Household interviewer
- UB1D Day of birth of child
- UB1M Month of birth of child
- UB1Y Year of birth of child
- UB2 Age of child
- UB6 Ever attended pre-school/katchi/ECE programe
- UB7 Attended early childhood education programme anytime since the beginning of current school year
- UB8 Currently attending early childhood education programme
- UB9 Covered by any health insurance
- UB10A Health insurance Public-health organization / Community-based health insurance
- UB10B Health insurance Health insurance through employer
- UB10C Health insurance Social security
- UB10D Health insurance Other privately purchased commercial health insurance
- UB10X Health insurance Other
- UB10NR Health insurance No response
- BR1 Birth certificate
- BR2 Birth registered
- BR3 Know how to register birth
- EC1 Number of children's books or picture books for child
- EC2A Homemade toys
- EC2B Toys from shops
- EC2C Household objects or outside objects
- EC3A Days left alone for more than one hour
- EC3B Days left in the care of another child, that is someone less than 10 years old, for more than one hour
- EC5AA Read books Mother
- EC5AB Read books Father
- EC5AX Read books Other
- EC5AY Read books No one
- EC5ANR Read books No response

- EC5BA Tell stories Mother
- EC5BB Tell stories Father
- EC5BX Tell stories Other
- EC5BY Tell stories No one
- EC5BNR Tell stories No response
- EC5CA Sang songs Mother
- EC5CB Sang songs Father
- EC5CX Sang songs Other
- EC5CY Sang songs No one
- ${\tt EC5CNR} \ \ {\tt Sang \ songs} \ {\tt No \ response}$
- EC5DA Took outside Mother
- EC5DB Took outside Father
- EC5DX Took outside Other
- EC5DY Took outside No one
- EC5DNR Took outside No response
- EC5EA Played with Mother
- EC5EB Played with Father
- EC5EX Played with Other
- EC5EY Played with No one
- EC5ENR Played with No response
- EC5FA Named/counted Mother
- EC5FB Named/counted Father
- EC5FX Named/counted Other
- EC5FY Named/counted No one
- EC5FNR Named/counted No response
- EC6 Child identifies at least ten letters of the alphabet
- EC7 Child reads at least four simple, popular words
- EC8 Child knows name and recognizes symbol of all numbers from 1-10
- EC9 Child able to pick up small object with 2 fingers
- EC10 Child sometimes too sick to play
- EC11 Child follows simple directions
- EC12 Child able to do something independently
- EC13 Child gets along well with other children
- EC14 Child kicks, bites or hits other children or adults
- EC15 Child gets distracted easily
- UCD2A Took away privileges
- UCD2B Explained why behaviour was wrong

- UCD2C Shook child
- UCD2D Shouted, yelled or screamed at child
- UCD2E Gave child something else to do
- UCD2F Spanked, hit or slapped child on bottom with bare hand
- UCD2G Hit child on the bottom or elsewhere with belt, brush, stick, etc.
- UCD2H Called child dumb, lazy or another name
- UCD21 Hit or slapped child on the face, head or ears
- UCD2J Hit or slapped child on the hand, arm or leg
- UCD2K Beat child up as hard as one could
- UCD5 Child needs to be physically punished to be brought up properly
- UCF2 Child wear glasses
- UCF3 Child uses hearing aid
- UCF4 Child uses any equipment or receive assistance for walking
- UCF7 Child has difficulty seeing
- UCF9 Child has difficulty hearing sounds like people voices or music
- UCF11 Without using equipment or assistance child has difficulty walking
- UCF12 When using equipment or assistance child has difficulty walking
- UCF13 Compared with children of the same age, child has difficulty walking
- UCF14 Compared with children of the same age, child has difficulty picking upsmall objects with his/her hand
- UCF15 Child has difficulty understanding parent/caretaker
- UCF16 Child has difficulty being understood by parent/caretaker when speaks
- UCF17 Compared with children of the same age, child has difficulty learning things
- UCF18 Compared with children of the same age, child has difficulty playing
- UCF19 Compared with children of the same age, how much child kick, bite or hit other children or adults
- BD2 Child ever been breastfed
- BD3 Child still being breastfed
- BD4 Child drank anything from a bottle with a nipple yesterday
- BD5 Child drank ORS yesterday
- BD6 Child drank or ate vitamin or mineral supplements yesterday
- BD7A Child drank plain water yesterday
- BD7B Child drank juice or juice drinks yesterday
- BD7C Child drank clear broth or clear soup yesterday
- BD7D Child drank infant formula yesterday
- BD7D1 Times child drank infant formula
- BD7E Child drank milk yesterday
- BD7E1 Times child drank milk

8

- BD7X Child drank any other liquid yesterday
- BD8A Child drank or ate yogurt yesterday
- BD8A1 Times drank or ate yogurt
- BD8B Child ate fortified baby food cerelac etc. yesterday
- BD8C Child ate foods made from grains yesterday
- BD8D Child ate pumpkin, carrots, squash etc. yesterday
- BD8E Child ate white potatoes, white yams, manioc, cassava etc. yesterday
- BD8F Child ate green leafy vegetables yesterday
- BD8G Child ate ripe mangoes, papayas, apricots etc. yesterday
- BD8H Child ate other fruits or vegetables yesterday
- BD81 Child ate liver, kidney, heart or other organ meat yesterday
- BD8J Child ate meat, as beef, lamb, goat, chicken, duck etc. or sausages made from these meats yesterday
- BD8K Child ate eggs yesterday
- BD8L Child ate fresh or dried fish or shellfish yesterday
- BD8M Child ate beans, peas, lentils or nuts or any food made from these yesterday
- BD8N Child ate cheese or other food made from milk yesterday
- BD8X Child ate other solid, semi-solid or soft food yesterday
- BD9 Times child ate solid or semi-solid food
- BD8DUMMY Dummy for BD8 explanation
- IM2 Vaccination card for child
- IM3 Ever had vaccination card
- IM5 Card document seen
- IM6BD Day of BCG immunization
- IM6BM Month of BCG immunization
- IM6BY Year of BCG immunization
- IM6P0D Day of Polio (OPV) (at birth) immunization
- IM6P0M Month of Polio (OPV) (at birth) immunization
- IM6P0Y Year of Polio (OPV) (at birth) immunization
- IM6P1D Day of Polio1 (OPV) immunization
- IM6P1M Month of Polio1 (OPV) immunization
- IM6P1Y Year of Polio1 (OPV) immunization
- IM6P2D Day of Polio2 (OPV) immunization
- IM6P2M Month of Polio2 (OPV) immunization
- IM6P2Y Year of Polio2 (OPV) immunization
- IM6P3D Day of Polio3 (OPV) immunization
- IM6P3M Month of Polio3 (OPV) immunization

IM6P3Y Year of Polio3 (OPV) immunization IM6ID Day of Polio (IPV) immunization IM6IM Month of Polio (IPV) immunization IM6IY Year of Polio (IPV) immunization IM6PENTA1D Day of Pentavalent (DPTHibHepB) 1 immunization IM6PENTA1M Month of Pentavalent (DPTHibHepB) 1 immunization IM6PENTA1Y Year of Pentavalent (DPTHibHepB) 1 immunization IM6PENTA2D Day of Pentavalent (DPTHibHepB) 2 immunization IM6PENTA2M Month of Pentavalent (DPTHibHepB) 2 immunization IM6PENTA2Y Year of Pentavalent (DPTHibHepB) 2 immunization IM6PENTA3D Day of Pentavalent (DPTHibHepB) 3 immunization IM6PENTA3M Month of Pentavalent (DPTHibHepB) 3 immunization IM6PENTA3Y Year of Pentavalent (DPTHibHepB) 3 immunization IM6PCV1D Day of Pneumococcal (Conjugate) 1 immunization IM6PCV1M Month of Pneumococcal (Conjugate) 1 immunization IM6PCV1Y Year of Pneumococcal (Conjugate) 1 immunization IM6PCV2D Day of Pneumococcal (Conjugate) 2 immunization IM6PCV2M Month of Pneumococcal (Conjugate) 2 immunization IM6PCV2Y Year of Pneumococcal (Conjugate) 2 immunization IM6PCV3D Day of Pneumococcal (Conjugate) 3 immunization IM6PCV3M Month of Pneumococcal (Conjugate) 3 immunization IM6PCV3Y Year of Pneumococcal (Conjugate) 3 immunization IM6M1D Day of Measles-I immunization IM6M1M Month of Measles-I immunization IM6M1Y Year of Measles-I immunization IM6M2D Day of Measles-II immunization IM6M2M Month of Measles-II immunization IM6M2Y Year of Measles-II immunization IM8 Participate in any previous campaign IM9 Child received any other vaccinations during campaigns, immunization days or child health

- IM11 Child ever received any vaccinations
- IM12 Participate in previous polio campaign
- IM14 Child ever given BCG vaccination
- IM16 Child ever given Polio drops

days

- IM17 Polio drops in the first two weeks after birth
- IM18 Times received Polio drops

- IM19 Child got injection against Polio with last Polio drops
- IM20 Child ever given Pentavelent vaccination
- IM21 Times received Pentavelent vaccination
- IM22 Child ever given Pneumococcal Conjugate vaccination
- IM23 Times received Pneumococcal Conjugate vaccination
- IM26 Child ever given Measles-I & Measles-II vaccination
- IM26A Number of times
- VS1 Received a vitamin a dose like (this/any of these) within the last 6 months
- CA1 Child had diarrhoea in last 2 weeks
- CA3 Child drank less or more during diarrhoea
- CA4 Child ate less or more during diarrhoea
- CA5 Sought advice or treatment for the diarrhoea from any source
- CA6A Place sought care: (public sector) Government hospital
- CA6B Place sought care: (public sector) Government health centre
- CA6C Place sought care: (public sector) Government health post/Dispensary
- CA6D Place sought care: Lady health worker (LHW)
- CA6E Place sought care: (public sector) Mobile / Outreach clinic
- CA6H Place sought care: Other public
- CA61 Place sought care: Private hospital / clinic
- CA6J Place sought care: Private physician
- CA6K Place sought care: Private pharmacy
- CA6M Place sought care: Mobile clinic
- CA60 Place sought care: Other private medical
- CA6P Place sought care: Relative / Friend
- CA6Q Place sought care: Shop / Market / Street
- CA6R Place sought care: Traditional practitioner
- CA6X Place sought care: Other
- CA6NR Place sought care: Missing
- CA7A Child given ORS packet solution
- CA7B Child given ORS fluid
- CA7C Child given zinc tablets or syrup
- CA7D Child given government-recommended hommade fluid
- CA9A Place got ORS: (public sector) Government hospital
- CA9B Place got ORS: (public sector) Government health centre
- CA9C Place got ORS: (public sector) Government health post/DISPENSARY
- CA9D Place got ORS: (public sector) LADY HEALTH WORKER (LHW)
- CA9E Place got ORS: (public sector) Mobile / Outreach clinic

- CA9H Place got ORS: Other public
- CA91 Place got ORS: Private hospital / clinic
- CA9J Place got ORS: Private physician
- CA9K Place got ORS: Private pharmacy
- CA9M Place got ORS: Mobile clinic
- CA90 Place got ORS: Other private medical
- CA9P Place got ORS: Relative / Friend
- CA9Q Place got ORS: Shop / Market / Street
- CA9R Place got ORS: Traditional practitioner
- CA9X Place got ORS: Other
- CA9Z Place got ORS: DK /Don't remember
- CA9NR Place got ORS: Missing
- CA11A Place got ORS: (public sector) Government hospital
- CA11B Place got ORS: (public sector) Government health centre
- CA11C Place got ORS: (public sector) Government health post/Dispensary
- CA11D Place got ORS: (public sector) LADY HEALTH WORKER (LHW)
- CA11E Place got ORS: (public sector) Mobile / Outreach clinic
- CA11H Place got ORS: Other public
- CA111 Place got ORS: Private hospital / clinic
- CA11J Place got ORS: Private physician
- CA11K Place got ORS: Private pharmacy
- CA11M Place got ORS: Mobile clinic
- CA110 Place got ORS: Other private medical
- CA11P Place got ORS: Relative / Friend
- CA11Q Place got ORS: Shop / Market / Street
- CA11R Place got ORS: Traditional practitioner
- CA11X Place got ORS: Other
- CA11Z Place got ORS: DK /Don't remember
- CA11NR Place got ORS: Missing
- CA12 Anything else given to treat the diarrhoea
- CA13A Other treatment: (Pill or Syrup) Antibiotic
- CA13B Other treatment (pill or syrup): Antimotility (anti-diarrhoea)
- CA13G Other treatment (pill or syrup): Other pill or syrup
- CA13H Other treatment (pill or syrup): Unknown pill or syrup
- CA13L Other treatment (injection): Antibiotic
- CA13M Other treatment (injection): Non-antibiotic
- CA13N Other treatment (injection): Unknown injection

- CA130 Other treatment: Intravenous (IV)
- CA13Q Other treatment: Home remedy / Herbal medicine
- CA13X Other treatment: Other
- CA13NR Other treatment: Missing
- CA14 Child ill with fever in last 2 weeks
- CA15 Blood taken from finger or heel for testing
- CA16 Child ill with cough in last 2 weeks
- CA17 Difficulty breathing during illness with cough
- CA18 Symptoms due to problem in chest or blocked nose
- CA20 Sought advice or treatment for illness
- CA21A Place sought care: (public sector) Government hospital
- CA21B Place sought care: (public sector) Government health centre
- CA21C Place sought care: (public sector) Government health post
- CA21D Place sought care: (public sector) Community health worker (Non Government)
- CA21E Place sought care: (public sector) Mobile / Outreach clinic
- CA21H Place sought care: Other public
- CA211 Place sought care: Private hospital / clinic
- CA21J Place sought care: Private physician
- CA21K Place sought care: Private pharmacy
- CA21M Place sought care: Mobile clinic
- CA210 Place sought care: Other private medical
- CA21P Place sought care: Relative / Friend
- CA21Q Place sought care: Shop / Market / Street
- CA21R Place sought care: Traditional practitioner
- CA21X Place sought care: Other
- CA21NR Place sought care: Missing
- CA22 Given medicine to treat this illness
- CA23A Medicine: Anti-Malarials: Artemisinin combination therapy (ACT)
- CA23B Medicine: Anti-Malarials: SP / Fansidar
- CA23C Medicine: Anti-Malarials: Chloroquine
- CA23D Medicine: Anti-Malarials: Amodiaquine
- CA23E Medicine: Anti-Malarials: Quinine pills
- CA23F Medicine: Anti-Malarials: Quinine injection / IV
- CA23G Medicine: Anti-Malarials: Artesunate rectal
- CA23H Medicine: Anti-Malarials: Artesunate injection / IV
- CA23K Medicine: Anti-Malarials: Other anti-malarial
- CA23L Medicine: Antibiotics: Amoxicillin

- 14
- CA23M Medicine: Antibiotics: Cotrimoxazole
- CA23N Medicine: Antibiotics: Other antibiotic pill / syrup
- CA230 Medicine: Antibiotics: Other antibiotic injection / IV
- CA23R Medicine: Paracetamol / Panadol / Acetaminophen
- CA23S Medicine: Aspirin
- CA23T Medicine: Ibupropfen
- CA23X Medicine: Other
- CA23Z Medicine: DK
- CA23NR Medicine: Missing
- CA25A Place got antibiotics:(public sector) Government hospital
- CA25B Place got antibiotics: (public sector) Government health centre
- CA25C Place got antibiotics: (public sector) Government health post/Dispensary
- CA25D Place got antibiotics: (public sector) Lady Health Worker (LHW)
- CA25E Place got antibiotics: (public sector) Mobile / Outreach clinic
- CA25H Place got antibiotics: Other public
- CA251 Place got antibiotics: Private hospital / clinic
- CA25J Place got antibiotics: Private physician
- CA25K Place got antibiotics: Private pharmacy
- CA25M Place got antibiotics: Mobile clinic
- CA250 Place got antibiotics: Other private medical
- CA25P Place got antibiotics: Relative / Friend
- CA25Q Place got antibiotics: Shop / Market / Street
- CA25R Place got antibiotics: Traditional practitioner
- CA25X Place got antibiotics: Other
- CA25Z Place got antibiotics: DK / Don't remember
- CA25NR Place got antibiotics: Missing
- CA27A Place got anti-malarials:(public sector) Government hospital
- CA27B Place got anti-malarials: (public sector) Government health centre
- CA27C Place got anti-malarials: (public sector) Government health post/Dispensary
- CA27D Place got anti-malarials: (public sector) Lady Health Worker (LHW)
- CA27E Place got anti-malarials: (public sector) Mobile / Outreach clinic
- CA27H Place got anti-malarials: Other public
- CA27I Place got anti-malarials: Private hospital / clinic
- CA27J Place got anti-malarials: Private physician
- CA27K Place got anti-malarials: Private pharmacy
- CA27M Place got anti-malarials: Mobile clinic
- CA270 Place got anti-malarials: Other private medical

- CA27P Place got anti-malarials: Relative / Friend
- CA27Q Place got anti-malarials: Shop / Market / Street
- CA27R Place got anti-malarials: Traditional practitioner
- CA27X Place got anti-malarials: Other
- CA27Z Place got anti-malarials: DK / Don't remember
- CA27NR Place got anti-malarials: Missing
- CA29 Got medicine after fever started
- CA31 What was done to dispose of the stools
- AN1 Cluster number
- AN2 Household number
- AN3 Child's line number
- AN4 Age of child
- AN5 Mother's line number
- AN6 Interviewer number
- AN7 Measurer's identification code
- AN8 Child's weight (kilograms)
- AN9 Child undressed to the minimum
- AN11 Child's length or height (centimetres)
- AN12 Child measured lying or standing
- AN13D Day of measurement
- AN13M Month of measurement
- AN13Y Year of measurement
- HH4 Supervisor number
- HH6 Area
- HL4 Sex
- ED5A Highest level of education attended
- ED5B Highest grade attended at that level
- CDOI Date of interview child (CMC)
- CDOB Date of birth of child (CMC)
- CAGE Age (months)
- CAGE\_6 Age
- CAGE\_11 Age
- CAGED Age in days
- HAP Height for age percentile NCHS
- HAZ Height for age z-score NCHS
- HAM Height for age percent of reference median NCHS
- WAP Weight for age percentile NCHS

- WAZ Weight for age z-score NCHS
- WAM Weight for age percent of reference median NCHS
- WHP Weight for height percentile NCHS
- WHZ Weight for height z-score NCHS
- WHM Weight for height percent of reference median NCHS
- FLAG Flag for anthropometric indicators
- BMI Body Mass Index WHO
- ZBMI Body Mass Index z-score WHO
- HAZ2 Height for age z-score WHO
- WAZ2 Weight for age z-score WHO
- WHZ2 Weight for height z-score WHO
- HAZFLAG Height for age flag WHO
- WAZFLAG Weight for age flag WHO
- WHZFLAG Weight for height flag WHO
- BMIFLAG BMI flag WHO
- WHZNOAGE Weight for height Age flag WHO
- wscore Combined wealth score
- windex5 Wealth index quintile
- windex10 Percentile Group of com1
- wscoreu Urban wealth score
- windex5u Urban wealth index quintile
- windex10u Percentile Group of urb1
- wscorer Rural wealth score
- windex5r Rural wealth index quintile
- windex10r Percentile Group of rur1
- division Division
- majorcity majorcity
- hh6r Area
- suburban
- hh7 Districts
- melevel Mother's Education
- cinsurance Health insurance
- cdisability Functional difficulties (age 2-4 years)
- caretakerdis Mother's functional disabilities (age 18-49 years)
- chweight Children under 5's sample weight
- stratum stratum
- psu psu

#### Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

#### References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

#### Examples

```
# Loading PakPMICS2018ch
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018ch.RData"
))
PakPMICS2018ch
## End(Not run)
```

PakPMICS2018fs	Multiple Indicator Cluster Survey (MICS) 2018 Children Age 5-17
	Questionnaire Data for Punjab, Pakistan

# Description

PakPMICS2018fs provides data set and function for exploration of Multiple Indicator Cluster Survey (MICS) 2017-18 Children Age 5-17 questionnaire data for Punjab, Pakistan. The results of the present survey are critically important for the purposes of SDG monitoring, as the survey produces information on 32 global SDG indicators. The data was collected from 53,840 households selected at the second stage with systematic random sampling out of a sample of 2,692 clusters selected using Probability Proportional to size sampling. Six questionnaires were used in the survey: 1. a household questionnaire to collect basic demographic information on all de jure household members (usual residents), the household, and the dwelling; 2. a water quality testing questionnaire administered in each household to all women age 15-49 years; 4. a questionnaire for individual women administered in every second household to all men age 15-49 years; 5. an under-5 questionnaire, administered to mothers (or caretakers) of all children under 5 living in the household; and 6. a questionnaire for children age 5-17 years, administered to the mother (or caretaker) of one randomly selected child age 5-17 years living in the household.

#### Format

A data frame with 37052 rows and 276 variables:

- HH1 Cluster number
- HH2 Household number
- LN Line number
- FS1 Cluster number

- FS2 Household number
- FS3 Child's line number
- **FSINT** Interviewer number
- FS4 Mother / Caretaker's line number
- FS5 Interviewer number
- FS6 Supervisor?s number
- FS7D Day of interview
- FS7M Month of interview
- FS7Y Year of interview
- FS9 First interview with this respondent
- FS10 Consent
- FS17 Result of interview for children 5-17
- FS8H Start of interview Hour
- FS8M Start of interview Minutes
- FS11H End of interview Hour
- FS11M End of interview Minutes
- FS12 Language of the Questionnaire
- FS13 Language of the Interview
- FS14 Native language of the Respondent
- FS15 Translator used
- FSHINT Household interviewer
- CB2M Month of birth of child
- CB2Y Year of birth of child
- CB3 Age of child
- CB4 Ever attended school or early childhood programme
- CB5A Highest level of education attended
- CB5B Highest grade attended at that level
- CB6 Ever completed that grade/year
- CB7 Attended school or early childhood programme during current school year
- CB8A Level of education attended current school year
- CB8B Grade of education attended current school year
- CB9 Attended school or early childhood programme during previous school year
- CB10A Level of education attended previous school year
- CB10B Grade of education attended previous school year
- CB11 Covered by any health insurance
- CB12A Health insurance PUBLIC HEALTH INSURANCE
- CB12B Health insurance Health insurance through employer

18

- CB12C Health insurance Social security
- CB12D Health insurance Other privately purchased commercial health insurance
- CB12X Health insurance Other
- CB12NR Health insurance MIssing
- CL1A Worked or helped on garden in past week
- CL1B Helped in family business in past week
- CL1C Produced or sold articles in past week
- CL1X Engaged in any other activity for income in past week
- CL3 Hours worked in past week
- CL4 Activities required carrying heavy loads
- CL5 Activities required working with dangerous tools or heavy machinery
- CL6A Description of work: exposed to dust, fumes, or gas
- CL6B Description of work: exposed to extreme temperatures or humidity
- CL6C Description of work: exposed to loud noise or vibration
- CL6D Description of work: required to work at heights
- CL6E Description of work: required to work with chemicals
- CL6X Description of work: exposed to other
- CL7 Fetched water in past week
- CL8 Hours spent fetching water in past week
- CL9 Collected firewood in past week
- CL10 Hours spent collecting firewood in past week
- CL11A Household chores in past week: shopping
- CL11B Household chores in past week: cooking
- CL11C Household chores in past week: washing dishes or cleaning around the house
- CL11D Household chores in past week: washing/Iron clothes
- CL11E Household chores in past week: caring for children
- CL11F Household chores in past week: caring for old or sick
- CL11X Household chores in past week: other household tasks
- CL13 Number of hours engaged in past week
- FCD2A Took away privileges
- FCD2B Explained why behaviour was wrong
- FCD2C Shook child
- FCD2D Shouted, yelled or screamed at child
- FCD2E Gave child something else to do
- FCD2F Spanked, hit or slapped child on bottom with bare hand
- FCD2G Hit child on the bottom or elsewhere with belt, brush, stick, etc.
- FCD2H Called child dumb, lazy or another name

- FCD2I Hit or slapped child on the face, head or ears
- FCD2J Hit or slapped child on the hand, arm or leg
- FCD2K Beat child up as hard as one could
- FCD5 Child needs to be physically punished to be brought up properly
- FCF1 Child wear glasses or contact lenses
- FCF2 Child uses hearing aid
- FCF3 Child uses any equipment or receive assistance for walking
- FCF6 Child has difficulty seeing
- FCF8 Child has difficulty hearing sounds like people voices or music
- FCF10 Without using equipment or assistance child has difficulty walking 100 meters
- FCF11 Without using equipment or assistance child has difficulty walking 500 meters
- FCF12 When using equipment or assistance child has difficulty walking 100 meters
- FCF13 When using equipment or assistance child has difficulty walking 500 meters
- FCF14 Compared with children of the same age, child has difficulty walking 100 meters
- FCF15 Compared with children of the same age, child has difficulty walking 500 meters
- FCF16 Child has difficulty with self-care such as feeding or dressing
- FCF17 Child has difficulty being understood by people inside of this household
- FCF18 Child has difficulty being understood by people outside of this household
- FCF19 Compared with children of the same age, child has difficulty learning things
- FCF20 Compared with children of the same age, child has difficulty remembering things
- FCF21 Child has difficulty concentrating on an activity that he/she enjoys
- FCF22 Child has difficulty accepting changes in his/her routine
- FCF23 Compared with children of the same age, child have difficulty controlling his/her behaviour
- FCF24 Child has difficulty making friends
- FCF25 How often child seems very anxious, nervous or worried
- FCF26 How often child seems very sad or depressed
- PR3 Number of children's books or picture books for child
- PR5 Child ever had homework
- PR6 Anyone helps child with homework
- PR7 School have a School Governing Body in which parents can participate
- PR8 Attended a PTA / SMC meeting in the last 12 months
- PR9A At meeting discussed a plan for addressing key education isses faced by child's school
- PR9B At meeting discussed school budget or use of funds received by child's school
- PR10 In the last 12 months received a student or student report card
- PR11A In the last 12 months gone to school for a school assembly, a school celebration or a sport event
- PR11B In the last 12 months gone to school for to discuss child's progress with child's teachers

- PR12A In the last 12 months school closed due to natural disasters
- PR12B In the last 12 months school closed due to man made disasters
- PR12C In the last 12 months school closed due to teacher strike or teacher absenteesim
- PR12X In the last 12 months school closed due to any other reasons
- PR13 In the last 12 months, child was unable to attend class due to teacher being absent
- PR15 Contacted the school officials or school governing bodies when this happened
- FL1 Consent
- FL2H Start of interview with child Hour
- FL2M Start of interview with child Minutes
- FL3 Consent
- FL4A You are not alone with the child unless they are at least visible to an adult known to the child
- FL4B You have engaged the child in conversation and built rapport e.g. using an Icebreaker
- FL4C The child is sat comfortably, able to use the Reading & Numbers Book without difficulty while you can see which page is open
- FL6A child read books
- FL6B someone read books to child
- FL7 Language child speaks most of the time at home
- FL9 Language teacher use most of the time when teaching child in class
- FL10 Like to read story
- FL13 Giving the Child book Manual introduction
- FL14 Child read every word in the practice correctly
- FL15 Reading done: How old is Mano?
- FL16 Mano is 5 years old
- FL17 Another question: Who is older: Mano or Motie?
- FL18 Motie is older than Mano. Motie is 6 and Mano is 5.
- FLINTRO INTRO
- FL19W1 Word1
- FL19W2 Word2
- FL19W3 Word3
- FL19W4 Word4
- FL19W5 Word5
- FL19W6 Word6
- FL19W7 Word7
- FL19W8 Word8
- FL19W9 Word9
- FL19W10 Word10
- FL19W11 Word11

FL19W12 Word12 FL19W13 Word13 FL19W14 Word14 FL19W15 Word15 FL19W16 Word16 FL19W17 Word17 FL19W18 Word18 FL19W19 Word19 FL19W20 Word20 FL19W21 Word21 FL19W22 Word22 FL19W23 Word23 FL19W24 Word24 FL19W25 Word25 FL19W26 Word26 FL19W27 Word27 FL19W28 Word28 FL19W29 Word29 FL19W30 Word30 FL19W31 Word31 FL19W32 Word32 FL19W33 Word33 FL19W34 Word34 FL19W35 Word35 FL19W36 Word36 FL19W37 Word37 FL19W38 Word38 FL19W39 Word39 FL19W40 Word40 FL19W41 Word41 FL19W42 Word42 FL19W43 Word43 FL19W44 Word44 FL19W45 Word45 FL19W46 Word46 FL19W47 Word47 FL19W48 Word48

22

FL19W49 Word49
FL19W50 Word50
FL19W51 Word51
FL19W52 Word52
FL19W53 Word53
FL19W54 Word54
FL19W55 Word55
FL19W56 Word56
FL19W57 Word57
FL19W58 Word58
FL19W59 Word59
FL19W60 Word60
FL19W61 Word61
FL19W62 Word62
FL19W63 Word63
FL19W64 Word64
FL19W65 Word65
FL19W66 Word66
FL19W67 Word67
FL19W68 Word68
FL19W69 Word69
FL19W70 Word70
FL19W71 Word71
FL19W72 Word72
FL20A Total number of words attempted
FL20B Total number of words incorrect or missed
FL21 How well did child read the story
FL22A Story comprehension: 1 (What class is Amjad in)
FL22B Story comprehension: 2 (What did Amjad see on the way home)
FL22C Story comprehension: 3 (Why did Amjad start crying)
FL22D Story comprehension: 4 (Where did Amjad fall (down))

FL22E Story comprehension: 5 (Why was Amjad happy)

FL23A Child recognizes symbol: 9

- FL23B Child recognizes symbol: 12
- FL23C Child recognizes symbol: 30
- FL23D Child recognizes symbol: 48
- FL23E Child recognizes symbol: 74

- FL23F Child recognizes symbol: 731
- FL24A Child identities bigger of two numbers: 7-5
- FL24B Child identities bigger of two numbers: 11-24
- FL24C Child identities bigger of two numbers: 58-49
- FL24D Child identities bigger of two numbers: 65-67
- FL24E Child identities bigger of two numbers: 146-154
- FL25A Child adds numbers correctly: 3+2
- FL25B Child adds numbers correctly: 8+6
- FL25C Child adds numbers correctly: 7+3
- FL25D Child adds numbers correctly: 13+6
- FL25E Child adds numbers correctly: 12+24
- FL26 Manual intro
- FL27A Child identifies next number: 5-6-7-X
- FL27B Child identifies next number: 14-15-X-17
- FL27C Child identifies next number: 20-X-40-50
- FL27D Child identifies next number: 2-4-6-X
- FL27E Child identifies next number: 5-8-11-X
- FL28 Result of interview with selected child (7-14 years)
- HH4 Supervisor number
- HH6 Area
- HL4 Sex
- ED5A Highest level of education attended
- ED5B Highest grade attended at that level
- FSAGE Age
- FSD0I Date of interview child 5-17 (CMC)
- FSDOB Date of birth of child 5-17 (CMC)
- HH56 Number of CF questionnaires completed (age 5-17 years)
- fsweight Children 5-17's sample weight
- caretakerdis Mother's functional disabilities (age 18-49 years)
- wscore Combined wealth score
- windex5 Wealth index quintile
- windex10 Percentile Group of com1
- wscoreu Urban wealth score
- windex5u Urban wealth index quintile
- windex10u Percentile Group of urb1
- wscorer Rural wealth score
- windex5r Rural wealth index quintile

windex10r Percentile Group of rur1 division Division majorcity majorcity hh6r Area suburban hh7 Districts fselevel Child's education fsinsurance Health insurance fsdisability Functional difficulties melevel Mother's education schage Age at beginning of school year HH52 Number of children age 5-17 years fshweight Children 5-17's household sample weight stratum stratum psu psu

# Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

# References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

# Examples

```
# Loading PakPMICS2018fs
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018fs.RData"
))
PakPMICS2018fs
```

## End(Not run)

Multiple Indicator Cluster Survey (MICS) 2018 Household Questionnaire Data for Punjab, Pakistan

#### Description

PakPMICS2018hh provides data set and function for exploration of Multiple Indicator Cluster Survey (MICS) 2017-18 Household questionnaire data for Punjab, Pakistan. The results of the present survey are critically important for the purposes of SDG monitoring, as the survey produces information on 32 global SDG indicators. The data was collected from 53,840 households selected at the second stage with systematic random sampling out of a sample of 2,692 clusters selected using Probability Proportional to size sampling. Six questionnaires were used in the survey: 1. a household questionnaire to collect basic demographic information on all de jure household members (usual residents), the household, and the dwelling; 2. a water quality testing questionnaire administered in each household to all women age 15-49 years; 4. a questionnaire for individual women administered in every second household to all men age 15-49 years; 5. an under-5 questionnaire, administered to mothers (or caretakers) of all children under 5 living in the household; and 6. a questionnaire for children age 5-17 years, administered to the mother (or caretaker) of one randomly selected child age 5-17 years living in the household.

#### Format

A data frame with 53840 rows and 330 variables:

- HH1 Cluster number
- HH2 Household number
- HH3 Interviewer number
- HH4 Supervisor number
- HH5D Day of interview
- HH5M Month of interview
- HH5Y Year of interview
- HH6 Area
- HH8 HH selected for Questionnaire for Men
- HH9 HH selected for Water Quality Testing
- HH10 HH selected for blank testing
- HH11H Start of interview Hour
- HH11M Start of interview Minutes
- HH12 Consent
- HH46 Result of HH interview
- HH13H End of interview Hour
- HH13M End of interview Minutes

- HH14 Language of the questionnaire
- HH15 Language of the interview
- HH16 Native language of the respondent
- HH17 Translator used
- HH26A Rank number of the selected child
- HH26B Child line number
- HH26C Child's age
- HH33 Consent for interview girls 15-17
- HH33.01 Roster to check the consent for interview girls 15-17
- HH33.02 Roster to check the consent for interview girls 15-17
- HH33.03 Roster to check the consent for interview girls 15-17
- HH33.04 Roster to check the consent for interview girls 15-17
- HH33.05 Roster to check the consent for interview girls 15-17
- HH33.06 Roster to check the consent for interview girls 15-17
- HH33.07 Roster to check the consent for interview girls 15-17
- HH33.08 Roster to check the consent for interview girls 15-17
- HH33.09 Roster to check the consent for interview girls 15-17
- HH33.10 Roster to check the consent for interview girls 15-17
- HH33.11 Roster to check the consent for interview girls 15-17
- HH33.12 Roster to check the consent for interview girls 15-17
- HH33.13 Roster to check the consent for interview girls 15-17
- HH33.14 Roster to check the consent for interview girls 15-17
- HH33.15 Roster to check the consent for interview girls 15-17
- HH33.16 Roster to check the consent for interview girls 15-17
- HH33.17 Roster to check the consent for interview girls 15-17
- HH33.18 Roster to check the consent for interview girls 15-17
- HH33.19 Roster to check the consent for interview girls 15-17
- HH33.20 Roster to check the consent for interview girls 15-17
- HH33.21 Roster to check the consent for interview girls 15-17
- HH33.22 Roster to check the consent for interview girls 15-17
- HH33.23 Roster to check the consent for interview girls 15-17
- HH33.24 Roster to check the consent for interview girls 15-17
- HH33.25 Roster to check the consent for interview girls 15-17
- HH33.26 Roster to check the consent for interview girls 15-17
- HH33.27 Roster to check the consent for interview girls 15-17
- HH33.28 Roster to check the consent for interview girls 15-17
- HH33.29 Roster to check the consent for interview girls 15-17

HH33.30 Roster to check the consent for interview girls 15-17 HH33.31 Roster to check the consent for interview girls 15-17 HH33.32 Roster to check the consent for interview girls 15-17 HH33.33 Roster to check the consent for interview girls 15-17 HH33.34 Roster to check the consent for interview girls 15-17 HH33.35 Roster to check the consent for interview girls 15-17 HH33.36 Roster to check the consent for interview girls 15-17 HH33.37 Roster to check the consent for interview girls 15-17 HH33.38 Roster to check the consent for interview girls 15-17 HH33.39 Roster to check the consent for interview girls 15-17 HH33.40 Roster to check the consent for interview girls 15-17 HH33.41 Roster to check the consent for interview girls 15-17 HH33.42 Roster to check the consent for interview girls 15-17 HH33.43 Roster to check the consent for interview girls 15-17 HH33.44 Roster to check the consent for interview girls 15-17 HH33.45 Roster to check the consent for interview girls 15-17 HH33.46 Roster to check the consent for interview girls 15-17 HH33.47 Roster to check the consent for interview girls 15-17 HH33.48 Roster to check the consent for interview girls 15-17 HH33.49 Roster to check the consent for interview girls 15-17 HH33.50 Roster to check the consent for interview girls 15-17 HH39 Consent for interview boys 15-17 HH39.01 Roster to check the consent for interview boys 15-17 HH39.02 Roster to check the consent for interview boys 15-17 HH39.03 Roster to check the consent for interview boys 15-17 HH39.04 Roster to check the consent for interview boys 15-17 HH39.05 Roster to check the consent for interview boys 15-17 HH39.06 Roster to check the consent for interview boys 15-17 HH39.07 Roster to check the consent for interview boys 15-17 HH39.08 Roster to check the consent for interview boys 15-17 HH39.09 Roster to check the consent for interview boys 15-17 HH39.10 Roster to check the consent for interview boys 15-17 HH39.11 Roster to check the consent for interview boys 15-17 HH39.12 Roster to check the consent for interview boys 15-17 HH39.13 Roster to check the consent for interview boys 15-17 HH39.14 Roster to check the consent for interview boys 15-17 HH39.15 Roster to check the consent for interview boys 15-17 HH39.16 Roster to check the consent for interview boys 15-17 HH39.17 Roster to check the consent for interview boys 15-17 HH39.18 Roster to check the consent for interview boys 15-17 HH39.19 Roster to check the consent for interview boys 15-17 HH39.20 Roster to check the consent for interview boys 15-17 HH39.21 Roster to check the consent for interview boys 15-17 HH39.22 Roster to check the consent for interview boys 15-17 HH39.23 Roster to check the consent for interview boys 15-17 HH39.24 Roster to check the consent for interview boys 15-17 HH39.25 Roster to check the consent for interview boys 15-17 HH39.26 Roster to check the consent for interview boys 15-17 HH39.27 Roster to check the consent for interview boys 15-17 HH39.28 Roster to check the consent for interview boys 15-17 HH39.29 Roster to check the consent for interview boys 15-17 HH39.30 Roster to check the consent for interview boys 15-17 HH39.31 Roster to check the consent for interview boys 15-17 HH39.32 Roster to check the consent for interview boys 15-17 HH39.33 Roster to check the consent for interview boys 15-17 HH39.34 Roster to check the consent for interview boys 15-17 HH39.35 Roster to check the consent for interview boys 15-17 HH39.36 Roster to check the consent for interview boys 15-17 HH39.37 Roster to check the consent for interview boys 15-17 HH39.38 Roster to check the consent for interview boys 15-17 HH39.39 Roster to check the consent for interview boys 15-17 HH39.40 Roster to check the consent for interview boys 15-17 HH39.41 Roster to check the consent for interview boys 15-17 HH39.42 Roster to check the consent for interview boys 15-17 HH39.43 Roster to check the consent for interview boys 15-17 HH39.44 Roster to check the consent for interview boys 15-17 HH39.45 Roster to check the consent for interview boys 15-17 HH39.46 Roster to check the consent for interview boys 15-17 HH39.47 Roster to check the consent for interview boys 15-17 HH39.48 Roster to check the consent for interview boys 15-17 HH39.49 Roster to check the consent for interview boys 15-17 HH39.50 Roster to check the consent for interview boys 15-17 HH44 Consent for Water Quality Testing HH47 Respondent to HH questionnaire

- HH48 Number of HH members
- HH49 Number of women 15 49 years
- HH50 Number of men 15 49 years
- HH51 Number of children under age 5
- HH52 Number of children age 5-17
- INTROHL Introduction HH Listing
- HHAUX Other household memebers
- HHWQ Water Quality prompt
- HHFIN Finish
- HC1B Language of household head
- HC3 Number of rooms used for sleeping
- HC4 Main material of floor
- HC5 Main material of roof
- HC6 Main material of exterior wall
- HC7A Household have: Fixed telephone line
- HC7B Household have: Radio
- HC7C Household have: Gas Heater
- HC7D Household have: Cooking Range
- HC7E Household have: Sewing Machine (without electric motor)
- HC7F Household have: An iron (Gas/ Coal)
- HC7G Household have: Bed
- HC7H Household have: Sofa
- HC7I Household have: Cupboard
- HC7J Household have: Wall Clock
- HC8 Household have electricity
- HC9A Household have: Television
- HC9B Household have: Refrigerator
- HC9C Household have: Washing Machine/ Dryer
- HC9D Household have: Air Cooler/ Fan
- HC9E Household have: Microwave Oven
- HC9F Household have: Electric Iron
- HC9G Household have: Water Filter
- HC9H Household have: Donkey Pump/ Turbine
- HC91 Household have: Air conditioner
- HC9J Household have: Sewing Machine (with electirc motor)
- HC10A Any member of household own: Watch
- HC10B Any member of household own: Bicycle

30

- HC10C Any member of household own: Motorcycle or scooter
- HC10D Any member of household own: Animal-drawn cart
- HC10E Any member of household own: Car, truck or van
- HC10F Any member of household own: Boat with motor
- HC10G Any member of household own: Tractor Trolley
- HC10H Any member of household own: Autorickshaw/ Chingchi
- HC11 Any member have a computer
- HC12 Any member have a mobile telephone
- HC13 Internet access at home
- HC14 Household owns the dwelling
- HC15 Any household member own land that can be used for agriculture
- HC16 Hectares of agricultural land members of household owns
- HC17 Household own any animals
- HC18A Milk cows, buffaloes or bulls
- HC18B Other cattle
- HC18C Horses, donkeys, camel or mules
- HC18D Goats
- HC18E Sheep
- HC18F Chickens
- HC18H Ducks/Turkey
- HC19 Any household member own bank account
- ST2.1 Aware of (name of programme)
- ST2.2 Aware of (name of programme)
- ST2.3 Aware of (name of programme)
- ST2.4 Aware of (name of programme)
- ST2.5 Aware of (name of programme)
- ST2.6 Aware of (name of programme)
- ST3.1 Received assistance through (name of programme)
- ST3.2 Received assistance through (name of programme)
- ST3.3 Received assistance through (name of programme)
- ST3.4 Received assistance through (name of programme)
- ST3.5 Received assistance through (name of programme)
- ST3.6 Received assistance through (name of programme)
- ST4U.1 Last time assistance was received (unit)
- ST4U.2 Last time assistance was received (unit)
- ST4U.3 Last time assistance was received (unit)
- ST4U.4 Last time assistance was received (unit)

- ST4U.5 Last time assistance was received (unit)
- ST4U.6 Last time assistance was received (unit)
- ST4N.1 Last time assistance was received (number)
- ST4N.2 Last time assistance was received (number)
- ST4N.3 Last time assistance was received (number)
- ST4N.4 Last time assistance was received (number)
- ST4N.5 Last time assistance was received (number)
- ST4N.6 Last time assistance was received (number)
- RM1 Working outside this country
- RM2 Number of persons working outside this country
- RM3 Household receive remittances from outside the country
- RM4 Household receive any cash donation from within the country
- EU1 Type of cookstove mainly used for cooking
- EU2 Cookstove have a chimney
- EU3 Cookstove have a fan
- EU4 Type of energy source for cookstove
- EU5 Place for cooking
- EU6 Type of space heating in household
- EU7 Space heater have a chimney
- EU8 Type of energy source for heater
- EU9 Type of lighting in household
- WS1 Main source of drinking water
- WS2 Main source of water used for other purposes (if bottled water used for drinking)
- WS3 Location of the water source
- WS4 Time (in minutes) to get water and come back
- WS5 Person collecting water
- WS6 Number of times person collected water in the last seven days
- WS7 There been any time in the last month without sufficient water
- WS8 Main reason without sufficient water
- WS9 Treat water to make safer for drinking
- WS10A Water treatment: Boil
- WS10B Water treatment: Add bleach/chlorine
- WS10C Water treatment: Strain it through a cloth
- WS10D Water treatment: Use water filter
- WS10E Water treatment: Solar disinfection
- WS10F Water treatment: Let it stand and settle
- WS10X Water treatment: Other

- WS10Z Water treatment: DK
- WS10NR Water treatment: Missing
- WS11 Type of toilet facility
- WS12 Pit latrine or septic tank ever been emptied
- WS13 Place the contents were emptied
- WS14 Location of the toilet facility
- WS15 Toilet facility shared
- WS16 Toilet shared with other household or with general public
- WS17 Households using this toilet facility
- HW1 Place where household members most often wash their hands
- HW2 Water available at the place for handwashing
- HW3 Soap or detergent present at place of handwashing
- HW4 Usual place for handwashing
- HW5 Soap or detergent available for washing hands
- HW6 Hand washing material shown
- HW7A Bar soap
- HW7B Detergent (Powder / Liquid / Paste)
- HW7NR Missing
- SA1 Salt iodization test outcome
- SA2 Salt iodization recheck test outcome
- WQ1 Cluster number
- WQ2 Household number
- WQ3 Measurer's number
- WQ4 Supervisor's number
- WQ5D Day of interview
- WQ5M Month of interview
- WQ5Y Year of interview
- WQ6 HH selected for blank testing
- WQ8 Consent for water testing
- WQ31 Result of water quality testing
- WQ10H Start of water quality test Hour
- WQ10M Start of water quality test Minutes
- WQ22H End of water quality test Hour
- WQ22M End of water quality test Minutes
- WQ11 Glass of the water that members of your household usually drink
- WQ12 whether the water was collected directly from the source or from a separate storage container
- WQ13 Have you labled sample

- WQ14 Done anything to the water to make it safer to drink
- WQ15A Water treatment: Boil
- WQ15B Water treatment: Add bleach/chlorine
- WQ15C Water treatment: Strain it through a cloth
- WQ15D Water treatment: Use water filter
- WQ15E Water treatment: Solar disinfection
- WQ15F Water treatment: Let it stand and settle
- WQ15X Water treatment: Other
- WQ15Z Water treatment: DK
- WQ15NR Water treatment: Missing
- WQ16 Was the glass water from the main source
- WQ17 Source of water where the glass of water was collected
- WQ18 Main source of water was shown
- WQ19 Source water sample collected
- WQ20 HH selected for blank testing
- WQ21 Blank water test available
- WQ23H End of water quality test Hour
- WQ23M End of water quality test Minutes
- WQ24D Day of of recording test results
- WQ24M Month of of recording test results
- WQ24Y Year of of recording test results
- WQ26 Household water test (100ml)
- WQ27 Source water test (100ml)
- WQ29 Blank water test (100ml)
- WQ25M End of water quality test Hour
- WQ25H End of water quality test Minutes
- HHSEX Sex of household head
- HHAGE Age of household head
- stratum stratum

psu psu

- wscore Combined wealth score
- windex5 Wealth index quintile
- windex10 Percentile Group of com1
- wscoreu Urban wealth score
- windex5u Urban wealth index quintile
- windex10u Percentile Group of urb1
- wscorer Rural wealth score

windex5r Rural wealth index quintile windex10r Percentile Group of rur1 division Division majorcity majorcity hh6r Area suburban hh7 Districts helevel Education of household head HH53 Number of woman' questionnaires completed HH54 Number of man' questionnaires completed HH50A Number of men 15 - 49 years in interviewed households HH55 Number of under - 5 questionnaires completed HH56 Number of CF questionnaires completed (age 5-17 years) hhweight Household sample weight wqhweight Weight for household WQT wshweight Weight for source WQT wqsweight Weight for source WQT

#### Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

#### References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

#### Examples

```
# Loading PakPMICS2018hh
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018hh.RData"
))
PakPMICS2018hh
```

## End(Not run)

# Description

PakPMICS2018hl data of Child questionnaire, MICS Punjab, 2014.

#### Format

A data frame with 157899 rows and 62 variables:

- HH1 Cluster number
- HH2 Household number
- HL1 Line number
- HL3 Relationship to the head
- HL4 Sex
- HL5M Month of birth
- HL5Y Year of birth
- HL6 Age
- HL7 Member stayed in the household last night
- HL7A Age 10 and above
- HL7B Marital Status
- HL8 Line number of woman age 15 49
- HL9 Line number of man age 15 49
- HL10 Line number for children age 0-4
- HL11 Member age 0-17
- HL12 Is natural mother alive
- HL13 Does natural mother live in HH
- HL14 Natural mother's line number in HH
- HL15 Where does natural mother live
- HL16 Is natural father alive
- HL17 Does natural father live in HH
- HL18 Natural father's line number in HH
- HL19 Where does natural father live
- HL20 Line number of morhter or primary caretaker for children 0-17 years of age
- HL33 Consent for interview girls 15-17
- HL39 Consent for interview boys 15-17
- ED1 Line number

ED2A Age

ED3 Age above 3

- ED4 Ever attended school or any Early Childhood Education programme
- ED5A Highest level of education attended
- ED5B Highest grade attended at that level
- ED6 Highest grade completed at that level
- ED7 Age 3-24
- ED8 Check: Ever attended school, Pre School, Katchi or any Early Childhood Education programme
- ED9 Attended school during current school year
- ED10A Level of education attended current school year
- ED10B Grade of education attended current school year
- ED10C Going to any school last week for at least 4-5 hours daily
- ED11 Attended public school current school year
- ED12 School tuition in the current school year
- ED13A Tuition provided: Govt./public
- ED13B Tuition provided: Religious / faith org.
- ED13C Tuition provided: Private
- ED13X Tuition provided: Other
- ED13Z Tuition provided: Z
- ED13NR Tuition provided: NR
- ED14 Material support in the current school year
- ED15 Attended school previous school year
- ED16A Level of education attended previous school year
- ED16B Grade of education attended previous school year
- DA1 Line number

DA2B Age

- DA3 Age 18 or above
- DA4 Wear glasses or contact lenses
- DA5 Difficulty seeing, even if wearing glasses
- DA6 Difficulty seeing
- DA7 Wear a hearing aid
- DA8 Difficulty hearing, even if using a hearing aid
- DA9 Difficulty hearing
- DA10 Difficulty communicating when using his/her usual language
- DA11 Difficulty remembering or concentrating
- DA12 Difficulty walking or climbing steps

DA13 Difficulty washing all over or dressing DA14A Taken any benifit: ZAKAT & BAIT UL MALL DA14B Taken any benifit: BISP DA14C Taken any benifit: KHIDMAT CARD DA14D Taken any benifit: PENSION / RETIRMENT DA14E Taken any benifit: WATAN / HEALTH CARD DA14X Taken any benifit: OTHER DA14Y Taken any benifit: NOT ANY DA14Z Taken any benifit: DONT KNOW DA14NR Taken any benifit: NON RESPONSE HH4 Supervisor number HH5D Day of interview HH5M Month of interview HH5Y Year of interview HH6 Area MLINE Mother's line number FLINE Father's line number helevel Education of household head disability Functional difficulties insurance Health insurance schage Age at beginning of school year melevel Mother level of education caretakerdis Mother's functional disabilities (age 18-49 years) felevel Education of father wscore Combined wealth score windex5 Wealth index quintile windex10 Percentile Group of com1 wscoreu Urban wealth score windex5u Urban wealth index quintile windex10u Percentile Group of urb1 wscorer Rural wealth score windex5r Rural wealth index quintile windex10r Percentile Group of rur1 division Division majorcity majorcity hh6r Area suburban hh7 Districts hhweight Household sample weight stratum stratum psu psu

38

# PakPMICS2018mm

### Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

#### References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

#### Examples

```
# Loading PakPMICS2018hl
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018hl.RData"
))
PakPMICS2018hl
## End(Not run)
```

PakPMICS2018mm	Multiple Indicator Cluster Survey (MICS) 2018 Child Questionnaire
	Data for Punjab, Pakistan

#### Description

PakPMICS2018mm data of Child questionnaire, MICS Punjab, 2014.

#### Format

A data frame with 157899 rows and 62 variables:

- HH1 Cluster number
- HH2 Household number
- WM1 Cluster number
- WM2 Household number
- WMINT Interviewer number
- WM3 Woman's line number
- LN Line number
- MMLN Sibling's line number
- MM15 Sibling's gender
- MM16 Sibling still alive
- MM17 Age of sibling
- MM18 Years since death
- MM19 Age at death of sibling
- MM22 Pregnant when died

- MM23 Died during the childbirth
- MM24 Died within two months after the end of a pregnancy or childbirth
- MM25 Days after the end of the pregnancy or childbirth did die
- MM26 Death due to an act of violence
- MM27 Death due to an accident
- HH4 Supervisor number
- HH6 Area
- WDOI Date of interview women (CMC)
- WDOB Date of birth of woman (CMC)
- wscore Combined wealth score
- windex5 Wealth index quintile
- windex10 Percentile Group of com1
- wscoreu Urban wealth score
- windex5u Urban wealth index quintile
- windex10u Percentile Group of urb1
- wscorer Rural wealth score
- windex5r Rural wealth index quintile
- windex10r Percentile Group of rur1
- division Division
- majorcity majorcity
- hh6r Area
- suburban
- hh7 Districts
- welevel Education
- disability Functional difficulties (age 18-49 years)
- insurance Health insurance
- wmweight Woman's sample weight
- stratum stratum
- psu psu

#### Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

#### References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

# PakPMICS2018mn

# Examples

```
# Loading PakPMICS2018mm
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018mm.RData"
))
PakPMICS2018mm
```

## End(Not run)

PakPMICS2018mn	Multiple Indicator Cluster Survey (MICS) 2018 Child Questionnaire
	Data for Punjab, Pakistan

# Description

PakPMICS2018mn data of Child questionnaire, MICS Punjab, 2014.

# Format

A data frame with 157899 rows and 62 variables:

- HH1 Cluster number
- HH2 Household number
- MWM1 Cluster number
- MWM2 Household number
- MWMINT Interviewer number
- MWM3 Man's line number
- LN Line number
- MWM4 Supervisor's number
- MWM5 Interviewer's number
- MWM6D Day of interview
- MWM6M Month of interview
- MWM6Y Year of interview
- MWM8 Household interviewer

MWM9 Consent

- MWM17 Result of man's interview
- MWM7H Start of interview Hour
- MWM7M Start of interview Minutes
- MWM10H End of interview Hour
- MWM10M End of interview Minutes
- MWM11 Interview completed in private

PakPMICS2018mn

- MWM12 Language of the Questionnaire
- MWM13 Language of the Interview
- MWM14 Native language of the Respondent
- MWM15 Translator used
- MWMHINT Household interviewer
- MWB1 Check: Respondent to HH questionnaire
- MWB2 Check: Highest level of school attended
- MWB3M Month of birth of man
- MWB3Y Year of birth of man
- MWB4 Age of man
- MWB5 Ever attended school
- MWB6A Highest level of school attended
- MWB6B Highest grade attended at that level
- MWB7 Grade completion
- MWB9 Attended school during current school year
- MWB10A Level of education attended current school year
- MWB10B Grade of education attended current school year
- MWB11 Attended school previous school year
- MWB12A Level of education attended previous school year
- MWB12B Grade of education attended previous school year
- MWB14 Can read part of the sentence
- MWB15 Duration of living in current place
- MWB16 Place of living prior to moving to current place
- MWB17 Region prior to moving to current place
- MWB18 Covered by health insurance
- MWB19A Type of health insurance: Public health organization
- MWB19B Type of health insurance: Health insurance through employer
- MWB19C Type of health insurance: Social security
- MWB19D Type of health insurance: Other privately purchased commercial health insurance
- MWB19X Type of health insurance: Other
- MWB19NR Type of health insurance: Missing
- MWDOI Date of interview man (CMC)
- MWB1C Date of birth of man (CMC)
- MWB1F Date flag for WB1
- MWB2C Age of respondent (calculated)
- MWAGE Age
- MMT1 Frequency of reading newspaper or magazine

- MMT2 Frequency of listening to the radio
- MMT3 Frequency of watching TV
- MMT4 Ever used a computer or a tablet
- MMT5 Computer / tablet usage in the last 3 months
- MMT6A During the last 3 months: Copy or move a file or folder
- MMT6B During the last 3 months: Use a copy / paste in document
- MMT6C During the last 3 months: Send e-mail with attached file
- MMT6D During the last 3 months: Use a basic arithmetic formula in a spreadsheet
- MMT6E During the last 3 months: Connect and install a new device
- MMT6F During the last 3 months: Install and configure software
- MMT6G During the last 3 months: Create an electronic presentation
- MMT6H During the last 3 months: Transfer a file
- MMT61 During the last 3 months: Write a computer program
- MMT9 Ever used internet
- MMT10 Internet usage in the last 3 months
- MMT11 Own a mobile phone
- MMT12 Mobile phone usage in the last 3 months
- MCM1 Ever fathered any childeren
- MCM2 Any sons or daughters living with you
- MCM3 Sons living with you
- MCM4 Daughters living with you
- MCM5 Any sons or daughters not living with you
- MCM6 Sons living elsewhere
- MCM7 Daughters living elsewhere
- MCM8 Ever had child who later died
- MCM9 Boys dead
- MCM10 Girls dead
- MCM11 Children ever born
- MCM12 Confirm total number of ever born
- MCM15 Same biological mother
- MCM16 Number of women respondent fathered children with
- MCM17 Age when first child was born
- MCM18M Month of last birth
- MCM18Y Year of last birth
- MDV1A If she goes out with out telling husband: wife beating justified
- MDV1B If she neglects the children: wife beating justified
- MDV1C If she argues with husband: wife beating justified

- MDV1D If she refuses sex with husband: wife beating justified
- MDV1E If she burns the food: wife beating justified
- MVT1 Something taken by using force or someone threatening to use force
- MVT2 Victimisation happened during the last 12 months
- MVT3 Number of times victimisation happened in the last year
- MVT5 The last time that this happened, was anything stolen
- MVT6 Person(s) had a weapon
- MVT7A Offender(s) had a knife, a gun or something else used as a weapon: A knife
- MVT7B Offender(s) had a knife, a gun or something else used as a weapon: A gun
- MVT7X Offender(s) had a knife, a gun or something else used as a weapon: Other weapon
- MVT7NR Offender(s) had a knife, a gun or something else used as a weapon: Missing
- MVT8 Incident reported to the police
- MVT9 Physically attacked
- MVT10 Attack happened during the last 12 months
- MVT11 Number of times attack happened in the last year
- MVT12 Place attack happened the last time
- MVT13 Number of people involved in committing the offence
- MVT14 At least one of the offender(s) recognized at the time of the incident
- MVT17 Person(s) had a weapon
- MVT18A Offender(s) had a knife, a gun or something else used as a weapon: A knife
- MVT18B Offender(s) had a knife, a gun or something else used as a weapon: A gun
- MVT18X Offender(s) had a knife, a gun or something else used as a weapon: Other weapon
- MVT18NR Offender(s) had a knife, a gun or something else used as a weapon: Missing
- MVT19 Incident reported to the police
- MVT20 Feeling safe walking alone in neighbourhood after dark
- MVT21 Feeling safe at home alone after dark
- MVT22A In the past 12 months, felt discriminated: Ethnic or immigration origin
- MVT22B In the past 12 months, felt discriminated: Gender
- MVT22C In the past 12 months, felt discriminated: Sexual orientation
- MVT22D In the past 12 months, felt discriminated: Age
- MVT22E In the past 12 months, felt discriminated: Religion or belief
- MVT22F In the past 12 months, felt discriminated: Disability
- MVT22X In the past 12 months, felt discriminated: any other reason
- MMA1 Currently married
- MMA3 More than one wives
- MMA4 Number of wives
- MMA5 Ever married

- MMA6 Marital status
- MMA7 Married with someone once or more than once
- MMA8M Month of first marriage
- MMA8Y Year of first marriage
- MMA11 Age at first marriage
- MHA1 Ever heard of HIV or AIDS
- MHA2 Can avoid HIV by having one uninfected partner
- MHA3 Can get HIV from mosquito bites
- MHA4 Can avoid HIV by using a condom correctly every time
- MHA5 Can get HIV by sharing food with a person who has HIV
- MHA6 Can get HIV through supernatural means
- MHA7 Healthy-looking person may have HIV
- MHA8A HIV from mother to child during pregnancy
- MHA8B HIV from mother to child during delivery
- MHA8C HIV from mother to child through breastfeeding
- MHA10 Aware of drugs used to reduce the risk of transmission to the baby
- MHA24 Ever been tested for HIV
- MHA25 Most recent time of testing for HIV
- MHA26 Received results of HIV test
- MHA27 Know a place to get HIV test
- MHA28 Heard of test kit for HIV testing
- MHA29 Ever tested yourself using test kit
- MHA30 Would buy fresh vegetables from shopkeeper with AIDS virus
- MHA31 Children living with HIV should be allowed to attend school with other children
- MHA32 People hesitate to take an HIV test because they are afraid of how other people will react if the test result is positive
- MHA33 People talk badly about people living with HIV, or who are thought to be living with HIV
- MHA34 People living with HIV, or thought to be living with HIV, lose the respect of other people
- MHA35 Agreement with the following statement: I would be ashamed if someone in my family had HIV
- MHA36 Fear of getting HIV in contact with the saliva of a person living with HIV
- MTA1 Ever tried cigarette smoking
- MTA2 Age when cigarette was smoked for the first time
- MTA3 Currently smoking cigarettes
- MTA4 Number of cigarettes smoked in the last 24 hours
- MTA5 Number of days when cigarettes were smoked in past month
- MTA6 Ever tried any smoked tobacco products other than cigarettes
- MTA7 Used any smoked tobacco products during the last month

- MTA8A Type of smoked tobacco product: Cigars
- MTA8B Type of smoked tobacco product: Water pipe
- MTA8C Type of smoked tobacco product: Cigarillos
- MTA8D Type of smoked tobacco product: Pipe/SHESHA
- MTA8X Type of smoked tobacco product: Other
- MTA8NR Type of smoked tobacco product: No response
- MTA9 Number of days when tobacco products where smoked in past month
- MTA10 Ever tried any form of smokeless tobacco products
- MTA11 Used any smokeless tobacco products during the last month
- MTA12A Type of smokeless tobacco product used: Chewing tobacco
- MTA12B Type of smokeless tobacco product used: Snuff
- MTA12D Type of smokeless tobacco product used: PAN WITH TOBACCO
- MTA12E Type of smokeless tobacco product used: GUTKA
- MTA12F Type of smokeless tobacco product used: NASWAR
- MTA12G Type of smokeless tobacco product used: MAWA TOBACCO
- MTA12H Type of smokeless tobacco product used: PAN WITH TOBACCO
- MTA12X Type of smokeless tobacco product used: Other
- MTA12NR Type of smokeless tobacco product used: No response
- MTA13 Number of days when smokeless tobacco products where used in past month
- MLS1 Estimation of overall happiness
- MLS2 Satisfaction with ladder step
- MLS3 Life satisfaction in comparison with last year
- MLS4 Life satisfaction expectation one year from now
- HH4 Supervisor number
- HH6 Area
- MWDOB Date of birth of man (CMC)
- MWDOM Date of marriage of man (CMC)
- MWAGEM Age at first marriage of man
- MMSTATUS Marital status of man
- disability Functional difficulties (age 18-49 years)
- wscore Combined wealth score
- windex5 Wealth index quintile
- windex10 Percentile Group of com1
- wscoreu Urban wealth score
- windex5u Urban wealth index quintile
- windex10u Percentile Group of urb1
- wscorer Rural wealth score

windex5r Rural wealth index quintile windex10r Percentile Group of rur1 division Division majorcity majorcity hh6r Area suburban hh7 Districts mwelevel Education minsurance Health insurance mdisability Functional difficulties (age 18-49 years) mnweight Men's sample weight stratum stratum psu psu

# Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

# References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

#### Examples

```
# Loading PakPMICS2018mn
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018mn.RData"
))
PakPMICS2018mn
```

## End(Not run)

PakPMICS2018wm	Multiple Indicator Cluster Survey (MICS) 2018 Child Questionnaire
	Data for Punjab, Pakistan

# Description

PakPMICS2018wm data of Child questionnaire, MICS Punjab, 2014.

#### PakPMICS2018wm

#### Format

A data frame with 157899 rows and 62 variables:

- HH1 Cluster number
- HH2 Household number
- WM1 Cluster number
- WM2 Household number
- WMINT Interviewer number
- WM3 Woman's line number
- LN Line number
- WM4 Supervisor's number
- WM5 Interviewer's number
- WM6D Day of interview
- WM6M Month of interview
- WM6Y Year of interview
- WM8 Household interviewer
- WM9 Consent
- WM17 Result of woman's interview
- WM7H Start of interview Hour
- WM7M Start of interview Minutes
- WM10H End of interview Hour
- WM10M End of interview Minutes
- WM11 Interview completed in private
- WM12 Language of the Questionnaire
- WM13 Language of the Interview
- WM14 Native language of the Respondent
- WM15 Translator used
- WMHINT Household interviewer
- INTROBH Introduction Birth History (BH)
- INTROMM Introduction MM Listing
- MMAUX Other brother/sisters
- WB3M Month of birth of woman
- WB3Y Year of birth of woman
- WB4 Age of woman
- WB5 Ever attended school
- WB6A Highest level of school attended
- WB6B Highest grade attended at that level
- WB7 Grade completion

- WB9 Attended school during current school year
- WB10A Level of education attended current school year
- WB10B Grade of education attended current school year
- WB11 Attended school previous school year
- WB12A Level of education attended previous school year
- WB12B Grade of education attended previous school year
- WB14 Can read part of the sentence
- WB15 Duration of living in current place
- WB16 Place of living prior to moving to current place
- WB17 Region prior to moving to current place
- WB18 Covered by health insurance
- WB19A Type of health insurance: Public health organization
- WB19B Type of health insurance: Health insurance through employer
- WB19C Type of health insurance: Social security
- WB19D Type of health insurance: Other privately purchased commercial health insurance
- WB19X Type of health insurance: Other
- WB19NR Type of health insurance: No response
- WDOI Date of interview women (CMC)
- WAGE Age
- MT1 Frequency of reading newspaper or magazine
- MT2 Frequency of listening to the radio
- MT3 Frequency of watching TV
- MT4 Ever used a computer or a tablet
- MT5 Computer / tablet usage in the last 3 months
- MT6A During the last 3 months: Copy or move a file or folder
- MT6B During the last 3 months: Use a copy / paste in document
- MT6C During the last 3 months: Send e-mail with attached file
- MT6D During the last 3 months: Use a basic arithmetic formula in a spreadsheet
- MT6E During the last 3 months: Connect and install a new device
- MT6F During the last 3 months: Install and configure software
- MT6G During the last 3 months: Create an electronic presentation
- MT6H During the last 3 months: Transfer a file
- MT6I During the last 3 months: Write a computer program
- MT9 Ever used internet
- MT10 Internet usage in the last 3 months
- MT11 Own a mobile phone
- MT12 Mobile phone usage in the last 3 months

# PakPMICS2018wm

- MA1 Currently married
- MA2 Age of husband
- MA3 Husband has more wives
- MA4 Number of other wives or partners
- MA5 Ever married
- MA6 Marital status
- MA7 Married or lived with a man once or more than once
- MA8M Month of first marriage
- MA8Y Year of first marriage
- MA11 Age at first marriage
- CM1 Ever given birth
- CM2 Any sons or daughters living with you
- CM3 Sons living with you
- CM4 Daughters living with you
- CM5 Any sons or daughters not living with you
- CM6 Sons living elsewhere
- CM7 Daughters living elsewhere
- CM8 Ever had child who later died
- CM9 Boys dead
- CM10 Girls dead
- CM11 Children ever born
- CM12 Confirm total number of ever born
- CM15 Check total number of children ever born
- CM17 Live births in last two years
- BH11 Any other live births
- DB2 Wanted last child then
- DB4 Wanted child later or did not want more children
- MN2 Received prenatal care
- MN3A Prenatal care provider: Doctor
- MN3B Prenatal care provider: Nurse/Midwife
- MN3C Prenatal care provider: Lady Health Visitor (LHV)
- MN3D Prenatal care provider: Community Mid Wife
- MN3F Prenatal care provider: Traditional birth attendant
- MN3X Prenatal care provider: Other
- MN3NR Prenatal care provider: No Response
- MN4AU Weeks or months pregnent at first prenatal care unit
- MN4AN Weeks or months pregnant at first prenatal care number

- MN5 Times received prenatal care
- MN6A Blood pressure
- MN6B Urine sample
- MN6C Blood sample
- MN6D Weight
- MN6E Importance of Spacing
- MN6F Information provided for FP methods
- MN7 Has own immunization card
- MN8 Any tetanus toxoid injection during last pregnancy
- MN9 Doses of tetanus toxoid during last pregnancy
- MN11 Any tetanus toxoid injection before last pregnancy
- MN12 Doses of tetanus toxoid before last pregnancy
- MN14 Years ago last tetanus toxoid received before last pregnancy
- MN16 Any SP/Fansidar during last pregnancy
- MN17 Doses of SP/Fansidar during last pregnancy
- MN18A Received SP/Fansidar during an antenatal care visit, or during another visit: Antenatal visit
- MN18B Received SP/Fansidar during an antenatal care visit, or during another visit: Another facility visit
- MN18X Received SP/Fansidar during an antenatal care visit, or during another visit: Other source
- MN18NR Received SP/Fansidar during an antenatal care visit, or during another visit: No response
- MN19A Assistance at delivery: Doctor
- MN19B Assistance at delivery: Nurse / Midwife
- MN19C Assistance at delivery: Lady Health Visitor
- MN19D Assistance at delivery: Community Mid Wife
- MN19F Assistance at delivery: Traditional birth attendant
- MN19H Assistance at delivery: Relative / Friend
- MN19X Assistance at delivery: Other
- MN19Y Assistance at delivery: No one
- MN19NR Assistance at delivery: No response
- MN20 Place of delivery
- MN21 Delivery by caesarean section
- MN22 Decision made to have caesarean section
- MN23 After the birth, baby was put directly on the bare skin of mothers chest
- MN24 Baby was wrapped up before being placed on mothers chest
- MN25 Baby was dried or wiped soon after birth
- MN26U Time baby was bathed unit
- MN26N Time baby was bathed number

- MN28 What was used to cut the cord
- MN29 Instrument used to cut the cord boiled prior to use
- MN30 Something applied to the cord after it was cut
- MN31A What was applied to the cord: Chlorhexidine
- MN31B What was applied to the cord: Other antiseptic
- MN31C What was applied to the cord: Mustard oil
- MN31D What was applied to the cord: Ash
- MN31E What was applied to the cord: Animal dung
- MN31X What was applied to the cord: Other
- MN31Z What was applied to the cord: DK / Don't remember
- MN31NR What was applied to the cord: No Response
- MN32 Size of child at birth
- MN33 Weighted at birth
- MN34A Weight from card or recall
- MN34 Weight at birth (Kilograms)
- MN35 Menstrual period returned since the birth of child
- MN36 Ever breastfeed
- MN37U Time baby put to breast unit
- MN37N Time baby put to breast number
- MN38 Within first 3 days after delivery, child given anything to drink other than breast milk
- MN39A Child given to drink: Milk (other than breast milk)
- MN39B Child given to drink: Plain water
- MN39C Child given to drink: Sugar or glucose water
- MN39D Child given to drink: Gripe water
- MN39E Child given to drink: Sugar salt water solution
- MN39F Child given to drink: Fruit juice
- MN39G Child given to drink: Infant formula
- MN39H Child given to drink: Tea / Infusions
- MN391 Child given to drink: Honey
- MN39J Child given to drink: Prescribed medicine
- MN39K Child given to drink: Rose Water
- MN39X Child given to drink: Other
- MN39Y Child given to drink: Not given anything to drink
- MN39NR Child given to drink: No response
- MN40 Lady Health Worker
- PN3U Duration of staying in the health facility unit
- PN3N Duration of staying in the health facility number

- PN4 Baby's health checked before leaving health facility
- PN5 Mother's health checked before leaving health facility
- PN5AA Before leaving the facility, did anyone: Counsel for family planning
- PN5AB Before leaving the facility, did anyone: Tell about various family planning methods
- PN5AC Before leaving the facility, did anyone: Guide about from where you can get these methods
- PN6 Baby's health checked after leaving health facility
- PN8 Baby checked after the delivery was over
- PN9 Mother checked after the delivery was over
- **PN9AA** Councelling for Family Planning
- **PN9AB** Family Planning Methods
- PN9AC From where you get these methods
- PN10 Additional baby check after the delivery
- PN11 Baby checked after the delivery
- PN12 Number of times baby was checked
- PN13U How long after delivery did the first check of baby happen unit
- PN13N How long after delivery did the first check of baby happen number
- PN14A Person checking on baby's health: Doctor
- PN14B Person checking on baby's health: Nurse / Midwife
- PN14C Person checking on baby's health: Lady Health Visitor (LHV)
- PN14D Person checking on baby's health: Community Mid Wife
- PN14F Person checking on baby's health: Traditional birth attendant
- PN14H Person checking on baby's health: Relative / Friend
- PN14X Person checking on baby's health: Other
- PN14NR Person checking on baby's health: Missing
- PN15 Place where baby's health was checked
- PN17 Mother's health checked after leaving health facility
- PN19 Mother's health checked after the delivery was over
- PN20 Mother's health checked after the birth of the baby
- PN21 Number of times mother's health was checked after the birth
- PN22U How long after delivery did the first check of mother happen unit
- PN22N How long after delivery did the first check of mother happen number
- PN23A Person checking on mother's health: Doctor
- PN23B Person checking on mother's health: Nurse / Midwife
- PN23C Person checking on mother's health: Lady Health Visitor (LHV)
- PN23D Person checking on mother's health: Community MID Wife
- PN23F Person checking on mother's health: Traditional birth attendant
- PN23H Person checking on mother's health: Relative / Friend

PN23X Person checking on mother's health: Other

PN23NR Person checking on mother's health: Missing

- PN24 Place where mother's health was checked
- PN25A During two days after birth health care provider: Examine cord
- PN25B During two days after birth health care provider: Take temperature
- PN25C During two days after birth health care provider: Counsel on breastfeeding
- PN27 During two days after birth health care provider observe child's breastfeeding
- PN29 During two days after birth health care provider weighter child again
- PN30 During two days after birth health care provider gave information on symtomps
- CP1 Currently pregnant
- CP2 Currently using a method to avoid pregnancy
- CP3 Ever used a method to avoid pregnancy
- CP4A Current method: Female sterilization
- CP4B Current method: Male sterilization
- CP4C Current method: IUD
- CP4D Current method: Injectables / Injection
- CP4E Current method: Implants
- CP4F Current method: Pill
- CP4G Current method: Male condom
- CP4H Current method: Female condom
- CP4I Current method: Diaphragm
- CP4K Current method:Lactational amenorrhoea method (LAM)
- CP4L Current method: Periodic abstinence / Rhythm / Calendar
- CP4M Current method: Withdrawal
- CP4X Current method: Other
- CP4NR Current method: Missing
- UN2 Wanted to get pregnant at the time
- UN4 Wanted baby later or did not want more children
- UN5 Would like to have another child (currently pregnant)
- UN7 Would like to have another child (not currently pregnant)
- UN8U Desired waiting time (unit)
- UN8N Desired waiting time (number)
- UN11 Able to get pregnant
- UN12A Reason: Infrequent sex / No sex
- UN12B Reason: Menopausal
- UN12C Reason: Never menstruated
- UN12D Reason: Hysterectomy

- UN12E Reason: Trying to get pregnant for 2 years without result
- UN12F Reason: Postpartum amenorrheic
- UN12G Reason: Breastfeeding
- UN12H Reason: Too old
- UN12I Reason: Fatalistic
- UN12X Reason: Other
- UN12Z Reason: Don't know
- UN12NR Reason: Missing
- UN14U Start of last menstrual period unit
- UN14N Start of last menstrual period number
- UN16 Social activities, school or work days not attended due to menstruation
- UN17 Availability of private place for washing during last menstrual period
- UN18 Used any materials such as sanitary pads, tampons or cloth
- UN19 Materials reusable
- DV1A If she goes out with out telling husband: wife beating justified
- DV1B If she neglects the children: wife beating justified
- DV1C If she argues with husband: wife beating justified
- DV1D If she refuses sex with husband: wife beating justified
- DV1E If she burns the food: wife beating justified
- VT1 Something taken by using force or someone threatening to use force
- VT2 Victimisation happened during the last 12 months
- VT3 Number of times victimisation happened in the last year
- VT5 The last time that this happened, was anything stolen
- VT6 Person(s) had a weapon
- VT7A Offender(s) had a knife, a gun or something else used as a weapon: A knife
- VT7B Offender(s) had a knife, a gun or something else used as a weapon: A gun
- VT7X Offender(s) had a knife, a gun or something else used as a weapon: Other weapon
- VT7NR Offender(s) had a knife, a gun or something else used as a weapon: Missing
- VT8 Incident reported to the police
- VT9 Physically attacked
- VT10 Attack happened during the last 12 months
- VT11 Number of times attack happened in the last year
- VT12 Place attack happened the last time
- VT13 Number of people involved in committing the offence
- VT14 At least one of the offender(s) recognized at the time of the incident
- VT17 Person(s) had a weapon
- VT18A Offender(s) had a knife, a gun or something else used as a weapon: A knife

- VT18B Offender(s) had a knife, a gun or something else used as a weapon: A gun
- VT18X Offender(s) had a knife, a gun or something else used as a weapon: Other weapon
- VT18NR Offender(s) had a knife, a gun or something else used as a weapon: Missing
- VT19 Incident reported to the police
- VT20 Feeling safe walking alone in neighbourhood after dark
- VT21 Feeling safe at home alone after dark
- VT22A In the past 12 months, felt discriminated: Ethnic or immigration origin
- VT22B In the past 12 months, felt discriminated: Gender
- VT22C In the past 12 months, felt discriminated: Sexual orientation
- VT22D In the past 12 months, felt discriminated: Age
- VT22E In the past 12 months, felt discriminated: Religion or belief
- VT22F In the past 12 months, felt discriminated: Disability
- VT22X In the past 12 months, felt discriminated: any other reason
- HA1 Ever heard of HIV or AIDS
- HA2 Can avoid HIV by having uninfected husband who has no other wife
- HA3 Can get HIV from mosquito bites
- HA4 Can avoid HIV by using a condom correctly every time
- HA5 Can get HIV by sharing food with a person who has HIV
- HA6 Can get HIV through supernatural means
- HA7 Healthy-looking person may have HIV
- HA8A HIV from mother to child during pregnancy
- HA8B HIV from mother to child during delivery
- HA8C HIV from mother to child through breastfeeding
- HA10 Aware of drugs used to reduce the risk of transmission to the baby
- HA13A Given information about HIV during antenatal care visit: HIV from mother
- HA13B Given information about HIV during antenatal care visit: Things to do
- HA13C Given information about HIV during antenatal care visit: Tested for HIV
- HA13D Given information about HIV during antenatal care visit: Offered a test
- HA14 Tested for HIV as part of antenatal care
- HA15 Received results from test during antenatal care
- HA16 Received consultation after testing during antenatal care
- HA18 Offered test for HIV before delivery
- HA19 Tested for HIV during delivery
- HA20 Received results from test during delivery
- HA22 Tested for HIV since test during pregnancy
- HA23 Most recent time of testing for HIV
- HA24 Ever been tested for HIV

- HA25 Most recent time of testing for HIV
- HA26 Received results of HIV test
- HA27 Know a place to get HIV test
- HA28 Heard of test kit for HIV testing
- HA29 Ever tested yourself using test kit
- HA30 Would buy fresh vegetables from shopkeeper with AIDS virus
- HA31 Children living with HIV should be allowed to attend school with other children
- HA32 People hesitate to take an HIV test because they are afraid of how other people will react if the test result is positive
- HA33 People talk badly about people living with HIV, or who are thought to be living with HIV
- HA34 People living with HIV, or thought to be living with HIV, lose the respect of other people
- HA35 Agreement with the following statement: I would be ashamed if someone in my family had HIV
- HA36 Fear of getting HIV in contact with the saliva of a person living with HIV
- MM1 Number of births to natural mother
- MM3 Any brothers and sisters from the same mother that you have not mentioned
- MM4 Any brothers or sisters who do not live with you that you have not mentioned
- MM5 Any brothers or sisters who died that you have not mentioned
- MM6 Any brothers or sisters born to your natural mother, but who have a different natural father
- MM7 Total number of siblings listed in MM1
- MM8 Total right
- MM12 Number of preceding births
- TA1 Ever tried cigarette smoking
- TA2 Age when cigarette was smoked for the first time
- TA3 Currently smoking cigarettes
- TA4 Number of cigarettes smoked in the last 24 hours
- TA5 Number of days when cigarettes were smoked in past month
- TA6 Ever tried any smoked tobacco products other than cigarettes
- TA7 Used any smoked tobacco products during the last month
- TA8A Type of smoked tobacco product: Cigars
- TA8B Type of smoked tobacco product: Water pipe
- TA8C Type of smoked tobacco product: Cigarillos
- TA8D Type of smoked tobacco product: Pipe / Shesha
- TA8X Type of smoked tobacco product: Other
- TA8NR Type of smoked tobacco product: No response
- TA9 Number of days when tobacco products where smoked in past month
- TA10 Ever tried any form of smokeless tobacco products
- TA11 Used any smokeless tobacco products during the last month

- TA12A Type of smokeless tobacco product used: Chewing tobacco
- TA12B Type of smokeless tobacco product used: Snuff
- TA12D Type of smokeless tobacco product used: Pan with Tobacco
- TA12E Type of smokeless tobacco product used: GUTKA
- TA12F Type of smokeless tobacco product used: NASWAR
- TA12G Type of smokeless tobacco product used: MAWA TOBACCO
- TA12H Type of smokeless tobacco product used: NAAS AND MAN PORI
- TA12X Type of smokeless tobacco product used: Other
- TA12NR Type of smokeless tobacco product used: No response
- TA13 Number of days when smokeless tobacco products where used in past month
- LS1 Estimation of overall happiness
- LS2 Satisfaction with ladder step
- LS3 Life satisfaction in comparison with last year
- LS4 Life satisfaction expectation one year from now
- HH4 Supervisor number
- HH6 Area
- WDOB Date of birth of woman (CMC)
- WDOM Date of marriage (CMC)
- WAGEM Age at first marriage
- WDOBFC Date of birth of first child (CMC)
- WDOBLC Date of birth of last child (CMC)
- MSTATUS Marital status
- CEB Children ever born
- CSURV Children surviving
- CDEAD Children dead
- wscore Combined wealth score
- windex5 Wealth index quintile
- windex10 Percentile Group of com1
- wscoreu Urban wealth score
- windex5u Urban wealth index quintile
- windex10u Percentile Group of urb1
- wscorer Rural wealth score
- windex5r Rural wealth index quintile
- windex10r Percentile Group of rur1
- division Division
- majorcity majorcity
- hh6r Area

# PakPMICS2018wm

suburban hh7 Districts disability Functional difficulties (age 18-49 years) welevel Education insurance Health insurance BH4D\_first Day of birth BH4M\_first Month of birth BH4Y\_first Year of birth BH6\_first Age of child BH3\_last Sex of newborns BH4D\_last Day of birth BH4M\_last Month of birth BH4Y\_last Year of birth BH6\_last Age of child wmweight Woman's sample weight stratum stratum psu psu

# Author(s)

1. Muhammad Yaseen (<myaseen208@gmail.com>)

# References

1. UNICEF MICS (http://www.mics.unicef.org/surveys).

# Examples

```
# Loading PakPMICS2018wm
## Not run:
load(url(
    "https://github.com/myaseen208/PakPMICS2018Data/raw/master/PakPMICS2018wm.RData"
))
PakPMICS2018wm
```

## End(Not run)

# Index

PakPMICS2018bh, 2 PakPMICS2018ch, 5 PakPMICS2018fs, 17 PakPMICS2018hh, 26 PakPMICS2018hl, 36 PakPMICS2018mm, 39 PakPMICS2018mm, 41 PakPMICS2018wm, 47