

Package ‘RIA’

July 17, 2021

Type Package

Title Radiomics Image Analysis Toolbox for Medial Images

Version 1.6.0

Date 2021-07-15

Maintainer Marton Kolossvary <marton.kolossvary@gmail.com>

Description Radiomics image analysis toolbox for 2D and 3D radiological images. RIA supports DICOM, NIfTI, nrrd and npy (numpy array) file formats. RIA calculates first-order, gray level co-occurrence matrix, gray level run length matrix and geometry-based statistics. Almost all calculations are done using vectorized formulas to optimize run speeds. Calculation of several thousands of parameters only takes minutes on a single core of a conventional PC.

License AGPL-3

Depends R (>= 3.3.0)

Imports oro.dicom (>= 0.5.0), oro.nifti (>= 0.9.1), nat (>= 1.8.11),
reticulate(>= 1.20)

LazyData TRUE

RoxygenNote 7.1.1

NeedsCompilation no

Suggests knitr, rmarkdown

VignetteBuilder knitr

Encoding UTF-8

URL <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Author Marton Kolossvary [aut, cre]

Repository CRAN

Date/Publication 2021-07-17 20:10:07 UTC

R topics documented:

DICOM_codes	2
discretize	3
first_order	4
geometry	6
glcm	8
glcm_all	10
glcm_stat	12
glcm_stat_all	13
grlm	14
grlm_all	16
grlm_stat	18
grlm_stat_all	19
load_dicom	20
load_nifti	24
load_npy	27
load_nrrd	30
Non_NRS	33
NRS	34
radiomics_all	35
save_RIA	36
Index	38

DICOM_codes	<i>rda containing DICOM header codes to include in RIA_image object</i>
-------------	---

Description

rda data file containing Name, Group and Element codes of DICOM header info to be included into *RIA_image* object by default when using `load_dicom` function. Can be edited to change defaults.

Usage

```
DICOM_codes
```

Format

Each row is a DICOM header input

Value

3 column data.frame

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

 discretize

Discretizes RIA image to a given number of bins

Description

Discretizes *RIA_image* into *bins_in* number of bins. The *equal_prob* parameter is used to indicate whether to create bins containing the same number of values. If FALSE then equal sized bins will be created. discretized images will be saved into the *\$data\$modif* slot of *RIA_image* as well as the *discretized* slot of *RIA_image*. The name will be automatically created based on the type of dichotomization (ep: equal probability; es: equal size) and the number of bins specified, for example: *\$dichotomized\$es_8* will store the discretized image after equal sized dichotomization into 8 bins. This way many different discretized images using different bin numbers can be saved to the same object for further analysis. The *RIA_log* will be updated with cut points.

Usage

```
discretize(
  RIA_data_in,
  bins_in = 8,
  equal_prob = FALSE,
  use_orig = TRUE,
  write_orig = FALSE,
  verbose_in = TRUE
)
```

Arguments

<i>RIA_data_in</i>	<i>RIA_image</i> .
<i>bins_in</i>	integer vector, number of bins specified.
<i>equal_prob</i>	logical, indicating to cut data into bins with equal relative frequencies. If FALSE, then equal interval bins will be used.
<i>use_orig</i>	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
<i>write_orig</i>	logical, indicating to write cropped image to <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
<i>verbose_in</i>	logical, indicating whether to print detailed information. Most prints can also be suppressed using the suppressMessages function.

Value

RIA_image with values discretized to bin values.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize into 8 bins, each containing equal number of elements
RIA_image <- discretize(RIA_image, bins_in = 8, equal_prob = TRUE,
  use_orig = TRUE, write_orig = FALSE)

#Discretize into 6 bins, each with the same width
RIA_image <- discretize(RIA_image, bins_in = 6, equal_prob = FALSE,
  use_orig = TRUE, write_orig = FALSE)

#Discretize into 2,4,8,16,32 bins, each containing equal number of elements
RIA_image <- discretize(RIA_image, bins_in = 2^(1:5), equal_prob = FALSE,
  use_orig = TRUE, write_orig = FALSE)

#D

## End(Not run)
```

first_order

Calculates first-order statistical metrics for RIA_image

Description

Calculates first-order statistical metrics of *RIA_image*. First-order metrics discard all spatial information. By default the *\$modif* image will be used to calculate statistics. If *use_slot* is given, then the data present in *RIA_image\$use_slot* will be used for calculations. Results will be saved into the *\$stat_fo* slot. The name of the subplot is determined by the supplied string in *\$save_name*, or is automatically generated by RIA.

Usage

```

first_order(
  RIA_data_in,
  use_type = "single",
  use_orig = TRUE,
  use_slot = NULL,
  save_name = NULL,
  verbose_in = TRUE
)

```

Arguments

<code>RIA_data_in</code>	<i>RIA_image</i> .
<code>use_type</code>	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "discretized" takes all datasets in the <i>RIA_image\$discretized</i> slot and runs the analysis on them.
<code>use_orig</code>	logical, indicating whether to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
<code>use_slot</code>	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$discretized\$ep_4</i> , then <i>use_slot</i> should be <i>discretized\$ep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
<code>save_name</code>	string, indicating the name of subplot of <i>\$stat_fo</i> to save results to. If left empty, then it will be automatically determined.
<code>verbose_in</code>	logical indicating whether to print detailed information. Most prints can also be suppressed using the suppressMessages function.

Value

RIA_image containing the statistical information.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```

## Not run:
#Calculate first-order statistics on original data
RIA_image <- first_order(RIA_image, use_orig = TRUE)

```

```

#Dichotomize loaded image and then calculate first order statistics
on it and save results into the RIA_image
RIA_image <- dichotomize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
use_orig = TRUE, write_orig = FALSE)
RIA_image <- first_order(RIA_image, use_orig = FALSE, verbose_in = TRUE)

#Use use_slot parameter to set which image to use
RIA_image <- first_order(RIA_image, use_orig = FALSE, use_slot = "discretized$ep_4")

#Batch calculation of first-order statistics on all discretized images
RIA_image <- first_order(RIA_image, use_type = "discretized")

## End(Not run)

```

geometry

Calculates geometry-based parameters of RIA image

Description

Calculates geometry-based parameters of original or subcomponents of an image after discretization. By default the *\$modif* image will be used to calculate statistics. If *use_slot* is given, then the data present in *RIA_image\$use_slot* will be used for calculations. Results will be saved into the *stat_geometry* slot. The name of the subplot is determined by the supplied string in *save_name*, or is automatically generated by RIA.

Usage

```

geometry(
  RIA_data_in,
  xy_dim = RIA_data_in$log$orig_xy_dim,
  z_dim = RIA_data_in$log$orig_z_dim,
  all_vol = RIA_data_in$log$orig_vol_mm,
  all_surf = RIA_data_in$log$orig_surf_mm,
  calc_dist = FALSE,
  calc_sub = TRUE,
  use_type = "single",
  use_orig = FALSE,
  use_slot = NULL,
  save_name = NULL,
  verbose_in = TRUE
)

```

Arguments

RIA_data_in *RIA_image*.
xy_dim numeric, in plane resolution.

z_dim	numeric, cross plane resolution.
all_vol	numeric, volume of whole lesion.
all_surf	numeric, surface of whole lesion.
calc_dist	logical, whether to calculate distances, may take very long.
calc_sub	logical, indicating whether to calculate metrics for all different values present in the image. This can be useful for calculating metrics of subcomponents for a discretized image. If FALSE, then all voxels are treated equally and the results will be based on the whole image.
use_type	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "discretized" takes all datasets in the <i>RIA_image\$discretized</i> slot and runs the analysis on them.
use_orig	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
use_slot	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$discretized\$ep_4</i> , then <i>use_slot</i> should be <i>discretized\$ep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
save_name	string, indicating the name of subplot of <i>\$stat_geometry</i> to save results to. If left empty, then it will be automatically determined by RIA.
verbose_in	logical indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.

Value

RIA_image containing geometry calculations.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Calculate geometry-based parameters on original image
RIA_image <- geometry(RIA_image, use_orig = TRUE, calc_sub = FALSE)

#Discretize loaded image and then calculate geometry-based statistics on subcomponents
RIA_image <- discretize(RIA_image, bins_in = c(4,8), equal_prob = TRUE, use_orig = TRUE)
RIA_image <- geometry(RIA_image, use_orig = FALSE, calc_sub = TRUE)
```

```
#Use use_slot parameter to set which image to use
RIA_image <- geometry(RIA_image, use_orig = FALSE, calc_sub = TRUE, use_slot = "discretized$ep_4")

#Batch calculation of geometry-based statistics on all discretized images and subcomponents
RIA_image <- geometry(RIA_image, use_type = "discretized", calc_sub = TRUE)

## End(Not run)
```

glcm

Creates gray-level co-occurrence matrix of RIA image

Description

Creates gray-level co-occurrence matrix (GLCM) from *RIA_image*. GLCM assesses the spatial relation of voxels to each other. By default the *\$modif* image will be used to calculate GLCMs. If *use_slot* is given, then the data present in *RIA_image\$use_slot* will be used for calculations. Results will be saved into the *glcm* slot. The name of the subplot is determined by the supplied string in *save_name*, or is automatically generated by RIA.

Usage

```
glcm(
  RIA_data_in,
  off_right = 1,
  off_down = 0,
  off_z = 0,
  symmetric = TRUE,
  normalize = TRUE,
  use_type = "single",
  use_orig = FALSE,
  use_slot = NULL,
  save_name = NULL,
  verbose_in = TRUE
)
```

Arguments

<i>RIA_data_in</i>	<i>RIA_image</i> .
<i>off_right</i>	integer, indicating the number of voxels to look to the right. Negative values indicate to the left.
<i>off_down</i>	integer, indicating the number of voxels to look down. Negative values indicate up.
<i>off_z</i>	integer, indicating the number of voxels to look in cross plane.

symmetric	logical, indicating whether to create a symmetric glcm by also calculating the glcm in the opposite direction (-1*off_right; -1*off_down; -1*off_z), and add it to the glcm
normalize	logical, indicating whether to change glcm elements to relative frequencies.
use_type	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "discretized" takes all datasets in the <i>RIA_image\$discretized</i> slot and runs the analysis on them.
use_orig	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
use_slot	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$discretized\$ep_4</i> , then <i>use_slot</i> should be <i>discretized\$ep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
save_name	string, indicating the name of subplot of <i>\$glcm</i> to save results to. If left empty, then it will be automatically determined by RIA.
verbose_in	logical indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.

Value

RIA_image containing the GLCM.

References

Robert M. HARALICK et al. Textural Features for Image Classification. IEEE Transactions on Systems, Man, and Cybernetics. 1973; SMC-3:610-621. DOI: 10.1109/TSMC.1973.4309314 <https://ieeexplore.ieee.org/document/4309314/>

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLCM matrix of RIA_image$modif
RIA_image <- discretize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
  use_orig = TRUE, write_orig = FALSE)
RIA_image <- glcm(RIA_image, use_orig = FALSE, verbose_in = TRUE)

#Use use_slot parameter to set which image to use
RIA_image <- glcm(RIA_image, use_orig = FALSE, use_slot = "discretized$ep_4",
  off_right = 2, off_down = -1, off_z = 0)
```

```
#Batch calculation of GLCM matrices on all discretized images
RIA_image <- glcm(RIA_image, use_type = "discretized",
off_right = 1, off_down = -1, off_z = 0)

## End(Not run)
```

glcm_all	<i>Creates gray-level co-occurrence matrix of all possible directions of a RIA image</i>
----------	--

Description

Creates gray-level co-occurrence matrix (GLCM) from *RIA_image*. GLCM assesses the spatial relation of voxels to each other. While the `glcm` function calculates the GLCM in one given direction, the `glcm_all` function simultaneously calculates all GLCMs in all possible directions. For 3D datasets, this means GLCMs will be calculated for all 26 different directions. However, due to symmetry overall only 13 different GLCMs will be generated. If the *symmetric* parameter is set to *FALSE*, then 26 non-symmetrical GLCM matrices will be returned. In case of 2D datasets, instead of 8 GLCMs, only 4 are returned by default. If the *symmetric* parameter is set to *FALSE* then all 8 non-symmetrical GLCM matrices are returned. For details see: <https://pubmed.ncbi.nlm.nih.gov/28346329/> By default the *use_type* is set to *discretize*, therefore GLCMs will be calculated for all discretized images in all directions. Also *single* data processing is supported, then by default the image in the *\$modif* slot will be used. If *use_slot* is given, then the data present in *RIA_image\$use_slot* will be used for calculations. Results will be saved into the *glcm* slot. The name of the subplot is automatically generated by RIA.

Usage

```
glcm_all(
  RIA_data_in,
  distance = 1,
  symmetric = TRUE,
  normalize = TRUE,
  use_type = "discretized",
  use_orig = FALSE,
  use_slot = NULL,
  save_name = NULL,
  verbose_in = TRUE
)
```

Arguments

<code>RIA_data_in</code>	<i>RIA_image</i> .
<code>distance</code>	integer, distance between the voxels being compared.
<code>symmetric</code>	logical, indicating whether to create a symmetric glcm by also calculating the glcm in the opposite direction and add it to the glcm.

normalize	logical, indicating whether to change glcm elements to relative frequencies.
use_type	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "discretized" takes all datasets in the <i>RIA_image\$discretized</i> slot and runs the analysis on them.
use_orig	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
use_slot	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$discretized\$ep_4</i> , then <i>use_slot</i> should be <i>discretized\$ep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
save_name	string, indicating the name of subplot of <i>\$glcm</i> to save results to. If left empty, then it will be automatically determined by RIA.
verbose_in	logical indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.

Value

RIA_image containing the GLCMs.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLCM matrix of RIA_image$modif
RIA_image <- discretize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
  use_orig = TRUE, write_orig = FALSE)
RIA_image <- glcm_all(RIA_image, use_type = "single")

#Use use_slot parameter to set which image to use
RIA_image <- glcm_all(RIA_image, use_type = "single",
  use_orig = FALSE, use_slot = "discretized$ep_4")

#Batch calculation of GLCM matrices on all discretized images at a distance of 1 and 2
RIA_image <- glcm_all(RIA_image, use_type = "discretized", distance = c(1:2))

## End(Not run)
```

glcm_stat	<i>Calculates GLCM-based statistics</i>
-----------	---

Description

Calculates GLCM-based statistics for given GLCM matrix.

Usage

```
glcm_stat(
  RIA_data_in,
  use_type = "single",
  use_orig = FALSE,
  use_slot = "glcm$es_8_111",
  save_name = NULL,
  verbose_in = TRUE
)
```

Arguments

RIA_data_in	<i>RIA_image</i> .
use_type	string, can be <i>"single"</i> which runs the function on a single image, which is determined using <i>"use_orig"</i> or <i>"use_slot"</i> . <i>"glcm"</i> takes all datasets in the <i>RIA_image\$glcm</i> slot and runs the analysis on them.
use_orig	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> . However, GLCM matrices are usually not present in either slots, therefore giving the slot name using <i>use_slot</i> is advised.
use_slot	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$glcm\$ep_4_111</i> , then <i>use_slot</i> should be <i>glcm\$ep_4_111</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter. If the string contains "-" characters use "'" before the last slot name, for example: <i>glcm\$'ep_4_-1-1-1'</i>
save_name	string, indicating the name of subplot of <i>\$glcm</i> to save results to. If left empty, then it will be automatically determined.
verbose_in	logical, indicating whether to print detailed information. Most prints can also be suppressed using the suppressMessages function.

Value

RIA_image containing the statistical information.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLCM statistics
RIA_image <- discretize(RIA_image, bins_in = 8, equal_prob = TRUE)
RIA_image <- glcm(RIA_image, use_orig = FALSE, use_slot = "discretized$ep_8",
off_right = 0, off_down = 1, off_z = 0)
RIA_image <- glcm_stat(RIA_image, use_orig = FALSE, use_slot = "glcm$ep_8_010")

#Batch calculation of GLCM-based statistics on all calculated GLCMs
RIA_image <- glcm_stat(RIA_image, use_type = "discretized")

## End(Not run)
```

glcm_stat_all

Aggregates GLCM-based statistics based-on supplied function

Description

Calculates aggregated statistics of GLCM matrix statistics calculated on GCLM matrices evaluated in all different directions.

Usage

```
glcm_stat_all(
  RIA_data_in,
  statistic = "mean(X, na.rm = TRUE)",
  verbose_in = TRUE
)
```

Arguments

RIA_data_in *RIA_image*, created by [load_dicom](#).

statistic string, defining the statistic to be calculated on the array of GLCM statistics. By default, statistic is set to *"mean"*, however any function may be provided. The proper syntax is: `function(X, attributes)`. The supplied string must contain a *"X"*, which will be replaced with the array of the GLCM statistics value. Further

attributes of the function may also be given. For example, if you wish to calculate the median of all GLCMs calculated in different directions, then it must be supplied as: `median(X, na.rm = TRUE)`.

`verbose_in` logical, indicating whether to print detailed information. Most prints can also be suppressed using the `suppressMessages` function.

Value

`RIA_image` containing the statistical information.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2017). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLCM statistics for all matrices
RIA_image <- discretize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
  use_orig = TRUE, write_orig = FALSE)
RIA_image <- glcm_all(RIA_image, use_type = "discretized", distance = c(1:2))
RIA_image <- glcm_stat(RIA_image)

#Calculate the average of the different GLCM matrices in the different directions
RIA_image <- glcm_stat_all(RIA_image)

## End(Not run)
```

glrlm

Creates gray-level run length matrix from RIA image

Description

Creates gray-level run length matrix (GLRLM) from `RIA_image`. GLRLM assesses the spatial relation of voxels to each other by investigating how many times same value voxels occur next to each other in a given direction. By default the `$modif` image will be used to calculate GLRLMs. If `use_slot` is given, then the data present in `RIA_image$use_slot` will be used for calculations. Results will be saved into the `glrlm` slot. The name of the subplot is determined by the supplied string in `save_name`, or is automatically generated by RIA. `off_right`, `off_down` and `off_z` logicals are used to indicate the direction of the runs.

Usage

```
glrlm(
  RIA_data_in,
  off_right = 1,
  off_down = 0,
  off_z = 0,
  use_type = "single",
  use_orig = FALSE,
  use_slot = NULL,
  save_name = NULL,
  verbose_in = TRUE
)
```

Arguments

RIA_data_in	<i>RIA_image</i> .
off_right	integer, positive values indicate to look to the right, negative values indicate to look to the left, while 0 indicates no offset in the X plane.
off_down	integer, positive values indicate to look to the right, negative values indicate to look to the left, while 0 indicates no offset in the Y plane.
off_z	integer, positive values indicate to look to the right, negative values indicate to look to the left, while 0 indicates no offset in the Z plane.
use_type	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "discretized" takes all datasets in the <i>RIA_image\$discretized</i> slot and runs the analysis on them.
use_orig	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
use_slot	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$discretized\$ep_4</i> , then <i>use_slot</i> should be <i>discretized\$ep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
save_name	string, indicating the name of subplot of <i>\$glcm</i> to save results to. If left empty, then it will be automatically determined based on the last entry of <i>RIA_image\$log\$events</i> .
verbose_in	logical indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.

Value

RIA_image containing the GLRLM.

References

Mary M. Galloway et al. Texture analysis using gray level run lengths. *Computer Graphics and Image Processing*. 1975; 4:172-179. DOI: 10.1016/S0146-664X(75)80008-6 <https://www.sciencedirect.com/science/article/pii/S0146664X75800086/>

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLRLM matrix of RIA_image$modif
RIA_image <- discretize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
  use_orig = TRUE, write_orig = FALSE)
RIA_image <- glrlm(RIA_image, use_orig = FALSE, verbose_in = TRUE)

#Use use_slot parameter to set which image to use
RIA_image <- glrlm(RIA_image, use_orig = FALSE, use_slot = "discretized$ep_4",
  off_right = 1, off_down = 1, off_z = 0)

#Batch calculation of GLRLM matrices on all discretized images
RIA_image <- glrlm(RIA_image, use_type = "discretized",
  off_right = 1, off_down = 1, off_z = 0)

## End(Not run)
```

glrlm_all	<i>Creates gray-level run length matrix of all possible directions of a RIA image</i>
-----------	---

Description

Creates gray-level run length matrix (GLRLM) from *RIA_image*. GLRLM assesses the spatial relation of voxels to each other by investigating how many times same value voxels occur next to each other in a given direction. While the `glrlm` function calculates the GLRLM in one given direction, the `glrlm_all` function simultaneously calculates all GLRLMs in all possible directions. For 3D datasets, this means GLCMs will be calculated for all 13 different directions. In case of 2D datasets, only 4 are returned by default. By default the *use_type* is set to *discretize*, therefore GLRLMs will be calculated for all discretized images in all directions. Also *single* data processing is supported, then by default the image in the *\$modif* slot will be used. If *use_slot* is given, then the data present in *RIA_image\$use_slot* will be used for calculations. Results will be saved into the *glrlm* slot. The name of the subplot is automatically generated by RIA.

Usage

```
glrlm_all(
  RIA_data_in,
```



```

    use_type = "discretized",
    use_orig = FALSE,
    use_slot = NULL,
    save_name = NULL,
    verbose_in = TRUE
  )

```

Arguments

<code>RIA_data_in</code>	<i>RIA_image</i> .
<code>use_type</code>	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "discretized" takes all datasets in the <i>RIA_image\$discretized</i> slot and runs the analysis on them.
<code>use_orig</code>	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> .
<code>use_slot</code>	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$discretized\$ep_4</i> , then <i>use_slot</i> should be <i>discretized\$ep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
<code>save_name</code>	string, indicating the name of subplot of <i>\$glcm</i> to save results to. If left empty, then it will be automatically determined by RIA.
<code>verbose_in</code>	logical indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.

Value

RIA_image containing the GLRLMs.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```

## Not run:
#Discretize loaded image and then calculate GLRLM matrix of RIA_image$modif
RIA_image <- discretize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
  use_orig = TRUE, write_orig = FALSE)
RIA_image <- glrlm_all(RIA_image, use_type = "single")

#Use use_slot parameter to set which image to use

```

```

RIA_image <- glrlm_all(RIA_image, use_type = "single",
use_orig = FALSE, use_slot = "discretized$sep_4")

#Batch calculation of GLCM matrices on all discretized images
RIA_image <- glrlm_all(RIA_image)

## End(Not run)

```

glrlm_stat

GLRLM-based statistics

Description

Calculates GLRLM-based statistics for given GLRLM matrix.

Usage

```

glrlm_stat(
  RIA_data_in,
  use_type = "single",
  use_orig = FALSE,
  use_slot = "glrlm$es_8_111",
  save_name = NULL,
  verbose_in = TRUE
)

```

Arguments

RIA_data_in	<i>RIA_image</i> .
use_type	string, can be "single" which runs the function on a single image, which is determined using "use_orig" or "use_slot". "glrlm" takes all datasets in the <i>RIA_image\$glrlm</i> slot and runs the analysis on them.
use_orig	logical, indicating to use image present in <i>RIA_data\$orig</i> . If FALSE, the modified image will be used stored in <i>RIA_data\$modif</i> . However, GLRLM matrices are usually not present in either slots, therefore giving the slot name using <i>use_slot</i> is advised.
use_slot	string, name of slot where data wished to be used is. Use if the desired image is not in the <i>data\$orig</i> or <i>data\$modif</i> slot of the <i>RIA_image</i> . For example, if the desired dataset is in <i>RIA_image\$glrlm\$sep_4</i> , then <i>use_slot</i> should be <i>glrlm\$sep_4</i> . The results are automatically saved. If the results are not saved to the desired slot, then please use <i>save_name</i> parameter.
save_name	string, indicating the name of subplot of <i>\$glrlm</i> to save results to. If left empty, then it will be automatically determined.
verbose_in	logical, indicating whether to print detailed information. Most prints can also be suppressed using the suppressMessages function.

Value

RIA_image containing the statistical information.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLRLM statistics
RIA_image <- discretize(RIA_image, bins_in = 8, equal_prob = TRUE)
RIA_image <- glrlm(RIA_image, use_orig = FALSE, use_slot = "discretized$ep_8",
right = TRUE, down = TRUE, forward = FALSE)
RIA_image <- glrlm_stat(RIA_image, use_orig = FALSE, use_slot = "glrlm$ep_8_110")

#Batch calculation of GLRLM-based statistics on all calculated GLRLMs
RIA_image <- glrlm_stat(RIA_image, use_type = "discretized")

## End(Not run)
```

glrlm_stat_all

Aggregates GLRLM-based statistics based-on supplied function

Description

Calculates aggregated statistics of GLRLM matrix statistics calculated on GLRLM matrices evaluated in all different directions.

Usage

```
glrlm_stat_all(
  RIA_data_in,
  statistic = "mean(X, na.rm = TRUE)",
  verbose_in = TRUE
)
```

Arguments

RIA_data_in	<i>RIA_image</i> .
statistic	string, defining the statistic to be calculated on the array of GLRLM statistics. By default, statistic is set to <i>"mean"</i> , however any function may be provided. The proper syntax is: <code>function(X, attributes)</code> . The supplied string must contain a <i>"X"</i> , which will be replaced with the array of the GLRLM statistics value. Further attributes of the function may also be given. For example, if you wish to calculate the median of all GLRLMs calculated in different directions, then it must be supplied as: <i>median(X, na.rm = TRUE)</i> .
verbose_in	logical, indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.

Value

RIA_image containing the statistical information.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate GLCM statistics for all matrices
RIA_image <- discretize(RIA_image, bins_in = c(4, 8), equal_prob = TRUE,
use_orig = TRUE, write_orig = FALSE)
RIA_image <- glrlm_all(RIA_image, use_type = "discretized")
RIA_image <- glrlm_stat(RIA_image)

#Calculate the average of the different GLCM matrices in the different directions
RIA_image <- glrlm_stat_all(RIA_image)

## End(Not run)
```

Description

Loads DICOM images to a *RIA_image* object. *RIA_image* is a list with three mandatory attributes.

- **RIA_data** is a *RIA_data* object, which has two potential slots. *\$orig* contains the original image after loading and is a 3D array of integers created with `create3D`. *\$modif* contains the image that has been modified using functions.
- **RIA_header** is a *RIA_header* object, which is list of DICOM header information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

Further attributes may also be added by RIA functions.

Usage

```
load_dicom(
  filename,
  mask_filename = NULL,
  keep_mask_values = 1,
  switch_z = TRUE,
  crop_in = TRUE,
  replace_in = TRUE,
  center_in = TRUE,
  zero_value = NULL,
  min_to = -1024,
  header_add = NULL,
  header_exclude = NULL,
  verbose_in = TRUE,
  recursive_in = TRUE,
  exclude_in = "sql",
  mode_in = "integer",
  transpose_in = TRUE,
  pixelData_in = TRUE,
  mosaic_in = FALSE,
  mosaicXY_in = NULL,
  sequence_in = FALSE,
  ...
)
```

Arguments

<code>filename</code>	string, file path to directory containing <i>dcm</i> files.
<code>mask_filename</code>	string vector, file path to optional directory containing <i>dcm</i> files of mask image. If multiple are supplied, then those voxels are kept which have one of the values of <i>keep_mask_values</i> in any of the supplied masks.
<code>keep_mask_values</code>	integer vector or string, indicates which value or values of the mask image to use as indicator to identify voxels wished to be processed. Usually 1-s indicate voxels wished to be processed. However, one mask image might contain

several segmentations, in which case supplying several integers is allowed. Furthermore, if the same string is supplied to *filename* and *mask_filename*, then the integers in *keep_mask_values* are used to specify which voxel values to analyze. This way the provided image can be segmented to specific components. For example, if you wish to analyze only the low-density non-calcified component of coronary plaques, then *keep_mask_values* can specify this by setting it to: -100:30. If a single string is provided, then each element of the mask will be examined against the statement in the string. For example, if '>0.5' is provided i.e. the mask is probabilities after a DL algorithm, then all voxels with values >0.5 in the mask image will be kept. This can be a complex logical expression. The data on which the expression is executed is called *data* or *data_mask*, depending on whether you wish to filter the original image, that is the original image is supplied as a mask, or if you have unique mask files respectively. Therefore for complex logical expressions you can define for example: '>-100 & data<30' to consider data values between -100 and 30, or '>0.5 & data_mask<0.75' to select voxels based-on mask values between 0.5 and 0.75 for example if they represent a probability mask.

switch_z	logical, indicating whether to change the orientation of the images in the Z axis. Some software reverse the order of the manipulated image in the Z axis, and therefore the images of the mask image need to be reversed.
crop_in	logical, indicating whether to crop <i>RIA_image</i> to smallest bounding box.
replace_in	logical, whether to replace smallest values indicated by <i>zero_value</i> , which are considered to indicate no signal, to NA.
center_in	logical, whether to shift data so smallest value is equal to <i>min_to</i> input parameter.
zero_value	integer, indicating voxels values which are considered not to have any information. If left empty, then the smallest HU value in the image will be used, if <i>replace_in</i> is TRUE.
min_to	integer, value to which data is shifted to if <i>center_in</i> is TRUE.
header_add	dataframe, with three columns: Name, Group and Element containing the name, the group and the element code of the DICOM fields wished to be added to the <i>RIA_header</i> .
header_exclude	dataframe, with three columns: Name, Group and Element containing the name, the group and the element code of the DICOM fields wished to be excluded from the default header elements present in <i>DICOM_codes</i> rda file.
verbose_in	logical, indicating whether to print detailed information. Most prints can also be suppressed using the suppressMessages function.
recursive_in	<i>recursive</i> parameter input of readDICOM .
exclude_in	<i>exclude</i> parameter input of readDICOM .
mode_in	<i>mode</i> parameter input of create3D .
transpose_in	<i>transpose</i> parameter input of create3D .
pixelData_in	<i>pixelData</i> parameter input of create3D .
mosaic_in	<i>mosaic</i> parameter input of create3D .
mosaicXY_in	<i>mosaicXY</i> parameter input of create3D .

sequence_in *sequence* parameter input of `create3D`.
 ... additional arguments to `readDICOM`, `readDICOMFile` and `create3D`.

Details

`load_dicom` is used to transform DICOM datasets into the RIA environment. `RIA_image` object was developed to facilitate and simplify radiomics calculations by keeping all necessary information in one place.

`RIA_data` stores the DICOM image that is converted to numerical 3D arrays using `readDICOM` and `create3D`. The function stores the original loaded image in `RIA_data$orig`, while all modified images are stored in `RIA_data$modif`. By default, the original image `RIA_data$orig` is untouched by functions other than those operating in `load_dicom`. While other functions operate on the `RIA_data$modif` image by default.

Due to memory concerns, there can only be one `RIA_data$orig` and `RIA_data$modif` image present at one time in a `RIA_image`. Therefore, if image manipulations are performed, then the `RIA_data$modif` will be overwritten. However, functions can save images into new slots of `RIA_image`, for example the `discretize` function can save discretized images to the `discretized` slot of `RIA_image`.

`load_dicom` not only loads the DICOM image based on parameters that can be set for `readDICOM` and `create3D`, but also can perform minimal manipulations on the image itself.

`crop_in` logical variable is used to indicate, whether to crop the image to the smallest bounding box still containing all the information. If TRUE, then all X, Y and potentially Z slices containing no information will be removed. This allows significant reduction of necessary memory to store image data.

`zero_value` parameter is used to indicate HU values which contain no information. If left empty, then the smallest value will be considered as indicating voxels without a signal.

`replace_in` logical can be used to change values that are considered to have no signal to NA. This is necessary to receive proper statistical values later on.

`center_in` logical is used to indicate whether the values should be shifted. Some vendors save HU values as positive integers to spare memory and minimize file sizes. Therefore, in some instances shift of the scale is needed. By default, the values are shifted by -1024, but in other cases a different constant might be required, which can be set using the `min_to` input.

`RIA_header` is a list containing the most basic patient and examination information needed for further analysis. The default DICOM set is present in `DICOM_codes`, which can be edited to anyone's needs. But if we wish only to add or remove specific DICOM header rows, then the `header_add` and `header_exclude` can be used.

`RIA_log` is a list of variables, which give an overview of what has been done with the image. If the whole `RIA_image` is supplied to a function, the information regarding the manipulations are written into the `$events` array in chronological order. Furthermore, some additional information is also saved in the log, which might be needed for further analysis.

Value

Returns a `RIA_image` object. `RIA_image` is a list with three mandatory attributes.

- **RIA_data** is a `RIA_data` object containing the image in `$orig` slot.
- **RIA_header** is a `RIA_header` object, which is a list of DICOM information.

- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Image will be cropped to smallest bounding box, and smallest values will be changed to NA,
while 1024 will be subtracted from all other data points.
RIA_image <- load_dicom("/Users/Test/Documents/Radiomics/John_Smith/DICOM_folder/")

## End(Not run)
```

load_nifti

Loads NIfTI images to RIA image format

Description

Loads NIfTI images to a *RIA_image* object. *RIA_image* is a list with three mandatory attributes.

- **RIA_data** is a *RIA_data* object, which has two potential slots. *\$orig* contains the original image after loading *\$modif* contains the image that has been modified using functions.
- **RIA_header** is a *RIA_header* object, which is list of header information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

Further attributes may also be added by RIA functions.

Usage

```
load_nifti(
  filename,
  image_dim = 3,
  mask_filename = NULL,
  keep_mask_values = 1,
  switch_z = TRUE,
  crop_in = TRUE,
  replace_in = TRUE,
```



```

    center_in = FALSE,
    zero_value = NULL,
    min_to = -1024,
    verbose_in = TRUE,
    reorient_in = TRUE,
    ...
)

```

Arguments

filename	string, file path to directory containing <i>NIfTI</i> file.
image_dim	integer, dimensions of the image.
mask_filename	string vector, file path to optional directory containing <i>NIfTI</i> file of mask image. If multiple are supplied, then those voxels are kept which have one of the values of <i>keep_mask_values</i> in any of the supplied masks.
keep_mask_values	integer vector or string, indicates which value or values of the mask image to use as indicator to identify voxels wished to be processed. Usually 1-s indicate voxels wished to be processed. However, one mask image might contain several segmentations, in which case supplying several integers is allowed. Furthermore, if the same string is supplied to <i>filename</i> and <i>mask_filename</i> , then the integers in <i>keep_mask_values</i> are used to specify which voxel values to analyze. This way the provided image can be segmented to specific components. For example, if you wish to analyze only the low-density non-calcified component of coronary plaques, then <i>keep_mask_values</i> can specify this by setting it to: -100:30. If a single string is provided, then each element of the mask will be examined against the statement in the string. For example, if '>0.5' is provided i.e. the mask is probabilities after a DL algorithm, then all voxels with values >0.5 in the mask image will be kept. This can be a complex logical expression. The data on which the expression is executed is called <i>data</i> or <i>data_mask</i> , depending on whether you wish to filter the original image, that is the original image is supplied as a mask, or if you have unique mask files respectively. Therefore for complex logical expressions you can define for example: '>-100 & data<30' to consider data values between -100 and 30, or '>0.5 & data_mask<0.75' to select voxels based-on mask values between 0.5 and 0.75 for example if they represent a probability mask.
switch_z	logical, indicating whether to change the orientation of the images in the Z axis. Some software reverse the order of the manipulated image in the Z axis, and therefore the images of the mask image need to be reversed.
crop_in	logical, indicating whether to crop <i>RIA_image</i> to smallest bounding box.
replace_in	logical, whether to replace smallest values indicated by <i>zero_value</i> , which are considered to indicate no signal, to NA.
center_in	logical, whether to shift data so smallest value is equal to <i>min_to</i> input parameter.
zero_value	integer, indicating voxels values which are considered not to have any information. If left empty, then the smallest HU value in the image will be used, if <i>replace_in</i> is TRUE.

<code>min_to</code>	integer, value to which data is shifted to if <code>center_in</code> is TRUE.
<code>verbose_in</code>	logical, indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.
<code>reorient_in</code>	<code>reorient</code> parameter input of <code>readNIFTI</code> .
<code>...</code>	additional arguments to <code>readNIFTI</code> , <code>nifti_header</code> .

Details

`load_nifti` is used to transform NIFTI datasets into the RIA environment. `RIA_image` object was developed to facilitate and simplify radiomics calculations by keeping all necessary information in one place.

`RIA_data` stores the image that is converted to numerical 3D arrays using `readNIFTI`. The function stores the original loaded image in `RIA_data$orig`, while all modified images are stored in `RIA_data$modif`. By default, the original image `RIA_data$orig` is untouched by functions other than those operating in `load_nifti`. While other functions operate on the `RIA_data$modif` image by default.

Due to memory concerns, there can only be one `RIA_data$orig` and `RIA_data$modif` image present at one time in a `RIA_image`. Therefore, if image manipulations are performed, then the `RIA_data$modif` will be overwritten. However, functions can save images into new slots of `RIA_image`, for example the `discretize` function can save discretized images to the `discretized` slot of `RIA_image`.

`load_nifti` not only loads the image based on parameters that can be set for `readNIFTI`, but also can perform minimal manipulations on the image itself.

`crop_in` logical variable is used to indicate, whether to crop the image to the smallest bounding box still containing all the information. If TRUE, then all X, Y and potentially Z slices containing no information will be removed. This allows significant reduction of necessary memory to store image data.

`zero_value` parameter is used to indicate HU values which contain no information. If left empty, then the smallest value will be considered as indicating voxels without a signal.

`replace_in` logical can be used to change values that are considered to have no signal to NA. This is necessary to receive proper statistical values later on.

`center_in` logical is used to indicate whether the values should be shifted. Some vendors save HU values as positive integers to spare memory and minimize file sizes. Therefore, in some instances shift of the scale is needed. By default, the values are shifted by -1024, but in other cases a different constant might be required, which can be set using the `min_to` input.

`RIA_header` is a list containing the most basic patient and examination information present in the NIFTI file.

`RIA_log` is a list of variables, which give an overview of what has been done with the image. If the whole `RIA_image` is supplied to a function, the information regarding the manipulations are written into the `$events` array in chronological order. Furthermore, some additional information is also saved in the log, which might be needed for further analysis.

Value

Returns a `RIA_image` object. `RIA_image` is a list with three mandatory attributes.

- **RIA_data** is a `RIA_data` object containing the image in `$orig` slot.

- **RIA_header** is a *RIA_header* object, which is a list of meta information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Image will be cropped to smallest bounding box, and smallest values will be changed to NA,
while 1024 will be subtracted from all other data points.
RIA_image <- load_nifti("/Users/Test/Documents/Radiomics/John_Smith/NIFTI_folder/sample.nii")

## End(Not run)
```

load_npy	<i>Loads npy files to RIA image format</i>
----------	--

Description

Loads numpy arrays to a *RIA_image* object using *reticulate*. *RIA_image* is a list with three mandatory attributes.

- **RIA_data** is a *RIA_data* object, which has two potential slots. *\$orig* contains the original image after loading *\$modif* contains the image that has been modified using functions.
- **RIA_header** is a *RIA_header* object, which is list of header information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

Further attributes may also be added by RIA functions.

Usage

```
load_npy(
  filename,
  mask_filename = NULL,
  keep_mask_values = 1,
  switch_z = FALSE,
```

```

crop_in = TRUE,
replace_in = TRUE,
center_in = FALSE,
zero_value = NULL,
min_to = -1024,
PixelSpacing = 1,
SpacingBetweenSlices = 1,
verbose_in = TRUE,
...
)

```

Arguments

filename	string, file path to <i>npv</i> file.
mask_filename	string vector, file path to <i>npv</i> file of mask image. If multiple are supplied, then those voxels are kept which have one of the values of <i>keep_mask_values</i> in any of the supplied masks.
keep_mask_values	integer vector or string, indicates which value or values of the mask image to use as indicator to identify voxels wished to be processed. Usually 1-s indicate voxels wished to be processed. However, one mask image might contain several segmentations, in which case supplying several integers is allowed. Furthermore, if the same string is supplied to <i>filename</i> and <i>mask_filename</i> , then the integers in <i>keep_mask_values</i> are used to specify which voxel values to analyze. This way the provided image can be segmented to specific components. For example, if you wish to analyze only the low-density non-calcified component of coronary plaques, then <i>keep_mask_values</i> can specify this by setting it to: -100:30. If a single string is provided, then each element of the mask will be examined against the statement in the string. For example, if '>0.5' is provided i.e. the mask is probabilities after a DL algorithm, then all voxels with values >0.5 in the mask image will be kept. This can be a complex logical expression. The data on which the expression is executed is called <i>data</i> or <i>data_mask</i> , depending on whether you wish to filter the original image, that is the original image is supplied as a mask, or if you have unique mask files respectively. Therefore for complex logical expressions you can define for example: '>-100 & data<30' to consider data values between -100 and 30, or '>0.5 & data_mask<0.75' to select voxels based-on mask values between 0.5 and 0.75 for example if they represent a probability mask.
switch_z	logical, indicating whether to change the orientation of the images in the Z axis. Some software reverse the order of the manipulated image in the Z axis, and therefore the images of the mask image need to be reversed.
crop_in	logical, indicating whether to crop <i>RIA_image</i> to smallest bounding box.
replace_in	logical, whether to replace smallest values indicated by <i>zero_value</i> , which are considered to indicate no signal, to NA.
center_in	logical, whether to shift data so smallest value is equal to <i>min_to</i> input parameter.

zero_value	integer, indicating voxels values which are considered not to have any information. If left empty, then the smallest HU value in the image will be used, if <i>replace_in</i> is TRUE.
min_to	integer, value to which data is shifted to if <i>center_in</i> is TRUE.
PixelSpacing	numerical, Pixel spacing value of image.
SpacingBetweenSlices	numerical, Spacing between the slices value of the image.
verbose_in	logical, indicating whether to print detailed information. Most prints can also be suppressed using the suppressMessages function.
...	additional arguments to <i>numpy.load</i> .

Details

load_npy is used to transform numpy array datasets into the RIA environment. *RIA_image* object was developed to facilitate and simplify radiomics calculations by keeping all necessary information in one place.

RIA_data stores the numpy image that is converted to numerical 3D arrays using the reticulate package. The function stores the original loaded image in *RIA_data\$orig*, while all modified images are stored in *RIA_data\$modif*. By default, the original image *RIA_data\$orig* is untouched by functions other than those operating in *load_npy*. While other functions operate on the *RIA_data\$modif* image by default.

Due to memory concerns, there can only be one *RIA_data\$orig* and *RIA_data\$modif* image present at one time in a *RIA_image*. Therefore, if image manipulations are performed, then the *RIA_data\$modif* will be overwritten. However, functions can save images into new slots of *RIA_image*, for example the [discretize](#) function can save discretized images to the *discretized* slot of *RIA_image*.

load_npy not only loads the image, but also can perform minimal manipulations on the image itself. *crop_in* logical variable is used to indicate, whether to crop the image to the smallest bounding box still containing all the information. If TRUE, then all X, Y and potentially Z slices containing no information will be removed. This allows significant reduction of necessary memory to store image data.

zero_value parameter is used to indicate HU values which contain no information. If left empty, then the smallest value will be considered as indicating voxels without a signal.

replace_in logical can be used to change values that are considered to have no signal to NA. This is necessary to receive proper statistical values later on.

center_in logical is used to indicate whether the values should be shifted. Some vendors save HU values as positive integers to spare memory and minimize file sizes. Therefore, in some instances shift of the scale is needed. By default, the values are shifted by -1024, but in other cases a different constant might be required, which can be set using the *min_to* input.

RIA_header is a list containing the most basic patient and examination information present in the npy file. Data is limited to the pixel spacing and spacing between the slices information.

RIA_log is a list of variables, which give an overview of what has been done with the image. If the whole *RIA_image* is supplied to a function, the information regarding the manipulations are written into the *\$events* array in chronological order. Furthermore, some additional information is also saved in the log, which might be needed for further analysis.

Value

Returns a *RIA_image* object. *RIA_image* is a list with three mandatory attributes.

- **RIA_data** is a *RIA_data* object containing the image in *\$orig* slot.
- **RIA_header** is a *RIA_header* object, which is a list of header information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Image will be cropped to smallest bounding box, and smallest values will be changed to NA
RIA_image <- load_npy("/Users/Test/Documents/Radiomics/John_Smith/np_folder/sample.npy")

## End(Not run)
```

load_nrrd

Loads nrrd images to RIA image format

Description

Loads nrrd images to a *RIA_image* object. *RIA_image* is a list with three mandatory attributes.

- **RIA_data** is a *RIA_data* object, which has two potential slots. *\$orig* contains the original image after loading *\$modif* contains the image that has been modified using functions.
- **RIA_header** is a *RIA_header* object, which is list of header information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

Further attributes may also be added by RIA functions.

Usage

```
load_nrrd(
  filename,
  mask_filename = NULL,
  keep_mask_values = 1,
  switch_z = TRUE,
  crop_in = TRUE,
  replace_in = TRUE,
  center_in = FALSE,
  zero_value = NULL,
  min_to = -1024,
  verbose_in = TRUE,
  origin_in = NULL,
  ReadByteAsRaw_in = "unsigned",
  ...
)
```

Arguments

filename	string, file path to directory containing <i>nrrd</i> file.
mask_filename	string vector, file path to optional directory containing <i>nrrd</i> file of mask image. If multiple are supplied, then those voxels are kept which have one of the values of <i>keep_mask_values</i> in any of the supplied masks.
keep_mask_values	integer vector or string, indicates which value or values of the mask image to use as indicator to identify voxels wished to be processed. Usually 1-s indicate voxels wished to be processed. However, one mask image might contain several segmentations, in which case supplying several integers is allowed. Furthermore, if the same string is supplied to <i>filename</i> and <i>mask_filename</i> , then the integers in <i>keep_mask_values</i> are used to specify which voxel values to analyze. This way the provided image can be segmented to specific components. For example, if you wish to analyze only the low-density non-calcified component of coronary plaques, then <i>keep_mask_values</i> can specify this by setting it to: -100:30. If a single string is provided, then each element of the mask will be examined against the statement in the string. For example, if '>0.5' is provided i.e. the mask is probabilities after a DL algorithm, then all voxels with values >0.5 in the mask image will be kept. This can be a complex logical expression. The data on which the expression is executed is called <i>data</i> or <i>data_mask</i> , depending on whether you wish to filter the original image, that is the original image is supplied as a mask, or if you have unique mask files respectively. Therefore for complex logical expressions you can define for example: '>-100 & data<30' to consider data values between -100 and 30, or '>0.5 & data_mask<0.75' to select voxels based-on mask values between 0.5 and 0.75 for example if they represent a probability mask.
switch_z	logical, indicating whether to change the orientation of the images in the Z axis. Some software reverse the order of the manipulated image in the Z axis, and therefore the images of the mask image need to be reversed.

crop_in	logical, indicating whether to crop <i>RIA_image</i> to smallest bounding box.
replace_in	logical, whether to replace smallest values indicated by <i>zero_value</i> , which are considered to indicate no signal, to NA.
center_in	logical, whether to shift data so smallest value is equal to <i>min_to</i> input parameter.
zero_value	integer, indicating voxels values which are considered not to have any information. If left empty, then the smallest HU value in the image will be used, if <i>replace_in</i> is TRUE.
min_to	integer, value to which data is shifted to if <i>center_in</i> is TRUE.
verbose_in	logical, indicating whether to print detailed information. Most prints can also be suppressed using the <code>suppressMessages</code> function.
origin_in	<i>origin</i> parameter input of <code>read.nrrd</code> .
ReadByteAsRaw_in	<i>origin</i> parameter input of <code>read.nrrd</code> .
...	additional arguments to <code>read.nrrd</code> , <code>read.nrrd.header</code> .

Details

`load_nrrd` is used to transform nrrd datasets into the RIA environment. *RIA_image* object was developed to facilitate and simplify radiomics calculations by keeping all necessary information in one place.

RIA_data stores the nrrd image that is converted to numerical 3D arrays using `read.nrrd`. The function stores the original loaded image in *RIA_data\$orig*, while all modified images are stored in *RIA_data\$modif*. By default, the original image *RIA_data\$orig* is untouched by functions other than those operating in `load_nrrd`. While other functions operate on the *RIA_data\$modif* image by default.

Due to memory concerns, there can only be one *RIA_data\$orig* and *RIA_data\$modif* image present at one time in a *RIA_image*. Therefore, if image manipulations are performed, then the *RIA_data\$modif* will be overwritten. However, functions can save images into new slots of *RIA_image*, for example the `discretize` function can save discretized images to the *discretized* slot of *RIA_image*.

`load_nrrd` not only loads the image based on parameters that can be set for `read.nrrd`, but also can perform minimal manipulations on the image itself.

crop_in logical variable is used to indicate, whether to crop the image to the smallest bounding box still containing all the information. If TRUE, then all X, Y and potentially Z slices containing no information will be removed. This allows significant reduction of necessary memory to store image data.

zero_value parameter is used to indicate HU values which contain no information. If left empty, then the smallest value will be considered as indicating voxels without a signal.

replace_in logical can be used to change values that are considered to have no signal to NA. This is necessary to receive proper statistical values later on.

center_in logical is used to indicate whether the values should be shifted. Some vendors save HU values as positive integers to spare memory and minimize file sizes. Therefore, in some instances shift of the scale is needed. By default, the values are shifted by -1024, but in other cases a different constant might be required, which can be set using the *min_to* input.

RIA_header is a list containing the most basic patient and examination information present in the nrrd file.

RIA_log is a list of variables, which give an overview of what has been done with the image. If the whole *RIA_image* is supplied to a function, the information regarding the manipulations are written into the *\$events* array in chronological order. Furthermore, some additional information is also saved in the log, which might be needed for further analysis.

Value

Returns a *RIA_image* object. *RIA_image* is a list with three mandatory attributes.

- **RIA_data** is a *RIA_data* object containing the image in *\$orig* slot.
- **RIA_header** is a *RIA_header* object, which is a list of nrrd information.
- **RIA_log** is a *RIA_log* object, which is a list updated by RIA functions and acts as a log and possible input for some functions.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Image will be cropped to smallest bounding box, and smallest values will be changed to NA,
#while 1024 will be subtracted from all other data points.
RIA_image <- load_nrrd("/Users/Test/Documents/Radiomics/John_Smith/nrrd_folder/sample.nrrd")

## End(Not run)
```

Non_NRS

RIA_image object of a plaque without the napkin-ring sign

Description

rda containing an example *RIA_image* object of a patients plaque which does not show the napkin-ring sign.

Usage

NRS

Format

RIA_image object

Value

RIA_image object

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

NRS

RIA_image *object of a plaque with the napkin-ring sign*

Description

rda containing an example *RIA_image* object of a patients plaque which shows the napkin-ring sign.

Usage

NRS

Format

RIA_image object

Value

RIA_image object

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

radiomics_all	<i>Calculates all radiomic statistics on supplied RIA_image</i>
---------------	---

Description

Calculates specified radiomic statistics on *RIA_image*. Parameters of radiomic functions may be set. By default the the images are discretized to 8, 16 and 32 bins using equally sized and probable binning. First-order statistics are calculated on the original image and if asked then on all discretizations. Symmetric GLCMs are calculated for all directions at a distance of 1 for all discretizations. GLRLMs are also calculated for all discretizations. Geometry-based statistics are calculated for the original image as well as all discretizations is requested.

Usage

```
radiomics_all(
  RIA_data_in,
  bins_in = c(8, 16, 32),
  equal_prob = "both",
  fo_discretized = FALSE,
  distance = c(1),
  statistic = "mean(X, na.rm = TRUE)",
  geometry_discretized = TRUE,
  verbose_in = TRUE
)
```

Arguments

RIA_data_in	<i>RIA_image</i> .
bins_in	integer vector, number of bins specified.
equal_prob	logical or string, indicating to cut data into bins with equal relative frequencies. If FALSE, then equal interval bins will be used. If "both" is supplied, the both equally probable and equal interval bins will be created.
fo_discretized	logical, indicating whether to calculate first-order statistics on discretized images.
distance	integer, distance between the voxels being compared.
statistic	string, defining the statistic to be calculated on the array of GLCM statistics. By default, statistic is set to "mean", however any function may be provided. The proper syntax is: function(X, attributes). The supplied string must contain a "X", which will be replaced with the array of the GLCM statistics value. Further attributes of the function may also be given. For example, if you wish to calculate the median of all GLCMs calculated in different directions, then it must be supplied as: <i>median(X, na.rm = TRUE)</i> .
geometry_discretized	logical, indicating whether to calculate geometry-based statistics on discretized images.

`verbose_in` logical, indicating whether to print detailed information. Most prints can also be suppressed using the `suppressMessages` function.

Value

`RIA_image` containing the statistical information.

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Examples

```
## Not run:
#Discretize loaded image and then calculate all radiomic statistics
DICOM <- radiomics_all(DICOM, equal_prob = "both", bins_in= c(32,64), distance = c(1:2))

## End(Not run)
```

save_RIA

Export radiomics calculations of RIA image to csv

Description

Exports given slots of statistics from `RIA_image`. Names of slots have to be defined which the user wishes to export using the `stats` parameter. Using the `group_name` parameter the user can label the cases with a group ID, for example "Case", which can be used as a grouping variable for further analysis.

Usage

```
save_RIA(
  RIA_image,
  save_to = "C:/",
  save_name = "RIA_stat",
  group_name = "Case",
  stats = c("stat_fo", "stat_glcmm_mean", "stat_glrmlm_mean", "stat_geometry")
)
```

Arguments

RIA_image	<i>RIA_image</i> with calculated statistics.
save_to	string, path of folder to save results to.
save_name	string, path of folder to save results to.
group_name	string, a ID defining which group the case belongs to.
stats	string vector, identifying which slots to export

References

Márton KOLOSSVÁRY et al. Radiomic Features Are Superior to Conventional Quantitative Computed Tomographic Metrics to Identify Coronary Plaques With Napkin-Ring Sign Circulation: Cardiovascular Imaging (2017). DOI: 10.1161/circimaging.117.006843 <https://pubmed.ncbi.nlm.nih.gov/29233836/>

Márton KOLOSSVÁRY et al. Cardiac Computed Tomography Radiomics: A Comprehensive Review on Radiomic Techniques. Journal of Thoracic Imaging (2018). DOI: 10.1097/RTI.0000000000000268 <https://pubmed.ncbi.nlm.nih.gov/28346329/>

Index

create3D, [21–23](#)

DICOM_codes, [2](#)

discretize, [3](#), [23](#), [26](#), [29](#), [32](#)

first_order, [4](#)

geometry, [6](#)

glcm, [8](#), [10](#)

glcm_all, [10](#), [10](#)

glcm_stat, [12](#)

glcm_stat_all, [13](#)

glrlm, [14](#), [16](#)

glrlm_all, [16](#), [16](#)

glrlm_stat, [18](#)

glrlm_stat_all, [19](#)

load_dicom, [2](#), [13](#), [20](#)

load_nifti, [24](#)

load_npy, [27](#)

load_nrrd, [30](#)

nifti_header, [26](#)

Non_NRS, [33](#)

NRS, [34](#)

radiomics_all, [35](#)

read.nrrd, [32](#)

read.nrrd.header, [32](#)

readDICOM, [22](#), [23](#)

readDICOMFile, [23](#)

readNIfTI, [26](#)

save_RIA, [36](#)

suppressMessages, [3](#), [5](#), [7](#), [9](#), [11](#), [12](#), [14](#), [15](#),
[17](#), [18](#), [20](#), [22](#), [26](#), [29](#), [32](#), [36](#)