

Package ‘admiral.test’

May 30, 2022

Type Package

Title Test Data for the 'admiral' Package

Version 0.2.0

Description A set of Study Data Tabulation Model (SDTM) datasets from the Clinical Data Interchange Standards Consortium (CDISC) pilot project used for testing and developing Analysis Data Model (ADaM) derivations inside the 'admiral' package.

License Apache License (>= 2.0)

Depends R (>= 3.5.0)

Imports dplyr, magrittr, rlang

Encoding UTF-8

LazyData true

RoxygenNote 7.2.0

NeedsCompilation no

Author Thomas Neitmann [aut, cre],
Stefan Bundfuss [aut],
Ross Farrugia [ctb],
Gopi Vegesna [ctb],
Sophie Shapcott [ctb],
Mahdi About [ctb],
Antonio Rodríguez [ctb],
Claudia Carlucci [ctb],
F. Hoffmann-La Roche AG [cph, fnd],
GlaxoSmithKline LLC [cph, fnd],
Clinical Data Interchange Standards Consortium [cph]

Maintainer Thomas Neitmann <thomas.neitmann@roche.com>

Repository CRAN

Date/Publication 2022-05-30 09:50:02 UTC

R topics documented:

admiral_ae	2
admiral_cm	3
admiral_dm	3
admiral_ds	4
admiral_eg	4
admiral_ex	5
admiral_lb	5
admiral_mh	6
admiral_pc	6
admiral_pp	7
admiral_qs	7
admiral_rs	8
admiral_sdg_db	8
admiral_smq_db	9
admiral_suppae	9
admiral_suppdm	10
admiral_supps	10
admiral_supptr	11
admiral_sv	11
admiral_tr	12
admiral_ts	12
admiral_tu	13
admiral_vs	13
get_sdg_terms	14
get_smq_terms	14
Index	15

admiral_ae	<i>Adverse Events Dataset</i>
------------	-------------------------------

Description

A SDTM AE dataset from the CDISC pilot project

Usage

admiral_ae

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1191 rows and 35 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ae.xpt?raw=true>

admiral_cm	<i>Concomitant Medication Dataset</i>
------------	---------------------------------------

Description

A SDTM CM dataset from the CDISC pilot project

Usage

admiral_cm

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 7510 rows and 21 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/cm.xpt?raw=true>

admiral_dm	<i>Demography Dataset</i>
------------	---------------------------

Description

A SDTM DM dataset from the CDISC pilot project

Usage

admiral_dm

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 306 rows and 25 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/dm.xpt?raw=true>

admiral_ds	<i>Disposition Dataset</i>
------------	----------------------------

Description

A SDTM DS dataset from the CDISC pilot project

Usage

admiral_ds

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 596 rows and 13 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ds.xpt?raw=true>

admiral_eg	<i>Electrocardiogram Dataset</i>
------------	----------------------------------

Description

An example of standard SDTM EG dataset to be used in deriving ADEG dataset

Usage

admiral_eg

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 26669 rows and 24 columns.

admiral_ex	<i>Exposure Dataset</i>
------------	-------------------------

Description

A SDTM EX dataset from the CDISC pilot project

Usage

admiral_ex

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 591 rows and 17 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ex.xpt?raw=true>

admiral_lb	<i>Laboratory Measurements Dataset</i>
------------	--

Description

A SDTM LB dataset from the CDISC pilot project

Usage

admiral_lb

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 59580 rows and 23 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/lb.xpt?raw=true>

admiral_mh	<i>Medical History Dataset</i>
------------	--------------------------------

Description

A SDTM MH dataset from the CDISC pilot project

Usage

admiral_mh

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1818 rows and 19 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/mh.xpt?raw=true>

admiral_pc	<i>Pharmacokinetics Concentrations Dataset</i>
------------	--

Description

A SDTM PC dataset simulated by Antonio Rodríguez Contestí

Usage

admiral_pc

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3556 rows and 20 columns.

Author(s)

Antonio Rodríguez Contestí

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_pc.rda

`admiral_pp`*Pharmacokinetic Parameters Dataset*

Description

A SDTM PP dataset simulated by Antonio Rodríguez Contestí

Usage

```
admiral_pp
```

Format

An object of class `data.frame` with 1344 rows and 14 columns.

Author(s)

Antonio Rodríguez Contestí

Source

https://github.com/pharmaverse/admiral.test/blob/main/data/admiral_pp.rda

`admiral_qs`*Questionnaire Dataset*

Description

A SDTM QS dataset from the CDISC pilot project

Usage

```
admiral_qs
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 121749 rows and 20 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/qs.xpt?raw=true>

admiral_rs	<i>Disease Response Dataset</i>
------------	---------------------------------

Description

A SDTM RS dataset simulated by Gopi Vegesna

Usage

admiral_rs

Format

An object of class `grouped_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 5703 rows and 19 columns.

Author(s)

Gopi Vegesna

admiral_sdg_db	<i>SDG Dataset</i>
----------------	--------------------

Description

An example SDG dataset

Usage

admiral_sdg_db

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 16 rows and 5 columns.

admiral_smq_db	<i>SMQ Dataset</i>
----------------	--------------------

Description

An example SMQ dataset

Usage

```
admiral_smq_db
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 44 rows and 6 columns.

admiral_suppae	<i>Supplemental Adverse Events Dataset</i>
----------------	--

Description

A SDTM SUPPAE dataset from the CDISC pilot project

Usage

```
admiral_suppae
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1191 rows and 10 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppae.xpt?raw=true>

admiral_suppbm	<i>Supplemental Demography Dataset</i>
----------------	--

Description

A SDTM SUPPDM dataset from the CDISC pilot project

Usage

admiral_suppbm

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 1197 rows and 10 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppbm.xpt?raw=true>

admiral_suppbs	<i>Supplemental Disposition Dataset</i>
----------------	---

Description

A SDTM SUPPDS dataset from the CDISC pilot project

Usage

admiral_suppbs

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3 rows and 10 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/suppbs.xpt?raw=true>

admiral_supptr	<i>Supplemental Tumor Results Dataset</i>
----------------	---

Description

A SDTM SUPPTR dataset simulated by Gopi Vegesna

Usage

admiral_supptr

Format

An object of class `grouped_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 28989 rows and 9 columns.

Author(s)

Gopi Vegesna

admiral_sv	<i>Subject Visits Dataset</i>
------------	-------------------------------

Description

A SDTM SV dataset from the CDISC pilot project

Usage

admiral_sv

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 3559 rows and 8 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/sv.xpt?raw=true>

`admiral_tr`*Tumor Results Dataset*

Description

A SDTM TR dataset simulated by Gopi Vegesna

Usage`admiral_tr`**Format**

An object of class `grouped_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 28989 rows and 24 columns.

Author(s)

Gopi Vegesna

`admiral_ts`*Trial Design Dataset*

Description

A SDTM TS dataset from the CDISC pilot project

Usage`admiral_ts`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 33 rows and 6 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/ts.xpt?raw=true>

`admiral_tu`*Tumor Identification Dataset*

Description

A SDTM TU dataset simulated by Gopi Vegesna

Usage`admiral_tu`**Format**

An object of class `grouped_df` (inherits from `tbl_df`, `tbl`, `data.frame`) with 7734 rows and 18 columns.

Author(s)

Gopi Vegesna

`admiral_vs`*Vital Signs Dataset*

Description

A SDTM VS dataset from the CDISC pilot project

Usage`admiral_vs`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 29643 rows and 24 columns.

Source

<https://github.com/cdisc-org/sdtm-adam-pilot-project/blob/master/updated-pilot-submission-package/900172/m5/datasets/cdiscpilot01/tabulations/sdtm/vs.xpt?raw=true>

get_sdg_terms	<i>An example function as expected by the 'get_smq_fun' parameter of 'admiral::create_query_data()'</i>
---------------	---

Description

An example function as expected by the 'get_smq_fun' parameter of 'admiral::create_query_data()'

Usage

```
get_sdg_terms(sdg_select, version, keep_id, temp_env)
```

Arguments

sdg_select	An sdg_select object defining the terms
version	SDG version
keep_id	Should 'QUERY_ID' be included in the output?
temp_env	Temporary environment

get_smq_terms	<i>An example function as expected by the 'get_smq_fun' parameter of 'admiral::create_query_data()'</i>
---------------	---

Description

An example function as expected by the 'get_smq_fun' parameter of 'admiral::create_query_data()'

Usage

```
get_smq_terms(smq_select, version, keep_id, temp_env)
```

Arguments

smq_select	An smq_select object defining the terms
version	MedDRA version
keep_id	Should 'QUERY_ID' be included in the output?
temp_env	Temporary environment

Index

* datasets

admiral_ae, 2
admiral_cm, 3
admiral_dm, 3
admiral_ds, 4
admiral_eg, 4
admiral_ex, 5
admiral_lb, 5
admiral_mh, 6
admiral_pc, 6
admiral_pp, 7
admiral_qs, 7
admiral_rs, 8
admiral_sdg_db, 8
admiral_smq_db, 9
admiral_suppae, 9
admiral_suppdm, 10
admiral_suppds, 10
admiral_supptr, 11
admiral_sv, 11
admiral_tr, 12
admiral_ts, 12
admiral_tu, 13
admiral_vs, 13

admiral_ae, 2
admiral_cm, 3
admiral_dm, 3
admiral_ds, 4
admiral_eg, 4
admiral_ex, 5
admiral_lb, 5
admiral_mh, 6
admiral_pc, 6
admiral_pp, 7
admiral_qs, 7
admiral_rs, 8
admiral_sdg_db, 8
admiral_smq_db, 9
admiral_suppae, 9

admiral_suppdm, 10
admiral_suppds, 10
admiral_supptr, 11
admiral_sv, 11
admiral_tr, 12
admiral_ts, 12
admiral_tu, 13
admiral_vs, 13

get_sdg_terms, 14
get_smq_terms, 14