Package 'eudract'

January 14, 2022

Type Package

Title Creates Safety Results Summary in XML to Upload to EudraCT, or ClinicalTrials.gov

Date 2022-01-13

Version 0.10.1

URL https://eudract-tool.medschl.cam.ac.uk/

BugReports https://github.com/shug0131/eudraCT/issues

Description The remit of the European Clinical Trials Data Base (EudraCT <https://eudract.ema.europa.eu/>), or ClinicalTrials.gov <https://clinicaltrials.gov/>, is to provide open access to summaries of all registered clinical trial results; thus aiming to prevent non-reporting of negative results and provide open-access to results to inform future research. The amount of information required and the format of the results, however, imposes a large extra workload at the end of studies on clinical trial units. In particular, the adverse-event-reporting component requires entering: each unique combination of treatment group and safety event; for every such event above, a further 4 pieces of information (body system, number of occurrences, number of subjects, number exposed) for non-serious events, plus an extra three pieces of data for serious adverse events (numbers of causally related events, deaths, causally related deaths). This package prepares the required statistics needed by EudraCT and formats them into the precise requirements to directly upload an XML file into the web portal, with no further data entry by hand.

License GPL-2

Language en-GB

Encoding UTF-8

LazyData true

Imports tidyr, xslt, dplyr, xml2, utils, magrittr, httr

Depends R (>= 3.5.0)

RoxygenNote 7.1.2

Suggests testthat, knitr, rmarkdown, stringr, covr

VignetteBuilder knitr

NeedsCompilation no

Author Simon Bond [cre], Beatrice Pantaleo [aut]

Maintainer Simon Bond <simon.bond@addenbrookes.nhs.uk>

Repository CRAN

Date/Publication 2022-01-14 16:52:49 UTC

R topics documented:

clintrials_gov_convert	2
clintrials_gov_upload	4
create.safety_summary	6
eudract_convert	6
safety	8
safety_summary	8
simple_safety_xml	10
soc_code	11
	12

Index

clintrials_gov_convert

applies a conversion using xslt from a simple xml file to a ClinicalTrials.gov compatible file, and checks against the schema

Description

applies a conversion using xslt from a simple xml file to a ClinicalTrials.gov compatible file, and checks against the schema

Usage

```
clintrials_gov_convert(
    input,
    original,
    output,
    xslt = system.file("extdata", "simpleToCtGov.xslt", package = "eudract"),
    schema_input = system.file("extdata", "simple.xsd", package = "eudract"),
    schema_results = system.file("extdata", "RRSUploadSchema.xsd", package = "eudract"),
    schema_output = system.file("extdata", "ProtocolRecordSchema.xsd", package =
        "eudract"),
    soc = system.file("extdata", "soc.xml", package = "eudract")
)
```

Arguments

input	a character string giving the file path to the simple xml file
original	a character string giving the file path to the study file downloaded from Clini- calTrials.gov
output	a character string naming the output file
xslt	a character string giving the file path to the xslt script. Defaults to the script provided in this package
schema_input	a character string giving the file path to the schema for the simple xml file. Defaults to the schema provided in this package
schema_results	a character string giving the file path to the schema for the results section of the output. A copy was downloaded and is provided in this package as the default.
schema_output	a character string giving the file path to the schema for the overall output. A copy was downloaded and is provided in this package as the default.
SOC	a character string giving an xml file that contains the System Organ Class look- up table going from EudraCT numbers to ClinicalTrials words.

Value

the output from the validation against the schema. A new file is created as a side-effect, which is suitable to upload into ClinicalTrials.gov. This over-writes the file given in original with the additional safety events.

See Also

safety_summary simple_safety_xml

Examples

```
safety_statistics <- safety_summary(safety,</pre>
                                      exposed=c("Experimental"=60, "Control"=67))
simple <- tempfile(fileext = ".xml")</pre>
eudract <- tempfile(fileext = ".xml")</pre>
ct <- tempfile(fileext = ".xml")</pre>
simple_safety_xml(safety_statistics, simple)
eudract_convert(input=simple,
                output=eudract)
clintrials_gov_convert(input=simple,
                        original=system.file("extdata", "1234.xml", package ="eudract"),
                output=ct)
## Not run:
 # This needs a real user account to work
 clintrials_gov_upload(
    input=simple,
   orgname="CTU",
   username="Student",
   password="Guinness",
    studyid="1234"
    )
```

End(Not run)

clintrials_gov_upload applies a conversion using xslt from a simple xml file to a Clinical-Trials.gov compatible file, merges into a study record from the portal, and uploads the result.

Description

applies a conversion using xslt from a simple xml file to a ClinicalTrials.gov compatible file, merges into a study record from the portal, and uploads the result.

Usage

```
clintrials_gov_upload(
  input,
  orgname,
  username,
  password,
  studyid,
  url = "https://register.clinicaltrials.gov/",
  check = interactive(),
  output = "study_file.xml",
  backup = "bak_study_file.xml"
 xslt = system.file("extdata", "simpleToCtGov.xslt", package = "eudract"),
  schema_input = system.file("extdata", "simple.xsd", package = "eudract"),
 schema_results = system.file("extdata", "RRSUploadSchema.xsd", package = "eudract"),
  schema_output = system.file("extdata", "ProtocolRecordSchema.xsd", package =
    "eudract"),
  soc = system.file("extdata", "soc.xml", package = "eudract")
)
```

Arguments

input	a character string giving the file path to the simple xml file
orgname	a character string giving the organisation name used to log in
username	a character string giving the user-name used to log in
password	a character string giving the password used to log in
studyid	a character string given the unique study id within the portal
url	a character string giving the URL of the website to log in. Defaults to the live site, but the testing site is the alternative.
check	a logical that will check on the command line if you want to proceed as results will be overwritten. Defaults to TRUE.

output	a character string naming the output xml file
backup	a character string naming the copy of the original data that is created.
xslt	a character string giving the file path to the xslt script. Defaults to the script provided in this package
schema_input	a character string giving the file path to the schema for the simple xml file. Defaults to the schema provided in this package
schema_results	a character string giving the file path to the schema for the results section of the output. A copy was downloaded and is provided in this package as the default.
schema_output	a character string giving the file path to the schema for the overall output. A copy was downloaded and is provided in this package as the default.
SOC	a character string giving an xml file that contains the System Organ Class look- up table going from EudraCT numbers to ClinicalTrials words.

Value

Invisibly returns the results from the two API with the portal response, POST. A new file is created as a side-effect, which is uploaded into ClinicalTrials.gov. This over-writes the original safety data online with the additional safety events. A backup copy of the original data is also saved.

See Also

safety_summary simple_safety_xml [ClinicalTrials.gov manual](https://prsinfo.clinicaltrials.gov/prsusers-guide.html#section10)

Examples

```
safety_statistics <- safety_summary(safety,</pre>
                                      exposed=c("Experimental"=60,"Control"=67))
simple <- tempfile(fileext = ".xml")</pre>
eudract <- tempfile(fileext = ".xml")</pre>
ct <- tempfile(fileext = ".xml")</pre>
simple_safety_xml(safety_statistics, simple)
eudract_convert(input=simple,
                output=eudract)
clintrials_gov_convert(input=simple,
                        original=system.file("extdata", "1234.xml", package ="eudract"),
                output=ct)
## Not run:
 # This needs a real user account to work
 clintrials_gov_upload(
    input=simple,
    orgname="CTU",
   username="Student",
    password="Guinness",
    studyid="1234"
    )
```

End(Not run)

create.safety_summary function that creates a safety_summary object from individual data.frames

Description

function that creates a safety_summary object from individual data.frames

Usage

create.safety_summary(group, non_serious, serious)

Arguments

group	a data frame that contains the group-level statistics
non_serious	a data frame that contains the non-serious term-group level statistics
serious	a data frame that contains the serious term-group level statistics

Value

a safety_summary object

<pre>eudract_convert</pre>	applies a conversion using xslt from a simple xml file to a eudract
	compatible file, and checks against the schema

Description

applies a conversion using xslt from a simple xml file to a eudract compatible file, and checks against the schema

Usage

```
eudract_convert(
    input,
    output,
    xslt = system.file("extdata", "simpleToEudraCT.xslt", package = "eudract"),
    schema_input = system.file("extdata", "simple.xsd", package = "eudract"),
    schema_output = system.file("extdata", "adverseEvents.xsd", package = "eudract")
)
```

eudract_convert

Arguments

input	a character string giving the file path to the simple xml file
output	a character string naming the output file
xslt	a character string giving the file path to the xslt script. Defaults to the script provided in this package
schema_input	a character string giving the file path to the schema for the simple xml file. Defaults to the schema provided in this package
schema_output	a character string giving the file path to the schema. A copy was downloaded and is provided in this package as the default.

Value

the output from the validation against the schema. A new file is created as a side-effect, which is suitable to upload into eudraCT.

See Also

safety_summary simple_safety_xml

Examples

```
safety_statistics <- safety_summary(safety,</pre>
                                      exposed=c("Experimental"=60,"Control"=67))
simple <- tempfile(fileext = ".xml")</pre>
eudract <- tempfile(fileext = ".xml")</pre>
ct <- tempfile(fileext = ".xml")</pre>
simple_safety_xml(safety_statistics, simple)
eudract_convert(input=simple,
                output=eudract)
clintrials_gov_convert(input=simple,
                        original=system.file("extdata", "1234.xml", package ="eudract"),
                output=ct)
## Not run:
 # This needs a real user account to work
 clintrials_gov_upload(
   input=simple,
   orgname="CTU",
   username="Student",
   password="Guinness",
    studyid="1234"
    )
```

End(Not run)

safety

Description

A dataset containing some example data of safety event in raw source format

Usage

safety

Format

a data frame with 8 columns and 16 rows

pt meddra preferred term code
subjid a unique subject identifier
related a logical indicating if the event is related to the treatment
soc the meddra code for the System Organ Class
fatal a numerical 0/1 to indicate if the event was fatal
serious a numerical 0/1 to indicate if the event was serious
group the treatment group for the subject
term a text description of the event. Needs to be matching 1-1 with the pt code

Details

The data contains one row per patient-event. So the numbers exposed in each arm cannot be inferred from these data, as patients with no events will not be included in these data.

The variable names and formats are those required by safety_summary. The variable pt is not strictly required. An alternative to soc would be the equivalent character string from soc_code

safety_summary

Calculate frequency tables from a rectangular data frame with one row per subject-event

Description

Calculate frequency tables from a rectangular data frame with one row per subject-event

safety_summary

Usage

```
safety_summary(
   data,
   exposed,
   excess_deaths = 0,
   freq_threshold = 0,
   soc_index = c("meddra", "soc_term"),
   na.action = na.fail
)
```

Arguments

data	a data set containing the following columns: subjid,term,soc,serious,related,fatal,group. See safety for more details.
exposed	a numeric vector giving the numbers of subjects exposed in each group. This needs to be supplied directly by the user, and cannot be inferred from the input data with one row per patient-event. To ensure the ordering is correct either, name the vector with names matching the values in data\$group, or ensure that the data\$group is an ordered factor, or relying on alphabetical ordering of the values in data\$group
excess_deaths	a numeric vector giving the number of extra deaths not reported within data. Defaults to 0.
freq_threshold	a value on a percentage scale at which to remove events if the incidence falls below. Defaults to 0
<pre>soc_index</pre>	a character vector either "meddra" or "soc_term", which is used to identify if the soc variable in data gives the numerical meddra code or the description in English.
na.action	a function that indicates what should happen if the data contain missing values. The default is na.fail as both repositories will not accept any missing values in the upload. Alternatives could be na.omit, na.exclude, or na.pass.

Value

a list of three dataframes: GROUP, SERIOUS, NON_SERIOUS. Each contains the summary statistics required by EudraCT, and is suitable for export.

See Also

eudract_convert simple_safety_xml

Examples

simple_safety_xml creates a simple xml file from the input of a safety_summary object

Description

creates a simple xml file from the input of a safety_summary object

Usage

```
simple_safety_xml(
    x,
    file,
    schema = system.file("extdata", "simple.xsd", package = "eudract")
)
```

Arguments

х	an object of class safety_summary, as created by safety_summary.
file	a character string name the file to be created
schema	a character string giving the file path to the schema for the outputxml file. De- faults to the schema provided in this package.

Value

no output is returned, but a file is created as a side-effect.

See Also

eudract_convert safety_summary

soc_code

Examples

```
safety_statistics <- safety_summary(safety,</pre>
                                      exposed=c("Experimental"=60,"Control"=67))
simple <- tempfile(fileext = ".xml")</pre>
eudract <- tempfile(fileext = ".xml")</pre>
ct <- tempfile(fileext = ".xml")</pre>
simple_safety_xml(safety_statistics, simple)
eudract_convert(input=simple,
                output=eudract)
clintrials_gov_convert(input=simple,
                        original=system.file("extdata", "1234.xml", package ="eudract"),
                 output=ct)
## Not run:
  # This needs a real user account to work
  clintrials_gov_upload(
    input=simple,
    orgname="CTU",
    username="Student",
    password="Guinness",
    studyid="1234"
    )
```

End(Not run)

soc_code

System Organ Class coding

Description

A dataset containing text descriptions and medDRA and EudraCT codes for each system organ class

Usage

soc_code

Format

a data frame with 3 columns and 27 rows

soc_term a text description

eutctId the eudraCT coding

meddra the meddra code

Source

https://www.meddra.org/, https://spor.ema.europa.eu/rmswi/#/

Index

* datasets safety, 8 soc_code, 11 $\texttt{clintrials_gov_convert, 2}$ clintrials_gov_upload,4 create.safety_summary,6 eudract_convert, 6, 9, 10 na.exclude,9 na.fail,9 na.omit,9 na.pass, 9 POST, **5** response, 5 safety, 8, 9 safety_summary, *3*, *5*, *7*, *8*, 8, *10* simple_safety_xml, *3*, *5*, *7*, *9*, 10 soc_code, 8, 11