

# Package ‘ggfun’

April 1, 2022

**Title** Miscellaneous Functions for 'ggplot2'

**Version** 0.0.6

**Description** Useful functions to edit 'ggplot' object (e.g., setting fonts for theme and layers, adding rounded rectangle as background for each of the legends).

**Imports** ggplot2, grid, rlang, utils

**Suggests** ggplotify, knitr, rmarkdown, prettydoc

**VignetteBuilder** knitr

**ByteCompile** true

**License** Artistic-2.0

**Encoding** UTF-8

**RoxygenNote** 7.1.2

**NeedsCompilation** no

**Author** Guangchuang Yu [aut, cre, cph]

(<<https://orcid.org/0000-0002-6485-8781>>),

Shuangbin Xu [aut] (<<https://orcid.org/0000-0003-3513-5362>>)

**Maintainer** Guangchuang Yu <[guangchuangyu@gmail.com](mailto:guangchuangyu@gmail.com)>

**Repository** CRAN

**Date/Publication** 2022-04-01 09:10:07 UTC

## R topics documented:

element_roundrect . . . . .	2
facet_set . . . . .	3
get_aes_var . . . . .	3
ggbreak2ggplot . . . . .	4
gglegend . . . . .	4
identify.gg . . . . .	5
is.ggbreak . . . . .	6
is.ggtree . . . . .	6
keybox . . . . .	7
set_font . . . . .	7

theme_nothing . . . . .	8
theme_transparent . . . . .	9
yrange . . . . .	9

## Index 11

---

element_roundrect	<i>round rectangle borders and backgrounds</i>
-------------------	--

---

### Description

round rectangle borders and backgrounds

### Usage

```
element_roundrect(
  fill = NULL,
  colour = NULL,
  size = NULL,
  linetype = NULL,
  color = NULL,
  r = grid::unit(0.1, "snpc"),
  inherit.blank = FALSE
)
```

### Arguments

fill	Fill colour.
colour	Line/border colour. Color is an alias for colour.
size	Line/border size in mm; text size in pts.
linetype	Line type. An integer (0:8), a name (blank, solid, dashed, dotted, dotdash, longdash, twodash), or a string with an even number (up to eight) of hexadecimal digits which give the lengths in consecutive positions in the string.
color	Line/border colour. Color is an alias for colour.
r	the radius of the rounded corners, a unit object, default is unit(0.1, 'snpc').
inherit.blank	Should this element inherit the existence of an element_blank among its parents? If TRUE the existence of a blank element among its parents will cause this element to be blank as well. If FALSE any blank parent element will be ignored when calculating final element state.

### Examples

```
library(ggplot2)
p <- ggplot(mpg, aes(displ, cty)) + geom_point()
p <- p + facet_grid(cols = vars(cyl))
p <- p + theme(strip.background=element_roundrect(fill="grey40", color=NA, r=0.15))
p
```

```
p2 <- ggplot(mtcars, aes(mpg, disp, color=factor(cyl), size=cyl)) +
  geom_point()
p2 + theme(legend.background=element_rect(color="#808080", linetype=2))
```

---

facet_set	<i>facet_set</i>
-----------	------------------

---

### Description

add a facet label to a ggplot or change facet label of a ggplot

### Usage

```
facet_set(label, side = "t", angle = NULL)
```

### Arguments

label	a character or a named vector to label the plot
side	to label the plot at which side, either 't' (top) or 'r' (right)
angle	angle of the facet label. Default is 0 for side='t' and -90 for side='r'.

### Value

a ggplot with facet label

---

get_aes_var	<i>get_aes_var</i>
-------------	--------------------

---

### Description

extract aes mapping, compatible with ggplot2 < 2.3.0 & > 2.3.0

### Usage

```
get_aes_var(mapping, var)
```

### Arguments

mapping	aes mapping
var	variable

### Value

mapped var

### Author(s)

guangchuang yu

---

ggbreak2ggplot	<i>ggbreak2ggplot</i>
----------------	-----------------------

---

**Description**

convert a ggbreak object to a ggplot object

**Usage**

```
ggbreak2ggplot(plot)
```

**Arguments**

plot            a ggbreak object

**Value**

a ggplot object

**Author(s)**

Guangchuang Yu

---

gglegend	<i>gglegend</i>
----------	-----------------

---

**Description**

add manual setting legend

**Usage**

```
gglegend(mapping, data, geom, p = NULL)
```

**Arguments**

mapping	aes mapping for the 'geom'. The first mapping should be the one for the legend, while others maybe needed for the 'geom' (e.g., label for geom_text).
data	input data frame. If users want to mapping 'VALUE' to 'colour', the input data should contains 'VALUE' and 'colour' (actual value, e.g., 'red' and 'blue') variable.
geom	a geom to plot the data for generating the legend and the geom will be plotted invisible.
p	a ggplot object. If NULL, the 'last_plot()' will be used.

**Details**

add additional legend to a ggplot

**Value**

a ggplot object

**Author(s)**

Guangchuang Yu

**Examples**

```
library(ggplot2)
p <- ggplot(mtcars, aes(mpg, disp)) + geom_point()
data <- data.frame(colour = c("red", "blue"), VALUE = c("A", "B"))
gglegend(aes(colour = VALUE, label=VALUE), data, geom_text, p)
```

---

*identify.gg*

*identify*

---

**Description**

identify node by interactive click

**Usage**

```
## S3 method for class 'gg'
identify(x = last_plot(), col = "auto", ...)
```

**Arguments**

<code>x</code>	tree view
<code>col</code>	selected columns to extract. Default is "auto" which will select all columns for 'ggplot' object and 'node' column for 'ggtree' object
<code>...</code>	additional parameters, normally ignored

**Value**

closest data point

**Author(s)**

Guangchuang Yu

*is.ggbreak**is.ggbreak*

---

**Description**

check whether a plot is a ggbreak object (including 'ggbreak', 'ggwrap' and 'ggcut' that defined in the 'ggbreak' package)

**Usage**

```
is.ggbreak(plot)
```

**Arguments**

plot            a plot object

**Value**

logical value

**Author(s)**

Guangchuang Yu

---

*is.ggtree**is.ggtree*

---

**Description**

test whether input object is produced by ggtree function

**Usage**

```
is.ggtree(x)
```

**Arguments**

x                object

**Value**

TRUE or FALSE

**Author(s)**

Guangchuang Yu

---

keybox	<i>keybox</i>
--------	---------------

---

**Description**

draw border for each of the ggplot legends

**Usage**

```
keybox(p, grob = "roundrect", gp = NULL)
```

**Arguments**

p	a ggplot object
grob	one of 'rect' or 'roundrect'
gp	graphic parameter

**Value**

grob object

**Author(s)**

Guangchuang Yu

**Examples**

```
library(ggplot2)
p <- ggplot(mtcars, aes(mpg, disp, color=factor(cyl), size=cyl)) + geom_point()
keybox(p, 'roundrect', gp = gpar(col = '#808080', lty = "dashed"))
```

---

set_font	<i>set_font</i>
----------	-----------------

---

**Description**

setting font for ggplot (axis text, label, title, etc.)

**Usage**

```
set_font(p, family = "sans", fontface = NULL, size = NULL, color = NULL)
```

**Arguments**

p	ggplot object
family	font family
fontface	font face
size	font size
color	font color

**Value**

TableGrob object

**Author(s)**

Guangchuang Yu

**Examples**

```
library(grid)
library(ggplot2)
d <- data.frame(x=rnorm(10), y=rnorm(10), lab=LETTERS[1:10])
p <- ggplot(d, aes(x, y)) + geom_text(aes(label=lab), size=5)
set_font(p, family="Times", fontface="italic", color='firebrick')
```

---

theme\_nothing

*theme\_nothing*

---

**Description**

A theme that only show the plot panel

**Usage**

```
theme_nothing(base_size = 11, base_family = "")
```

**Arguments**

base_size	font size
base_family	font family

**Value**

ggplot2 theme

**Author(s)**

Guangchuang Yu

---

theme_transparent	<i>theme_transparent</i>
-------------------	--------------------------

---

**Description**

transparent background theme

**Usage**

```
theme_transparent(...)
```

**Arguments**

... additional parameter to tweak the theme

**Value**

ggplot object

**Author(s)**

Guangchuang Yu with contributions from Hugo Gruson

---

yrange	<i>plot range of a ggplot object</i>
--------	--------------------------------------

---

**Description**

extract x or y ranges of a ggplot

**Usage**

```
yrange(gg, type = "limit", region = "panel")
```

```
xrange(gg, type = "limit", region = "panel")
```

```
ggrange(gg, var, type = "limit", region = "panel")
```

**Arguments**

gg	a ggplot object
type	one of 'limit' or 'range', if 'region == "plot"', to extract plot limit or plot data range
region	one of 'panel' or 'plot' to indicate extracting range based on the plot panel (scale expand will be counted) or plot data (scale expand will not be counted)
var	either 'x' or 'y'

**Value**

range of selected axis

**Author(s)**

Guangchuang Yu

# Index

`element_roundrect`, 2

`facet_set`, 3

`get_aes_var`, 3

`ggbreak2ggplot`, 4

`gglegend`, 4

`ggrange` (`yrange`), 9

`identify.gg`, 5

`is.ggbreak`, 6

`is.ggtree`, 6

`keybox`, 7

`set_font`, 7

`theme_nothing`, 8

`theme_transparent`, 9

`xrange` (`yrange`), 9

`yrange`, 9