

Package ‘hacksaw’

December 15, 2020

Title Additional Tools for Splitting and Cleaning Data

Version 0.0.2

Description Move between data frames and lists more efficiently with precision splitting via 'dplyr' verbs. Easily cast variables to different data types. Keep rows with NAs. Shift row values.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.0

Imports dplyr, purrr, rlang, utils, tidyselect, tibble, zeallot, magrittr

Suggests testthat, knitr, rmarkdown, tidyr

NeedsCompilation no

Author David Ranzolin [aut, cre, cph]

Maintainer David Ranzolin <daranzolin@gmail.com>

Repository CRAN

Date/Publication 2020-12-15 05:30:02 UTC

R topics documented:

cast_character	2
filter_pattern	2
filter_split	3
keep_na	4
keep_pattern	5
pluck_when	6
shift_row_values	6
var_max	7
var_min	8

Index	9
--------------	----------

cast_character	<i>Cast columns to a specified data type</i>
----------------	--

Description

Cast columns to a specified data type

Usage

```
cast_character(.data, ...)
```

```
cast_numeric(.data, ...)
```

```
cast_logical(.data, ...)
```

Arguments

.data	a table of data.
...	A selection of columns.

Value

a data frame.

Examples

```
library(dplyr)
df <- tibble(x = 1:3, y = as.character(1:3), z = c(0, 0, 1))
df %>% cast_character(x)
df %>% cast_numeric(y)
df %>% cast_logical(z)
```

filter_pattern	<i>Grep and filter a data frame by pattern</i>
----------------	--

Description

Grep and filter a data frame by pattern

Usage

```
filter_pattern(.data, col, pattern, ...)
```

Arguments

.data	a table of data.
col	a variable.
pattern	string containing a regular expression to be matched in the given character vector.
...	additional arguments passed to grepl

Value

a data frame.

Examples

```
library(dplyr)
starwars %>% filter_pattern(homeworld, "oo")
```

filter_split	<i>Perform various operations before splitting</i>
--------------	--

Description

Evaluate expressions over a data frame, resulting in a list.

Usage

```
filter_split(.data, ...)
select_split(.data, ...)
count_split(.data, ...)
mutate_split(.data, ...)
distinct_split(.data, ..., simplify = TRUE)
transmute_split(.data, ..., simplify = TRUE)
slice_split(.data, ...)
pull_split(.data, ...)
group_by_split(.data, ...)
eval_split(.data, ...)
precision_split(.data, ...)
```

Arguments

.data A table of data.
 ... Expressions to be evaluated.
 simplify Boolean, whether to unlist the returned split.

Value

A list.

Examples

```
library(dplyr)
mtcars %>% filter_split(cyl == 4, cyl == 6)
iris %>% select_split(starts_with("Sepal"), starts_with("Petal"))
mtcars %>% count_split(gear, carb, across(c(cyl, gear)))
mtcars %>% mutate_split(mpg2 = mpg^2, mpg3 = mpg^3)
mtcars %>% distinct_split(cyl, carb)
mtcars %>% transmute_split(mpg^2, sqrt(mpg))
mtcars %>% slice_split(1:10, 11:20)
mtcars %>% pull_split(mpg, hp)
mtcars %>% group_by_split(cyl, gear, across(c(cyl, gear)))
mtcars %>% eval_split(select(mpg, hp), filter(mpg>25), mutate(mpg2 = mpg^2))
mtcars %>% precision_split(mpg > 25)
```

keep_na	<i>Keep rows containing missing values</i>
---------	--

Description

Keep rows containing missing values

Usage

```
keep_na(.data, ..., .logic = "AND")
```

Arguments

.data A table of data.
 ... A selection of columns. If empty, all columns are selected.
 .logic boolean, either 'AND' or 'OR'. Logic for keeping NAs.

Value

A data frame.

Examples

```
library(dplyr)
df <- tibble(x = c(1, 2, NA, NA), y = c("a", NA, "b", NA))
df %>% keep_na()
df %>% keep_na(x)

vars <- "y"
df %>% keep_na(x, any_of(vars))
```

keep_pattern	<i>Grep, keep or discard a list or vector by pattern</i>
--------------	--

Description

Grep, keep or discard a list or vector by pattern

Usage

```
keep_pattern(x, pattern, ...)
discard_pattern(x, pattern, ...)
```

Arguments

x	a list or vector.
pattern	string containing a regular expression to be matched in the given character vector.
...	additional arguments passed to grepl.

Value

A list.

Examples

```
l <- list("David", "Daniel", "Damien", "Eric", "Jared", "Zach")
l %>% keep_pattern("^D")
l %>% discard_pattern("^D")
```

pluck_when	<i>Pluck a value based on other criteria</i>
------------	--

Description

Pluck a value based on other criteria

Usage

```
pluck_when(.x, .p, .i = 1, .else = NA)
```

Arguments

.x	Vector from which to select value.
.p	Logical expression.
.i	First TRUE index to return.
.else	If no matches from .p, value to return.

Value

A vector of length 1.

Examples

```
library(dplyr)
df <- tibble(
  id = c(1, 1, 1, 2, 2, 2, 3, 3),
  tested = c("no", "no", "yes", "no", "no", "no", "yes", "yes"),
  year = c(2015:2017, 2010:2012, 2019:2020)
)
df %>%
  group_by(id) %>%
  mutate(year_first_tested = pluck_when(year, tested == "yes"))
```

shift_row_values	<i>Shift row values left or right</i>
------------------	---------------------------------------

Description

Shift row values left or right

Usage

```
shift_row_values(.data, .dir = "left", at = NULL)
```

Arguments

.data a table of data.
 .dir the shift direction as a string, one of "left" or "right".
 at the row indices at which to shift.

Value

a data frame.

Examples

```
library(dplyr)
df <- tibble(
  s = c(NA, 1, NA, NA),
  t = c(NA, NA, 1, NA),
  u = c(NA, NA, 2, 5),
  v = c(5, 1, 9, 2),
  x = c(1, 5, 6, 7),
  y = c(NA, NA, 8, NA),
  z = 1:4
)
df %>% shift_row_values()
df %>% shift_row_values(at = 1:3)
df %>% shift_row_values(at = 1:2, .dir = "right")
```

var_max

Return the indices of n max values of a variable

Description

Return the indices of n max values of a variable

Usage

```
var_max(var, n = 6)
```

Arguments

var the variable to use.
 n number of rows to return.

Examples

```
var_max(1:10)
```

var_min	<i>Return the indices of n min values of a variable</i>
---------	---

Description

Return the indices of n min values of a variable

Usage

```
var_min(var, n = 6)
```

Arguments

var	the variable to use.
n	number of rows to return.

Examples

```
var_min(1:10)
```

Index

cast_character, 2
cast_logical (cast_character), 2
cast_numeric (cast_character), 2
count_split (filter_split), 3

discard_pattern (keep_pattern), 5
distinct_split (filter_split), 3

eval_split (filter_split), 3

filter_pattern, 2
filter_split, 3

group_by_split (filter_split), 3

keep_na, 4
keep_pattern, 5

mutate_split (filter_split), 3

pluck_when, 6
precision_split (filter_split), 3
pull_split (filter_split), 3

select_split (filter_split), 3
shift_row_values, 6
slice_split (filter_split), 3

transmute_split (filter_split), 3

var_max, 7
var_min, 8