Package 'hhi'

August 17, 2018

Title Calculate and Visualize the Herfindahl-Hirschman Index

Type Package

Version 1.2.0

Maintainer Philip D. Waggoner <pdwm.edu> Description Based on the aggregated shares retained by individual firms or actors within a market or space, the Herfindahl-Hirschman Index (HHI) measures the level of concentration in a space. This package allows for intuitive and straightforward computation of HHI scores, requiring placement of objects of interest directly into the function. The package also includes a plot function for quick visual display of an HHI time series using any measure of time (year, quarter, month, etc.). For usage, please cite the Journal of Open Source Software paper associated with the package: Waggoner, Philip D. (2018) <doi:10.21105 joss.00828="">. License MIT + file LICENSE Imports ggplot2 Encoding UTF-8 LazyData true RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC</doi:10.21105></pdwm.edu>	
Description Based on the aggregated shares retained by individual firms or actors within a market or space, the Herfindahl-Hirschman Index (HHI) measures the level of concentration in a space. This package allows for intuitive and straightforward computation of HHI scores, requiring placement of objects of interest directly into the function. The package also includes a plot function for quick visual display of an HHI time series using any measure of time (year, quarter, month, etc.). For usage, please cite the Journal of Open Source Software paper associated with the package: Waggoner, Philip D. (2018) <doi:10.21105 joss.00828="">. License MIT + file LICENSE Imports ggplot2 Encoding UTF-8 LazyData true RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC</doi:10.21105>	Author Philip D. Waggoner <pdwaggoner@wm.edu></pdwaggoner@wm.edu>
ket or space, the Herfindahl-Hirschman Index (HHI) measures the level of concentration in a space. This package allows for intuitive and straightforward computation of HHI scores, requiring placement of objects of interest directly into the function. The package also includes a plot function for quick visual display of an HHI time series using any measure of time (year, quarter, month, etc.). For usage, please cite the Journal of Open Source Software paper associated with the package: Waggoner, Philip D. (2018) <doi:10.21105 joss.00828="">. License MIT + file LICENSE Imports ggplot2 Encoding UTF-8 LazyData true RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC</doi:10.21105>	Maintainer Philip D. Waggoner <pdwaggoner@wm.edu></pdwaggoner@wm.edu>
Imports ggplot2 Encoding UTF-8 LazyData true RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	tion in a space. This package allows for intuitive and straightforward computation of HHI scores, requiring placement of objects of interest directly into the function. The pack age also includes a plot function for quick visual display of an HHI time series using any measure of time (year, quarter, month, etc.). For usage, please cite the Journal of Open Source Soft-
Encoding UTF-8 LazyData true RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	License MIT + file LICENSE
LazyData true RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	Imports ggplot2
RoxygenNote 6.0.1 NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	Encoding UTF-8
NeedsCompilation no Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	LazyData true
Repository CRAN Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	RoxygenNote 6.0.1
Date/Publication 2018-08-17 12:10:03 UTC R topics documented:	NeedsCompilation no
R topics documented:	Repository CRAN
•	Date/Publication 2018-08-17 12:10:03 UTC
hhi	R topics documented:
plot_hhi	
Index 5	Index

2 hhi

hhi

Calculates the Herfindahl-Hirschman Index

Description

Computes the Herfindahl-Hirschman Index of a market/space, which is a measure of concentration, based on the share size of all individual firms/actors

Usage

```
hhi(x, "s")
```

Arguments

x Name of the data frame

s Name of the vector (variable) from the data frame, x, corresponding with stored market share values

Details

Allows for placing the objects directly from working datasets (including, data frame and the market share variable name in quotes) into the function for intuitive usage.

Value

hhi A measure of market concentration

Note

The vector of "share" values should be comprised of integers corresponding to total share of individual firms/actors (e.g., df\$s <- c(35, 40, 5, 10, 6, 4) # 6 firms totaling 100 percent of the market). The measure is often used as a measure of competition, where 0 is perfect competitiveness and 10,000 is a perfect monopoly.

References

Hirschman, Albert O. 1945. "National power and structure of foreign trade." Berkeley, CA: University of California Press.

Herfindahl, Orris Clemens. 1950. "Concentration in the steel industry." Ph.D. dissertation, Columbia University.

Rhoades, Stephen A. 1993. "The herfindahl-hirschman index." Federal Reserve Bulletin 79: 188.

Waggoner, Philip D. 2018. "The hhi Package: Streamlined Calculation and Visualization of Herfindahl-Hirschman Index Scores." Journal of Open Source Software 3(28), 828.

plot_hhi 3

Examples

```
a <- c(1,2,3,4) # arbitrary firm id
b <- c(20,30,40,10) # market share of each firm (should total 100% of market share)
x <- data.frame(a,b) # create data frame
hhi(x, "b") # calculate market concentration based on firms' share sizes
```

plot_hhi

Plots a Herfindahl-Hirschman Index Time Series

Description

Generates a plot of a vector of Herfindahl-Hirschman Index (HHI) values over a period of time

Usage

```
plot_hhi(x, "t", "h")
```

Arguments

х	Name of the data frame
t	Name of the vector (variable) from the data frame, x, corresponding with a measure of time (year, month, etc.)
h	Name of the vector (variable) from the data frame, x, corresponding with the HHI values

Details

Allows for placing objects directly from working datasets (including, data frame, measure of time, and stored HHI values in quotes) into the function for intuitive usage. Function supports any measure of time.

Value

hhi.plot A plot of HHI values over time

Note

The "plot_hhi" function is meant for quick visual rendering of a vector of HHI values over a period of time leveraging ggplot2. Users are advised to generate original plots with other plotting packages beyond "hhi" to allow for greater flexibility in customizing visual output according to specific needs.

4 plot_hhi

References

Hirschman, Albert O. 1945. "National power and structure of foreign trade." Berkeley, CA: University of California Press.

Herfindahl, Orris Clemens. 1950. "Concentration in the steel industry." Ph.D. dissertation, Columbia University.

Rhoades, Stephen A. 1993. "The herfindahl-hirschman index." Federal Reserve Bulletin 79: 188.

Waggoner, Philip D. 2018. "The hhi Package: Streamlined Calculation and Visualization of Herfindahl-Hirschman Index Scores." Journal of Open Source Software 3(28), 828.

Examples

```
hhi <- c(45,60,50,100,94,15,88,200,215,68,

47,62,52,102,96,17,90,202,217,70)

year <- c(1990,1991,1992,1993,1994,1995,1996,1997,1998,1999,

2000,2001,2002,2003,2004,2005,2006,2007,2008,2009)

data <- data.frame(hhi, year)

plot_hhi(data, "year", "hhi")
```

Index

hhi, 2

plot_hhi, 3