

Package ‘pomcheckr’

June 6, 2021

Title Graphical Check for Proportional Odds Assumption

Version 0.1.1

Description Implements the method described at the UCLA Statistical Consulting site <<https://stats.idre.ucla.edu/r/dae/ordinal-logistic-regression/>> for checking if the proportional odds assumption holds for a cumulative logit model.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Suggests testthat (>= 3.0.0), knitr, rmarkdown

Config/testthat/edition 3

Imports dplyr, tidyr (>= 1.0.0), ggplot2, assertthat, stats, rlang, magrittr, stringr

Depends R (>= 2.10)

VignetteBuilder knitr

NeedsCompilation no

Author Melissa Wong [aut, cre] (<<https://orcid.org/0000-0002-2973-6279>>)

Maintainer Melissa Wong <melissa.wong.stats@gmail.com>

Repository CRAN

Date/Publication 2021-06-06 04:10:02 UTC

R topics documented:

| | |
|-------------------------|----------|
| nhanes | 2 |
| ologit | 3 |
| plot.pomcheck | 3 |
| pomcheck | 4 |
| Index | 6 |

nhanes

National Health and Nutrition Examination Survey 2011-2012

Description

A dataset used in the UCLA Statistical Consulting Survey Analysis in R guide <https://stats.idre.ucla.edu/r/seminars/survey-data-analysis-with-r/>

Usage

nhanes

Format

A data frame with 9756 rows and 16 variables:

seqn Respondent sequence number

ridageyr Age in years at screening

riagendr Gender

dmdmartl Marital status

dmddeduc2 Education level - Adults 20+

sdmvpsu Masked variance pseudo-PSU

sdmvstra Masked variance pseudo-stratum

wtint2yr Full sample 2 year interview weight

female Gender

hsq496 How many days feel anxious

hsq571 SP donated blood in the past 12 months

hsd010 General health condition

pad630 Minutes moderate-intensity work

pad675 Minutes moderate recreational activities

paq665 Moderate recreational activities

pad680 Minutes sedentary activity

Source

<https://www.cdc.gov/nchs/nhanes/Search/DataPage.aspx?Component=Demographics&CycleBeginYear=2011>

| | |
|--------|--|
| ologit | <i>Simulated data for ordinal logistic regression example.</i> |
|--------|--|

Description

A dataset used in the UCLA Statistical Consulting Ordinal Logistic Regression Example <https://stats.idre.ucla.edu/r/dae/ordinal-logistic-regression/>

Usage

```
ologit
```

Format

A data frame with 400 rows and 4 variables:

apply Likelihood of applying to graduate school

pared Indicator for whether at least 1 parent has a graduate degree

public Indicator for whether undergraduate institution is public or private

gpa Student's grade point average

Source

<https://stats.idre.ucla.edu/stat/data/ologit.dta>

| | |
|---------------|---|
| plot.pomcheck | <i>Graphical check for proportional odds assumption</i> |
|---------------|---|

Description

Generates the plots described in <https://stats.idre.ucla.edu/r/dae/ordinal-logistic-regression/> for checking if the proportional odds assumption holds for a cumulative logit model.

Usage

```
## S3 method for class 'pomcheck'
plot(x, legend.position = "none", ...)
```

Arguments

| | |
|-----------------|---|
| x | a pomcheck object |
| legend.position | the position of legends ("none", "left", "right", "bottom", "top", or two-element numeric vector) |
| ... | currently unused |

Value

None

See Also[pomcheck](#)**Examples**

```
plot(pomcheck(Species ~ Sepal.Width, iris))
```

pomcheck

Graphical check for proportional odds assumption

Description

Implements the method described in <https://stats.idre.ucla.edu/r/dae/ordinal-logistic-regression/> for checking if the proportional odds assumption holds for a cumulative logit model.

Usage

```
pomcheck(object, ...)

## Default S3 method:
pomcheck(object, x, data, ...)

## S3 method for class 'formula'
pomcheck(formula, data, ...)
```

Arguments

| | |
|---------|---|
| object | character string for response |
| ... | currently unused |
| x | vector of character string(s) for explanatory variable(s) |
| data | data frame containing the variables |
| formula | formula of the form $y \sim x_1 + x_2 + \dots$ |

Value

an object of class 'pomcheck'

Methods (by class)

- default: default
- formula: supports formula specification

See Also

[plot.pomcheck](#)

Examples

```
pomcheck(Species ~ Sepal.Length, iris)
pomcheck(Species ~ Sepal.Length + Sepal.Width, iris)
pomcheck(object="Species", x="Sepal.Length", iris)
pomcheck(object="Species", x=c("Sepal.Length", "Sepal.Width"), iris)
```

Index

* datasets

nhanes, 2

ologit, 3

nhanes, 2

ologit, 3

plot.pomcheck, 3, 5

pomcheck, 4, 4