

Package ‘rebus.numbers’

August 29, 2016

Title Numeric Extensions for the 'rebus' Package

Version 0.0-1

Date 2015-12-16

Author Richard Cotton [aut, cre]

Maintainer Richard Cotton <richierocks@gmail.com>

Description Build regular expressions piece by piece using human readable code.
This package contains number-related functionality, and is primarily intended to be used by package developers.

Depends R (>= 3.1.0)

Imports rebus.base, utils

Suggests testthat

License Unlimited

LazyLoad yes

LazyData yes

Acknowledgments Development of this package was partially funded by the Proteomics Core at Weill Cornell Medical College in Qatar <<http://qatar-weill.cornell.edu>>. The Core is supported by 'Biomedical Research Program' funds, a program funded by Qatar Foundation.

RoxygenNote 5.0.1

Collate 'imports.R' 'number_range.R' 'roman.R'

NeedsCompilation no

Repository CRAN

Date/Publication 2015-12-16 12:00:14

R topics documented:

number_range	2
roman	2

Index	4
--------------	----------

number_range	<i>Generate a regular expression for a number range.</i>
--------------	--

Description

Generates a regular expression that matches a sequence of numbers.

Usage

```
number_range(lo, hi, allow_leading_zeroes = FALSE, capture = FALSE)
```

Arguments

lo	An integer.
hi	An integer greater than or equal to lo.
allow_leading_zeroes	A logical value. Are leading zeroes allowed to bulk the match up to the length of the number with the most digits?
capture	A logical value. See or for details.

Value

A character vector representing part or all of a regular expression.

Examples

```
number_range(0, 255)
number_range(0, 255, allow_leading_zeroes = TRUE)
number_range(10000, 19999)
number_range(6, 54321)
number_range(-77, 77)
number_range(-77, 77, capture = TRUE)
number_range(-77, 77, capture = NA)
```

roman	<i>Roman numerals</i>
-------	-----------------------

Description

Match roman numerals.

Usage

```
ROMAN
```

```
roman(lo, hi)
```

Arguments

`lo` A non-negative integer. Minimum number of repeats, when grouped.
`hi` positive integer. Maximum number of repeats, when grouped.

Format

An object of class `regex` (inherits from `character`) of length 1.

See Also

[as.roman](#)

Examples

```
# Constant form and character class
ROMAN
roman()

x <- c("MMMDCCCXLVIII", "MMCMDCCLXIV")
rx <- rebus.base::exactly(roman())
grepl(rx, x)
```

Index

*Topic **datasets**

roman, [2](#)

as.roman, [3](#)

number_range, [2](#)

or, [2](#)

ROMAN (roman), [2](#)

roman, [2](#)