

# Package ‘squashinformr’

May 10, 2022

**Title** Politely Web Scrape Data from SquashInfo

**Version** 0.2.6

**Author** Hayden MacDonald [aut, cre]

**Maintainer** Hayden MacDonald <hayden.macdonald.8778@gmail.com>

**Description** Scrape SquashInfo <<http://www.squashinfo.com/>> for data on the Professional Squash Association World Tour and other squash events. 'squashinformr' functions scrape, parse, and clean data associated with players, tournaments, and rankings.

**Depends** R (>= 4.0)

**Imports** dplyr (>= 1.0.2), plyr (>= 1.8.6), tibble (>= 3.0.4),  
lubridate (>= 1.7.4), stringr (>= 1.4.0), tidyr (>= 1.1.2),  
rvest (>= 0.3.6), polite (>= 0.1.1), naniar (>= 0.5.0), janitor  
(>= 2.1.0), Hmisc (>= 4.4.2), rlang (>= 0.4.10)

**Suggests** testthat, covr, knitr, rmarkdown

**License** GPL-3

**Encoding** UTF-8

**URL** <https://github.com/HaydenMacDonald/squashinformr>

**BugReports** <https://github.com/HaydenMacDonald/squashinformr/issues>

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2022-05-10 16:30:02 UTC

## R topics documented:

aggregate_profile_tables . . . . .	2
get_matchup . . . . .	3
get_matchup_profiles . . . . .	4
get_match_game_data . . . . .	5
get_players . . . . .	5
get_player_profile_table . . . . .	6

get_player_profile_urls . . . . .	7
get_player_recent_ . . . . .	7
get_player_recent_games . . . . .	8
get_player_recent_matches . . . . .	9
get_player_recent_results . . . . .	10
get_rankings . . . . .	11
get_rankings_table . . . . .	12
get_recent_matches . . . . .	12
get_tournaments . . . . .	13
get_tournament_ . . . . .	14
get_tournament_games . . . . .	14
get_tournament_matches . . . . .	15
get_tournament_objects . . . . .	16
get_tournament_players . . . . .	17
squashinformr . . . . .	18

**Index** **19**

---

aggregate\_profile\_tables

*Aggregate Profile Tables from Player Profiles*

---

**Description**

Given two data frames with profile urls, fetch and aggregate summary tables from player profiles.

**Usage**

```
aggregate_profile_tables(x = NULL, y = NULL, identifier = NULL)
```

**Arguments**

x, y	data frames containing
identifier	unique string that used to identify the desired table.

**Value**

Data frame containing aggregated summary tables.

---

`get_matchup`*Get a player matchup data from SquashInfo*

---

## Description

Given the full names or ranks of players, and the competition category, `get_matchup()` returns recent matchup data for PSA ranked players.

## Usage

```
get_matchup(  
  player_1 = NULL,  
  player_2 = NULL,  
  ranks = NULL,  
  category = NULL,  
  tidy = FALSE,  
  match_spread = FALSE  
)
```

## Arguments

<code>player_1</code>	character string of the first player's name.
<code>player_2</code>	character string of the second player's name.
<code>ranks</code>	integers indicating the rank of the PSA players to return.
<code>category</code>	character string indicating the competition category. Must be one of "mens" or "womens".
<code>tidy</code>	logical indicating whether to organize results according to tidy principles.
<code>match_spread</code>	logical indicating whether to only return match spread statistics.

## Value

Tibble containing each player's rank, name, total matches played, number of matches won, the match results spread (relative to player 1), the average match time, the number of games played, the number of games won, average point advantage in a won game, the average point difference in final scores, the number of tie-break wins, and the percentage of games that go to a tie-breaker.

## Note

This function only returns data from players ranked in the most recent PSA rankings table for Men's and Women's singles competitions.

## References

<http://www.squashinfo.com/rankings/men>  
<http://www.squashinfo.com/rankings/women>

## Examples

```
## Get tidy matchup data for Mohamed Elshorbagy vs Ali Farag
get_matchup(player_1 = "Mohamed Elshorbagy",
            player_2 = "Ali Farag",
            category = "mens",
            tidy = TRUE)

## Get non-tidy matchup data for Nouran Gohar vs Nour El Sherbini
get_matchup("Nouran Gohar", "Nour El Sherbini", category = "womens", tidy = FALSE)

## Get tidy match spread data for Paul Coll and Ali Farag
get_matchup("Paul Coll", "Ali Farag", category = "mens", tidy = TRUE, match_spread = TRUE)
```

---

get\_matchup\_profiles *Get profile urls for players in matchup*

---

## Description

Get profile urls for players in matchup

## Usage

```
get_matchup_profiles(
  player_1 = NULL,
  player_2 = NULL,
  players = NULL,
  ranks = NULL,
  category = NULL
)
```

## Arguments

player_1	character string of the first player's name.
player_2	character string of the second player's name.
players	character string vector of player names.
ranks	integers indicating the rank of the PSA players to return.
category	character string indicating the competition category. Must be one of "mens" or "womens".

## Value

Tibble containing player names, rank, and profile url slugs.

---

get\_match\_game\_data      *Given recent match data, return a cleaned list of recent match and recent game data*

---

### Description

Given recent match data, return a cleaned list of recent match and recent game data

### Usage

```
get_match_game_data(data = NULL, players = NULL, ranks = NULL)
```

### Arguments

data                      recent match data frame.  
 players                  a vector containing player names as strings.  
 ranks                     a vector of integers representing the player ranks.

### Value

list containing recent match and recent games data frames.

---

get\_players                *Get PSA Squash Player Data from SquashInfo*

---

### Description

Given the rank(s) and competition category, get\_players() returns profile data of ranked players in PSA World Tour competitions.

### Usage

```
get_players(top = NULL, rank = NULL, category = NULL)
```

### Arguments

top                        integer indicating the number of top PSA players by rank to return.  
 rank                      integer indicating the rank of the PSA player(s) to return.  
 category                 character string indicating the competition category. Must be one of "mens", "womens", or "both".

### Value

Tibble containing first name, last name, age, gender, birthplace, nationality, residence, height in cm, weight in kg, plays (handedness), racket brand, year of joining PSA, university, and club.

**Note**

This function only returns players ranked in the most recent PSA rankings table for Men's and Women's singles competitions.

**References**

<http://www.squashinfo.com/rankings/men>  
<http://www.squashinfo.com/rankings/women>

**Examples**

```
## Return the top 5 ranked players from the Women's PSA rankings
get_players(top = 5, category = "womens")

## Return the 5th ranked player from both Men's and Women's PSA rankings
get_players(rank = 5, category = "both")
```

---

get\_player\_profile\_table

*Get Player Summary Tables from SquashInfo*

---

**Description**

Given a data frame with player ranks, names, and profile slugs, `get_player_profile_urls()` returns the Event Summary Table of ranked players in PSA World Tour competitions.

**Usage**

```
get_player_profile_table(data = NULL, identifier = NULL)
```

**Arguments**

<code>data</code>	data frame with columns for player rank (int), names (chr), and profile slugs (chr).
<code>identifier</code>	unique string that used to identify the desired table.

**Value**

Data frame containing Event Summary Table(s).

---

`get_player_profile_urls`*Get Player URLs from SquashInfo*

---

**Description**

Given the player name, rank(s), and competition category, `get_player_profile_urls()` returns profile slugs of ranked players in PSA World Tour competitions.

**Usage**

```
get_player_profile_urls(  
  player = NULL,  
  rank = NULL,  
  category = c("mens", "womens")  
)
```

**Arguments**

<code>player</code>	character string of player name.
<code>rank</code>	single integer or vector of integers indicating the rank of the PSA player(s) to return.
<code>category</code>	character string indicating the competition category. Must be one of "both", "mens", or "womens".

**Value**

Data frame containing player ranks, names, and profile slugs.

---

`get_player_recent_`*Get a player's recent data from SquashInfo*

---

**Description**

Given level of detail (e.g. 'results', 'matches', 'games'), the full name or rank of a player, and the competition category, `get_player_recent_()` returns the recent event data for PSA ranked players.

**Usage**

```
get_player_recent_  
  level = c("results", "matches", "games"),  
  player = NULL,  
  rank = NULL,  
  category = NULL  
)
```

**Arguments**

level	character string indicating the level of detail of the data to be returned. Must be one of "results", "matches", or "games".
player	character string of player name.
rank	single integer or vector of integers indicating the rank of the PSA player(s) to return.
category	character string indicating the competition category. Must be one of "both", "mens", or "womens".

**Value**

Tibble containing the player rank, player name, player's seeding, round reached, event name, event date, event location, and event tour.

---

```
get_player_recent_games
```

*Get a player's recent games from SquashInfo*

---

**Description**

Given the full name or rank of a player and the competition category, `get_player_recent_games()` returns recent game data for PSA ranked players.

**Usage**

```
get_player_recent_games(player = NULL, rank = NULL, category = NULL)
```

**Arguments**

player	character string of player name.
rank	single integer or vector of integers indicating the rank of the PSA player(s) to return.
category	character string indicating the competition category. Must be one of "both", "mens", or "womens".

**Value**

Tibble containing the player rank, name, opponent, points won, points lost, game result, tournament round, event, PSA designation, and event location.

**Note**

This function only returns data from players ranked in the most recent PSA rankings table for Men's and Women's singles competitions.



## References

<http://www.squashinfo.com/rankings/men>  
<http://www.squashinfo.com/rankings/women>

## Examples

```
## Get Mohamed Elshorbagy's most recent game data
get_player_recent_games(player = "Mohamed Elshorbagy", category = "mens")

## Get Nour El Tayeb's recent game data
get_player_recent_games("El Tayeb", category = "womens")

## Get recent game data from the top two players in both Men's and Women's competitions
get_player_recent_games(rank = 1:2, category = "both")
```

---

`get_player_recent_matches`

*Get a player's recent matches from SquashInfo*

---

## Description

Given the full name or rank of a player and the competition category, `get_player_recent_matches()` returns recent match data for PSA ranked players.

## Usage

```
get_player_recent_matches(player = NULL, rank = NULL, category = NULL)
```

## Arguments

<code>player</code>	character string of player name.
<code>rank</code>	single integer or vector of integers indicating the rank of the PSA player(s) to return.
<code>category</code>	character string indicating the competition category. Must be one of "both", "mens", or "womens".

## Value

Tibble containing the player rank, name, opponent, match result, games won, games lost, match time, date, tournament round, event, PSA designation, and event location.

## Note

This function only returns data from players ranked in the most recent PSA rankings table for Men's and Women's singles competitions.

**References**

<http://www.squashinfo.com/rankings/men>  
<http://www.squashinfo.com/rankings/women>

**Examples**

```
## Get Mohamed Elshorbagy's most recent match data
get_player_recent_matches(player = "Mohamed Elshorbagy", category = "mens")

## Get Nour El Tayeb's recent match data
get_player_recent_matches("El Tayeb", category = "womens")

## Get recent match data from the top two players in both Men's and Women's competitions
get_player_recent_matches(rank = 1:2, category = "both")
```

---

```
get_player_recent_results
```

*Get a player's recent event results from SquashInfo*

---

**Description**

Given the full name or rank of a player and the competition category, `get_player_recent_results()` returns the recent event results table for PSA ranked players.

**Usage**

```
get_player_recent_results(player = NULL, rank = NULL, category = NULL)
```

**Arguments**

<code>player</code>	character string of player name.
<code>rank</code>	single integer or vector of integers indicating the rank of the PSA player(s) to return.
<code>category</code>	character string indicating the competition category. Must be one of "both", "mens", or "womens".

**Value**

Tibble containing the player rank, player name, player's seeding, round reached, event name, event date, event location, and event tour.

**Note**

This function only returns results data from players ranked in the most recent PSA rankings table for Men's and Women's singles competitions. Recent results are limited to events that occurred within the current and previous calendar years.

## References

<http://www.squashinfo.com/>

## Examples

```
## Get Mohamed Elshorbagy's most recent results data
get_player_recent_results(player = "Mohamed Elshorbagy", category = "mens")

## Get Nour El Tayeb's recent results data
get_player_recent_results("El Tayeb", category = "womens")

## Get recent results data from the top two players in both Men's and Women's competitions
get_player_recent_results(rank = 1:2, category = "both")
```

---

get\_rankings

*Get the most recent PSA rankings from SquashInfo*

---

## Description

Given a competition category, `get_rankings()` returns the most recent PSA rankings table.

## Usage

```
get_rankings(top = NULL, category = NULL)
```

## Arguments

top	integer indicating the number of top PSA players by rank to return.
category	character string indicating the competition category. Must be one of "both", "mens", or "womens".

## Value

Tibble containing the player rank, previous month's rank, name, highest ranking achieved, date of highest ranking, nationality, and competition category.

## Note

This function only returns the most recent PSA rankings table for Men's and Women's singles competitions.

## References

<http://www.squashinfo.com/rankings/men>  
<http://www.squashinfo.com/rankings/women>

**Examples**

```
## Get the top 10 ranked men's singles players
get_rankings(top = 10, category = "mens")

## Get the top 10 ranked women's singles players
get_rankings(top = 20, category = "womens")

## Get the top 20 players in both men's and women's singles competitions
get_rankings(top = 20, category = "both")
```

---

`get_rankings_table`      *Get the PSA rankings tables from SquashInfo*

---

**Description**

Given a competition category, `get_rankings_table()` returns the most recent PSA rankings table.

**Usage**

```
get_rankings_table(top = NULL, category = NULL)
```

**Arguments**

<code>top</code>	integer indicating the number of top PSA players by rank to return.
<code>category</code>	character string indicating the competition category. Must be one of "mens", or "womens".

**Value**

Tibble containing the player rank, previous month's rank, name, highest ranking achieved, date of highest ranking, nationality, and competition category.

---

`get_recent_matches`      *Get a player's recent matches*

---

**Description**

Get a player's recent matches

**Usage**

```
get_recent_matches(profile_urls)
```

**Arguments**

profile\_urls     a data frame containing a list of player names, ranks, and profile slugs.

**Value**

Tibble containing the player's recent matches.

---

get_tournaments	<i>Get tournaments from SquashInfo</i>
-----------------	--

---

**Description**

Given a year, `get_tournaments()` returns data for PSA World Tour tournaments and other events.

**Usage**

```
get_tournaments(year = 2022, world_tour = TRUE)
```

**Arguments**

year             integer indicating the tournament year. Must be one of 2021 or 2022.  
world\_tour       logical indicating whether to only return PSA World Tour tournaments.

**Value**

Tibble containing the league, competition category, name, date, city, and country.

**Note**

This function only returns tournaments from 2021 and 2022, as any other data are not available to non-premium members on SquashInfo.

**References**

<http://www.squashinfo.com/results>

**Examples**

```
## Get data on 2022 PSA World Tour tournaments  
get_tournaments()  
  
## Get data on 2021 non-PSA World Tour tournaments  
get_tournaments(2022, world_tour = FALSE)
```

---

get\_tournament\_      *Scrape tournament metadata*

---

### Description

Scrape tournament metadata

### Usage

```
get_tournament_(tournament = NULL, year = NULL, world_tour = NULL)
```

### Arguments

tournament	the name of the tournament.
year	the year the tournament was held.
world_tour	logical indicating whether the tournament was a part of the PSA World Tour.

### Value

a data frame containing a specified tournament and its slug.

---

get\_tournament\_games      *Get a tournament's games from SquashInfo*

---

### Description

Given a tournament name or a year, get\_tournament\_games() returns match data for PSA World Tour tournaments and other events.

### Usage

```
get_tournament_games(tournament = NULL, year = NULL, world_tour = NULL)
```

### Arguments

tournament	character string of name of the tournament. Partial tournament names are matched via regular expressions.
year	integer indicating year of competition. Must be 2022, 2022, or NULL if querying results for both years.
world_tour	logical indicating whether to only return PSA World Tour tournaments.

### Value

Tibble containing the tournament name, competition category, tournament date, round, match number, game number, player 1, player 2, the game winner, player 1's score, player 2's score, player 1's seed, player 2's seed, player 1's nationality, player 2's nationality.

**Note**

This function only returns game data from tournaments in 2021 and 2022, as any other data are not available to non-premium members on SquashInfo. Additionally, events that do not use a single elimination format are not included in the results (e.g. Karakal Premier League).

**References**

<http://www.squashinfo.com/results>

**Examples**

```
## Return game data for 2022's Allam British Open.  
get_tournament_games("Allam British Open", year = 2022, world_tour = TRUE)  
  
## Return game data for all PSA World Tour tournaments in 2022  
get_tournament_games(year = 2022, world_tour = TRUE)
```

---

get\_tournament\_matches

*Get a tournament's matches from SquashInfo*

---

**Description**

Given a tournament name or a year, `get_tournament_matches()` returns match data for PSA World Tour tournaments and other events.

**Usage**

```
get_tournament_matches(tournament = NULL, year = NULL, world_tour = NULL)
```

**Arguments**

tournament	character string of name of the tournament. Partial tournament names are matched via regular expressions.
year	integer indicating year of competition. Must be 2021, 2022, or NULL if querying results for both years.
world_tour	logical indicating whether to only return PSA World Tour tournaments.

**Value**

Tibble containing the tournament name, competition category, tournament date, round, player 1, player 2, the match winner, games won (by player 1), games lost (by player 1), the match time, player 1's seed, player 2's seed, player 1's nationality, player 2's nationality.

**Note**

This function only returns match data from tournaments in 2021 and 2022, as any other data are not available to non-premium members on SquashInfo. Additionally, events that do not use a single elimination format are not included in the results (e.g. Karakal Premier League).

**References**

<http://www.squashinfo.com/results>

**Examples**

```
## Return match data for 2022's Allam British Open.  
get_tournament_matches("Allam British Open", year = 2022, world_tour = TRUE)  
  
## Return match data for all PSA World Tour tournaments in 2022  
get_tournament_matches(year = 2022, world_tour = TRUE)
```

---

get\_tournament\_objects

*Get players, matches, or games from a given tournament*

---

**Description**

Get players, matches, or games from a given tournament

**Usage**

```
get_tournament_objects(tournaments = NULL, level = NULL)
```

**Arguments**

tournaments      a data frame containing a set of tournaments  
level              the level of object to return. Must be one of "players", "matches", or "games".

**Value**

a tibble containing the tournament objects.



---

`get_tournament_players`*Get a tournament's players from SquashInfo*

---

**Description**

Given a tournament name or a year, `get_tournament_players()` returns player registrants for PSA World Tour tournaments and other events.

**Usage**

```
get_tournament_players(tournament = NULL, year = 2022, world_tour = TRUE)
```

**Arguments**

<code>tournament</code>	character string of name of the tournament. Partial tournament names are matched via regular expressions.
<code>year</code>	integer indicating year of competition. Must be 2021, 2022, or NULL if querying results for both years.
<code>world_tour</code>	logical indicating whether to only return PSA World Tour tournaments.

**Value**

Tibble containing the tournament name, competition category, tournament date, player, seed, nationality, round\_reached.

**Note**

This function only returns player registrant data from tournaments in 2021 and 2022, as any other data are not available to non-premium members on SquashInfo. Additionally, events that do not use a single elimination format are not included in the results (e.g. Karakal Premier League).

**References**

<http://www.squashinfo.com/results>

**Examples**

```
## Who played in the Allam British Open in 2022?  
get_tournament_players(tournament = "Allam British Open", year = 2022)  
  
## Return player registrant data for all PSA World Tour tournaments in 2022  
get_tournament_players(year = 2022, world_tour = TRUE)
```

---

`squashinformr``squashinformr package`

---

**Description**

The `squashinformr` package allows sports enthusiasts to easily access data related to the Professional Squash Association's World Tour and other squash tournaments from SquashInfo. The functions within this package scrape, parse, and clean data associated with players, tournaments, and rankings data.

**Details**

See the README on [GitHub](#)

# Index

aggregate\_profile\_tables, 2

get\_match\_game\_data, 5

get\_matchup, 3

get\_matchup\_profiles, 4

get\_player\_profile\_table, 6

get\_player\_profile\_urls, 7

get\_player\_recent\_, 7

get\_player\_recent\_games, 8

get\_player\_recent\_matches, 9

get\_player\_recent\_results, 10

get\_players, 5

get\_rankings, 11

get\_rankings\_table, 12

get\_recent\_matches, 12

get\_tournament\_, 14

get\_tournament\_games, 14

get\_tournament\_matches, 15

get\_tournament\_objects, 16

get\_tournament\_players, 17

get\_tournaments, 13

squashinformr, 18