

# Package ‘tttplot’

March 29, 2016

**Type** Package

**Title** Time to Target Plot

**Version** 1.1.1

**Date** 2016-03-29

**Author** Carlos A. Martinez [aut, cre] based on the work of Ribeiro and Rosseti (2015).

**Maintainer** Carlos A. Martinez <amartin@unal.edu.co>

**Description** Implementation of Time to Target plot based on the work of Ribeiro and Rosseti (2015) <DOI:10.1007/s11590-014-0760-8>, that describe a numerical method that gives the probability of an algorithm A finds a solution at least as good as a given target value in smaller computation time than algorithm B.

**License** GPL (>= 2)

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2016-03-29 18:59:47

## R topics documented:

tttplot	1
tttplotCompare	2

<b>Index</b>	<b>4</b>
--------------	----------

---

tttplot	<i>Time to Target Plot for one vector</i>
---------	---

---

## Description

Make a TTTPlot with the information of a vector of times and calculate the theoretical time values (exp) according to work of Ribeiro and Rosseti (2015) <DOI: 10.1007/s11590-014-0760-8>.

**Usage**

```
ttdPlot(timeValue = NULL, tGraph = "TTTPlot", snTheoretical = FALSE)
```

**Arguments**

timeValue	A vector with the times
tGraph	A character with the type of Plot: ["QQPlot", "TTTPlot"]
snTheoretical	A boolean that indicated if need to plot the exp function

**Value**

xSortVal	is the vector timeValue sorted
probTV	is the accumulated probability distribution for timeValue

**References**

Riveiro, C.C., & Rosseti I.(2015), ttdplots-compare: A perl program to compare time-to-target plots or general runtime distributions of randomized algorithms, *Optimization Letters*, vol. **9**, issue 3, pp. 601-614.<DOI: 10.1007/s11590-014-0760-8>.

**See Also**

See more in <http://link.springer.com/article/10.1007/s11590-014-0760-8>

**Examples**

```
ttdPlot(c(1:10))
```

---

ttdPlotCompare	<i>TTTPlot with the comparison of two vectors</i>
----------------	---

---

**Description**

Make a TTTPlot with the information of a vector of times and calculate the theoretical time values (exp) according to work of Ribeiro and Rosseti (2015) <DOI: 10.1007/s11590-014-0760-8> for two vectors.

**Usage**

```
ttdPlotCompare(timeValue1 = NULL, timeValue2 = NULL, tGraph = "TTTPlot",
snTheoretical = FALSE, xLab = "Time", yLab = "Accum. Prob.", legendTT = NULL,
snReturn = TRUE, posLegend = "topleft")
```

**Arguments**

timeValue1	A vector with the times
timeValue2	A vector with the times
tGraph	A character with the type of Plot: ["QQPlot", "TTTPlot"]
snTheoretical	A boolean that indicated if need to plot the exp function
xLab	A character with the information of xlab for the plot
yLab	A character with the information of ylab for the plot
legendTT	A character with the information of legend for the plot
snReturn	A boolean that indicate if the function return the list of values.
posLegend	A character with the position of the legend in the plot.

**Value**

xSortVal1	is the vector timeValue1 sorted
xSortVal2	is the vector timeValue2 sorted
probTV1	is the accumulated probability distribution for timeValue1
probTV2	is the accumulated probability distribution for timeValue2

**References**

Riveiro, C.C., & Rosseti I.(2015), tttplots-compare: A perl program to compare time-to-target plots or general runtime distributions of randomized algorithms, *Optimization Letters*, vol. **9**, issue 3, pp. 601-614.<DOI: 10.1007/s11590-014-0760-8>.

**See Also**

See more in <http://link.springer.com/article/10.1007/s11590-014-0760-8>

**Examples**

```
tttPlotCompare(c(1:10), c(1:10))
```

# Index

`tttPlot`, [1](#)

`tttPlotCompare`, [2](#)