

Package ‘woe’

July 28, 2015

Type Package

Title Computes Weight of Evidence and Information Values

Version 0.2

Date 2015-07-07

Author Sudarson Mothilal Thoppay <sudarson@outlook.com>

Maintainer Sudarson Mothilal Thoppay <sudarson@outlook.com>

Description Shows the relationship between an independent and dependent variable through Weight of Evidence and Information Value.

Depends R (>= 3.1.0)

License GPL-2

Repository CRAN

NeedsCompilation no

Date/Publication 2015-07-28 23:41:30

R topics documented:

woe	1
Index	3

woe	<i>Weight of Evidence</i>
-----	---------------------------

Description

Computes the Weight of Evidence and Information Value between Dependent and Independent variable.

Usage

```
woe(Data, Independent, Continuous, Dependent, C_Bin, Bad, Good)
```

Arguments

Data : Name of Data Set
Independent : Name of the Independent Variable
Continuous : True if the variable is continuous, False if variable is Ordinal or Nominal
Dependent : Name of the Targer Variable
C_Bin : Count of Bins to be computed
Bad : Which categorical variable do you want to be bad
Good : Which categorical variable do you want to be good

Details

WOE

Value

Returns a DataSet with computed WoE and IV values on success or 0 on Failure

Note

"woe" shows the log-odds ratio between between Goods and Bads. In the Bivalued Dependenet variable, one value represents Goods and others are bads. In Detail with an Example: Let Dependent varaible be ATTRITED (0,1) and Independent variable be TENURE where, 1-Attrited, 0-Non Attrited. If I wish to check WOE and IV of Tenure with ATTRITED to know if Tenure has an effect in getting attrited, Then good would be 1 and bad=0. If I wish to check WOE and IV of Tenure with ATTRITED to know if Tenure has an effect in not getting attrited, Then good would be 0 and bad=1.

Author(s)

Sudarson Mothilal Thoppay

Examples

```
woe(Data=mtcars, "cyl", FALSE, "am", 10, Bad=0, Good=1)  
woe(Data=mtcars, "mpg", TRUE, "am", 10, Bad=0, Good=1)
```

Index

woe, 1