

Employing `asremlPlus`, in conjunction with `asreml`, to calculate and use information criteria

Chris Brien

16 March, 2020

This vignette illustrates the facilities in `asremlPlus` (Brien, 2020), in conjunction with `asreml` (Butler et al., 2018), for calculating and using information. Here, `asremlPlus` and `asreml` are packages for the R Statistical Computing environment (R Core Team, 2020).

It is divided into the following main sections:

1. Set up the maximal model for this experiment
2. Obtaining information criteria for separate models
3. Obtaining information criteria for a prescribed sequence of model changes
4. Using information criteria to decide model changes

1. Set up the maximal model for this experiment

```
library(knitr)
opts_chunk$set("tidy" = FALSE, comment = NA)
suppressMessages(library(asreml, quietly=TRUE))
packageVersion("asreml")

## [1] '4.1.0.122'
suppressMessages(library(asremlPlus))
packageVersion("asremlPlus")

## [1] '4.2.17'
options(width = 100)
```

Get data available in `asremlPlus`

The data are from a 1976 spring wheat experiment and are taken from Gilmour et al. (1995). An analysis is presented in the `asreml` manual by Butler et al. (2018, Section 7.6), although they suggest that it is a barley experiment.

```
data(Wheat.dat)
```

Fit the maximal model

In the following a model is fitted that has the terms that would be included for a balanced lattice. In addition, a term `WithinColPairs` has been included to allow for extraneous variation arising between pairs of adjacent lanes. Also, separable ar1 residual autocorrelation has been included. This model represents the maximal anticipated model,

```
max.asr <- asreml(yield ~ WithinColPairs + Variety,
                     random = ~ Rep/(Row + Column) + units,
                     residual = ~ ar1(Row):ar1(Column),
                     data=Wheat.dat)
```

Model fitted using the gamma parameterization.

ASReml 4.1.0 Mon Mar 16 09:22:14 2020

| | LogLik | Sigma2 | DF | wall | cpu |
|---|----------|----------|-----|----------|--------------------|
| 1 | -724.121 | 23034.14 | 124 | 09:22:14 | 0.0 |
| 2 | -717.415 | 9206.93 | 124 | 09:22:14 | 0.0 (2 restrained) |
| 3 | -694.875 | 26492.99 | 124 | 09:22:14 | 0.0 (2 restrained) |
| 4 | -694.160 | 33101.80 | 124 | 09:22:14 | 0.0 (1 restrained) |
| 5 | -692.002 | 36912.26 | 124 | 09:22:14 | 0.0 (1 restrained) |
| 6 | -691.789 | 46701.51 | 124 | 09:22:14 | 0.0 (2 restrained) |
| 7 | -691.834 | 46208.51 | 124 | 09:22:14 | 0.0 (1 restrained) |
| 8 | -691.775 | 47698.26 | 124 | 09:22:14 | 0.0 |
| 9 | -691.771 | 47041.85 | 124 | 09:22:14 | 0.0 |

Warning in asreml(yield ~ WithinColPairs + Variety, random = ~Rep/(Row + : Some components changed by more than 1% on the last iteration.

The warning from `asreml` is probably due to a bound term.

Initialize a testing sequence by loading the current fit into an `asrttests` object

```
max.asrt <- as.asrttests(max.asr, NULL, NULL)
```

Calculating denominator DF

Check for and remove any boundary terms

```
max.asrt <- rmboundary(max.asrt)
```

```
summary(max.asrt$asreml.obj)$varcomp
```

| | component | std.error | z.ratio | bound | %ch |
|-----------------------|--------------|--------------|------------|-------|-----|
| Rep:Row | 4.293282e+03 | 3.199458e+03 | 1.3418779 | P | 0.0 |
| Rep:Column | 1.575689e+02 | 1.480357e+03 | 0.1064398 | P | 0.7 |
| units | 5.742689e+03 | 1.652457e+03 | 3.4752438 | P | 0.0 |
| Row:Column!R | 4.706787e+04 | 2.515832e+04 | 1.8708669 | P | 0.0 |
| Row:Column!Row!cor | 7.920301e-01 | 1.014691e-01 | 7.8056280 | U | 0.0 |
| Row:Column!Column!cor | 8.799559e-01 | 7.370402e-02 | 11.9390486 | U | 0.0 |

```
print(max.asrt, which = "testsummary")
```

```
#### Sequence of model investigations
```

(If a row has NA for p but not denDF, DF and denDF relate to fixed and variance parameter numbers)

| terms | DF | denDF | p | AIC | BIC | action |
|-------|-----|-------|----|-----|-----|----------|
| 1 | Rep | 1 | NA | NA | NA | Boundary |

Rep has been removed because it has been constrained to zero. Following the recommendation of Littell et al. (2006, p. 150), the bound on all variance components is set to unconstrained (U) using

`setvariances.asreml` so as to avoid bias in the estimate of the residual variance. Alternatively, one could move Rep to the fixed model.

Unbind Rep, Row and Column components and reload into an `asrtests` object

```
max.asr <- setvarianceterms(max.asr$call,
                             terms = c("Rep", "Rep:Row", "Rep:Column"),
                             bounds = "U")
```

Model fitted using the gamma parameterization.

ASReml 4.1.0 Mon Mar 16 09:22:15 2020

| | LogLik | Sigma2 | DF | wall | cpu |
|----|----------|----------|-----|----------|--------------------|
| 1 | -724.121 | 23034.14 | 124 | 09:22:15 | 0.0 |
| 2 | -717.415 | 9206.93 | 124 | 09:22:15 | 0.0 (2 restrained) |
| 3 | -694.875 | 26492.99 | 124 | 09:22:15 | 0.0 (2 restrained) |
| 4 | -693.974 | 33129.65 | 124 | 09:22:15 | 0.0 (1 restrained) |
| 5 | -692.886 | 39662.12 | 124 | 09:22:15 | 0.0 |
| 6 | -691.428 | 53103.83 | 124 | 09:22:15 | 0.0 |
| 7 | -691.239 | 48092.17 | 124 | 09:22:15 | 0.0 |
| 8 | -691.181 | 47278.94 | 124 | 09:22:15 | 0.0 |
| 9 | -691.171 | 46850.98 | 124 | 09:22:15 | 0.0 |
| 10 | -691.170 | 46690.46 | 124 | 09:22:15 | 0.0 |

Warning in `asreml(fixed = yield ~ WithinColPairs + Variety, random = ~Rep/(Row + : Some components changed by more than 1% on the last iteration.`

```
max.asrt <- as.asrtests(max.asr, NULL, NULL)
```

Calculating denominator DF

```
max.asrt <- rmboundary(max.asrt)
summary(max.asrt$asreml.obj)$varcomp
```

| | component | std.error | z.ratio | bound | %ch |
|-----------------------|---------------|--------------|-----------|-------|-----|
| Rep | -2462.3785859 | 1.191435e+03 | -2.066734 | U | 0.2 |
| Rep:Row | 5012.4021416 | 3.396848e+03 | 1.475604 | U | 0.1 |
| Rep:Column | 920.5936392 | 1.704008e+03 | 0.540252 | U | 1.1 |
| units | 5964.9099379 | 1.608792e+03 | 3.707695 | P | 0.1 |
| Row:Column!R | 46690.4620401 | 2.731906e+04 | 1.709080 | P | 0.0 |
| Row:Column!Row!cor | 0.8152180 | 9.988929e-02 | 8.161216 | U | 0.1 |
| Row:Column!Column!cor | 0.8857252 | 7.487875e-02 | 11.828793 | U | 0.0 |

```
print(max.asrt, which = "testsummary")
```

Sequence of model investigations

(If a row has NA for p but not denDF, DF and denDF relate to fixed and variance parameter numbers)

```
[1] terms DF      denDF   p      AIC     BIC     action
<0 rows> (or 0-length row.names)
```

Now the Rep component estimate is negative.

The `test.summary` output shows that no changes have been made to the model loaded using `as.asrtests`. The pseudo-anova table shows that Varieties are highly significant ($p < 0.001$)

2. Obtaining information criteria for separate models

The method `infoCriteria` has two methods for calculating information criteria. One, `infoCriteria.asreml`, is a method for `asreml` objects and the other, `infoCriteria.list`, if for ‘listobjects, the components of the list being asreml’ objects.

Single models

Firstly, `infoCriteria` is called with the default `IClikelihood`, which is `REML`. Then it is called with `IClikelihood` set to `full` (Verbyla, 2019).

```
infoCriteria(max.asr)

fixedDF varDF NBound      AIC      BIC  loglik
1       0     7      0 1396.34 1416.082 -691.17

infoCriteria(max.asr, ICliglihood = "full")

Model fitted using the gamma parameterization.
ASReml 4.1.0 Mon Mar 16 09:22:16 2020
      LogLik      Sigma2      DF    wall    cpu
1     -691.170     46641.98     124 09:22:16     0.0

Warning in asreml(fixed = yield ~ WithinColPairs + Variety, random = ~Rep/(Row + : Log-likelihood
not converged

fixedDF varDF NBound      AIC      BIC  loglik
1       26     7      0 1647.193 1746.544 -790.5967
```

A list of models

Now, a second model, from which the `withinColPairs` term has been omitted, is fitted; to be consistent, the variance components are unconstrained using `setvariances.asreml`. Then the `asreml` objects for this model and the maximal model are combined into a `list` and a `data.frame` produced that includes their information criteria.

```
m1.asr <- asreml(yield ~ Variety,
                     random = ~ Rep/(Row + Column) + units,
                     residual = ~ ar1(Row):ar1(Column),
                     data=Wheat.dat)

Model fitted using the gamma parameterization.
ASReml 4.1.0 Mon Mar 16 09:22:16 2020
      LogLik      Sigma2      DF    wall    cpu
1     -727.774     22898.99     125 09:22:16     0.0
2     -721.097     9190.30     125 09:22:16     0.0 (2 restrained)
3     -698.313     26671.76     125 09:22:16     0.0 (2 restrained)
4     -697.517     32677.28     125 09:22:16     0.0 (1 restrained)
5     -695.419     36662.27     125 09:22:16     0.0 (1 restrained)
6     -695.208     46263.96     125 09:22:16     0.0 (2 restrained)
7     -695.198     46156.63     125 09:22:16     0.0
8     -695.191     46630.21     125 09:22:16     0.0

Warning in asreml(yield ~ Variety, random = ~Rep/(Row + Column) + units, : Some components changed
by more than 1% on the last iteration.

m1.asr <- setvarianceterms(m1.asr$call,
                           terms = c("Rep", "Rep:Row", "Rep:Column"),
                           bounds = "U")
```

```

Model fitted using the gamma parameterization.
ASReml 4.1.0 Mon Mar 16 09:22:16 2020
      LogLik     Sigma2    DF    wall    cpu
 1   -727.774   22898.99  125 09:22:16  0.0
 2   -721.097   9190.30   125 09:22:16  0.0 (2 restrained)
 3   -698.313   26671.76  125 09:22:16  0.0 (2 restrained)
 4   -697.333   32689.33  125 09:22:16  0.0 (1 restrained)
 5   -697.016   39975.97  125 09:22:16  0.0
 6   -695.070   54825.30  125 09:22:16  0.0
 7   -694.757   47637.20  125 09:22:16  0.0
 8   -694.644   46775.41  125 09:22:16  0.0
 9   -694.618   46175.06  125 09:22:16  0.0
10   -694.615   45940.69  125 09:22:16  0.0

Warning in asreml(fixed = yield ~ Variety, random = ~Rep/(Row + Column) + : Some components changed
by more than 1% on the last iteration.

mods <- list(max = max.asr, m1 = m1.asr)
ic <- infoCriteria(mods, IClikelihood = "full")
print(ic)

fixedDF varDF NBound      AIC      BIC      loglik
max      26      7      0 1647.193 1746.544 -790.5967
m1       25      7      0 1645.326 1741.666 -790.6629

```

3. Obtaining information criteria for a prescribed sequence of model changes

The use of `changeTerms.asrtests` is demonstrated for a sequence of models, starting with the maximal model.

Drop the term for within Column pairs (a post hoc factor)

```
current.asrt <- as.asrtests(max.asrt$asreml.obj, NULL, NULL,
                           label = "Maximal model", IClikelihood = "full")
```

Warning in asreml(fixed = yield ~ WithinColPairs + Variety, random = ~Rep/(Row + : Log-likelihood
not converged

Calculating denominator DF

```
current.asrt <- changeTerms(current.asrt, dropFixed = "WithinColPairs",
                           label = "Drop withinColPairs", IClikelihood = "full")
```

Warning in asreml(fixed = yield ~ Variety, random = ~Rep + units + Rep:Row + : Some components
changed by more than 1% on the last iteration.

Calculating denominator DF

Calculating denominator DF

```
print(current.asrt, which = "testsummary", omit.columns = "p")
```

```
#### Sequence of model investigations
```

(If a row has NA for p but not denDF, DF and denDF relate to fixed and variance parameter numbers)

```

      terms DF denDF      AIC      BIC      action
1     Maximal model 26      7 1647.193 1746.544 Starting model
2 Drop withinColPairs 25      7 1645.326 1741.666 Changed fixed

```

So the same values of the information criteria have been obtained as when `infoCriteria.list` was used on a `list` containing the `asreml` objects for the two models. The differences is that here there is ultimately only one fitted model, the model stored in the `asreml` object in the `asrtests` object named `current.asrt`: this is the model with `withinColPairs` omitted.

Note this use of the `omit.columns` argument from `print.test.summary` to omit the irrelevant column `p` from the `test.summary`.

Drop nugget term

```

current.asrt <- changeTerms(current.asrt, dropRandom = "units",
                             label = "Drop units", IClikelihood = "full")

```

Warning in `asreml(fixed = yield ~ Variety, random = ~Rep + Rep:Row + Rep:Column, : Some components changed by more than 1% on the last iteration.`

Calculating denominator DF
Calculating denominator DF

Check Row autocorrelation

```

current.asrt <- changeTerms(current.asrt, newResidual = "Row:ar1(Column)",
                             label="Row autocorrelation", IClikelihood = "full")

```

Calculating denominator DF
Calculating denominator DF
`print(current.asrt, which = "testsummary", omit.columns = "p")`

Sequence of model investigations

(If a row has NA for `p` but not `denDF`, `DF` and `denDF` relate to fixed and variance parameter numbers)

| | terms | DF | denDF | AIC | BIC | action |
|---|---------------------|----|-------|----------|----------|------------------|
| 1 | Maximal model | 26 | 7 | 1647.193 | 1746.544 | Starting model |
| 2 | Drop withinColPairs | 25 | 7 | 1645.326 | 1741.666 | Changed fixed |
| 3 | Drop units | 25 | 6 | 1650.126 | 1743.456 | Changed random |
| 4 | Row autocorrelation | 25 | 5 | 1660.882 | 1751.201 | Changed residual |

4. Using information criteria to decide model changes

This sections illustrates the use of `changeModelOnIC.asrtests` to decide between consecutive models in a sequence of models. The default information criterion to use for this is the `AIC`. However, `whic.IC` can be used to specify the use of the `BIC` or `both`. Here we use the `AIC` and the `full` likelihood.

Check the term for within Column pairs (a post hoc factor)

As before, we start with the maximal model, in which the variance components have been unconstrained and look to decide whether of not to drop the `withinColPairs` term.

```

current.asrt <- as.asrtests(max.asrt$asreml.obj, NULL, NULL,
                            label = "Maximal model", IClikelhood = "full")

Warning in asreml(fixed = yield ~ WithinColPairs + Variety, random = ~Rep/(Row + : Log-likelihood
not converged

Calculating denominator DF
current.asrt <- iterate(current.asrt)

Calculating denominator DF
current.asrt <- changeModelOnIC(current.asrt, dropFixed = "WithinColPairs",
                                 label = "withinColPairs",
                                 IClikelhood = "full", which.IC = "AIC",
                                 allow.unconverged = FALSE)

Warning in asreml(fixed = yield ~ Variety, random = ~Rep + units + Rep:Row + : Some components
changed by more than 1% on the last iteration.

Calculating denominator DF
Calculating denominator DF
print(current.asrt, which = "testsummary", omit.columns = "p")

```

Sequence of model investigations

(If a row has NA for p but not denDF, DF and denDF relate to fixed and variance parameter numbers)

| | terms | DF | denDF | AIC | BIC | action |
|---|----------------|----|-------|-------------|-------------|----------------|
| 1 | Maximal model | 26 | 7 | 1647.193455 | 1746.544420 | Starting model |
| 2 | withinColPairs | -1 | 0 | -1.867556 | -4.878191 | Swapped |

Given the warning about a lack of convergence, we use `iterate.asrtests` to perform additional iterations of the fitting process. It seems that it was successful.

It can be seen from the `test.summary` that the term has been swapped out and this has the effect of reducing the number of fixed parameters by one and makes no change to the variance parameters.

Check the nugget term

```

current.asrt <- changeModelOnIC(current.asrt, dropRandom = "units",
                                  label = "units", IClikelhood = "full",
                                  allow.unconverged = FALSE)

```

Warning in asreml(fixed = yield ~ Variety, random = ~Rep + Rep:Row + Rep:Column, : Some components
changed by more than 1% on the last iteration.

Calculating denominator DF
Calculating denominator DF

Check Row autocorrelation

```

current.asrt <- changeModelOnIC(current.asrt, newResidual = "Row:ar1(Column)",
                                  label="Row autocorrelation", IClikelhood = "full",
                                  allow.unconverged = FALSE)

```

```
Warning in asreml(fixed = yield ~ Variety, random = ~Rep + units + Rep:Row + : Log-likelihood not converged
```

```
Warning in asreml(fixed = yield ~ Variety, random = ~Rep + units + Rep:Row + : Some components changed by more than 1% on the last iteration.
```

```
Warning in newfit.asreml(asreml.obj, fixed. = fix.form, random. = ran.form, :
```

```
Calculating denominator DF
```

```
Warning in asreml(fixed = yield ~ Variety, random = ~Rep + units + Rep:Row + : Some components changed by more than 1% on the last iteration.
```

```
Calculating denominator DF
```

```
Warning in asreml(fixed = yield ~ Variety, random = ~Rep + units + Rep:Row + : Some components changed by more than 1% on the last iteration.
```

Check Column autocorrelation (depends on whether Row autocorrelation retained)

```
{  
  last.action <- current.asrt$test.summary$action[current.asrt$test.summary$terms ==  
    "Row autocorrelation"]  
  if (grepl("Unswapped", last.action, fixed = TRUE) |  
      grepl("Unchanged", last.action, fixed = TRUE))  
    current.asrt <- changeModelOnIC(current.asrt, newResidual = "ar1(Row):Column",  
      label="Col autocorrelation", ICLikelihood = "full",  
      allow.unconverged = FALSE)  
  else  
    current.asrt <- testresidual(current.asrt, newResidual = "Row:Column",  
      label="Col autocorrelation", ICLikelihood = "full",  
      allow.unconverged = FALSE)  
}
```

```
Calculating denominator DF
```

```
Warning in infoCriteria.asreml(asreml.obj, ICLikelihood = ic.liik, bound.exclusions = bound.exclusions):  
  Row:Column!Row!cor
```

```
Warning in rmboundary.asrtests(as.asrtests(asreml.obj, wald.tab, test.summary), :  
  In analysing yield, cannot remove the following boundary/singular term(s): Row:Column!Row!cor
```

```
Calculating denominator DF
```

```
Warning in infoCriteria.asreml(new.asrtests.obj$asreml.obj, ICLikelihood = ic.liik, : The following bound  
  Row:Column!Row!cor
```

Output the results

```
print(current.asrt, which = "test", omit.columns = "p")
```

```
#### Sequence of model investigations
```

```
(If a row has NA for p but not denDF, DF and denDF relate to fixed and variance parameter numbers)
```

| terms | DF | denDF | AIC | BIC | action |
|-------|----|-------|-----|-----|--------|
|-------|----|-------|-----|-----|--------|

```

1      Maximal model 26      7 1647.193455 1746.544420          Starting model
2      withinColPairs -1     0   -1.867556   -4.878191          Swapped
3          units  0     -1    4.801145    1.790510          Unswapped
4 Row autocorrelation  0     -1   17.819174   14.808538 Unchanged - new unconverged
5 Col autocorrelation  0     -2   19.211921   13.190650          Unswapped

```

```
summary(current.asrt$asreml.obj)$varcomp
```

| | component | std.error | z.ratio | bound %ch |
|-----------------------|---------------|--------------|------------|-----------|
| Rep | -2391.9489939 | 1.194581e+03 | -2.0023338 | U 0.4 |
| Rep:Row | 5035.5311054 | 3.406006e+03 | 1.4784269 | U 0.3 |
| Rep:Column | 761.9535622 | 1.612103e+03 | 0.4726458 | U 1.2 |
| units | 5933.2133794 | 1.610805e+03 | 3.6833848 | P 0.1 |
| Row:Column!R | 45970.8383027 | 2.635124e+04 | 1.7445415 | P 0.0 |
| Row:Column!Row!cor | 0.8101615 | 9.995498e-02 | 8.1052641 | U 0.1 |
| Row:Column!Column!cor | 0.8846970 | 7.503039e-02 | 11.7911827 | U 0.0 |

The `test.summary` shows us that the model without the autocorrelation failed to converge and so no change was made to the model. It, and the messages from checking the Column autocorrelation, also show us that the omission of the Column autocorrelation resulted in the Row autocorrelation becoming bound. That is, dropping the Column autocorrelation resulted in the dropping of two variance parameters

The function `printFormulae.asreml` is used to display the fitted model.

```
printFormulae(current.asrt$asreml.obj)
```

```
#### Formulae from asreml object
```

```
fixed: yield ~ Variety
random: ~ Rep + units + Rep:Row + Rep:Column
residual: ~ ar1(Row):ar1(Column)
```

References

Brien, C. J. (2020) `asremlPlus`: *Augments ASReml-R in fitting mixed models and packages generally in exploring prediction differences*. Version 4.2-15. <http://cran.r-project.org/package=asremlPlus/> or <http://chris.brien.name/rpackages/>.

Butler, D. G., Cullis, B. R., Gilmour, A. R., Gogel, B. J. and Thompson, R. (2018). *ASReml-R Reference Manual Version 4*. VSN International Ltd, <http://asreml.org>.

Gilmour, A. R., Thompson, R., & Cullis, B. R. (1995). Average Information REML: An Efficient Algorithm for Variance Parameter Estimation in Linear Mixed Models. *Biometrics*, **51**, 1440–1450.

Littell, R. C., Milliken, G. A., Stroup, W. W., Wolfinger, R. D., & Schabenberger, O. (2006). *SAS for Mixed Models* (2nd ed.). Cary, N.C.: SAS Press.

R Core Team (2020) `R: A language and environment for statistical computing`. Vienna, Austria: R Foundation for Statistical Computing. <http://www.r-project.org>.

Verbyla, A. P. (2019). A note on model selection using information criteria for general linear models estimated using REML. *Australian & New Zealand Journal of Statistics*, **61**, 39-50. <https://doi.org/10.1111/anzs.12254>.