



# **A Handbook of Statistical Analyses Using R**

---

Brian S. Everitt and Torsten Hothorn



---

## CHAPTER 16

# Errata

---

The document gives a list of typos, errors, inconsistencies etc. which have been spotted. Moreover, small numeric output differences which are due to updated packages are reported here. To get a full list of differences run R CMD `check HSAUR` on the source package. All issues marked with **R1**, **R2** etc have been silently fixed in first reprint, second reprint etc.

### Preface

Typo in name of vignette for Chapter 1, should read

```
R> vignette("Ch_introduction_to_R", package = "HSAUR")
```

and

```
R> edit(vignette("Ch_introduction_to_R", package = "HSAUR"))
```

As of version 1.0-3, only the correctly named vignette is available (**R1**).

### 16.1 Introduction to R

- Type at page 11: ‘.’ needs to be double-quoted in `list.files` (**R1**)
- Typo at page 20 (Ex. 1.5): number of companies, not number of countries (**R1**).

### 16.2 Simple Inference

Typo at page 31, code line 4: use argument `varwidth = TRUE`, not `var.width = TRUE` (**R1**).

### 16.3 Conditional Inference

- The names of the test statistics in the output have been changed from **T** to **Z** or **chi-squared** throughout the chapter (**R1**).
- Reference [Hothorn et al. \(2006a\)](#) updated (**R1**)

### 16.4 Analysis of Variance

Figure 4.3 had wrong line types in legend (Beef and Cereal interchanged) (**R2**).

### 16.5 Multiple Linear Regression

- Page 74, Table 5.1: The values for `cloudcover` and `sne` had to be exchanged. The corresponding coefficients and Figures in this chapter change accordingly (**R1**).
- Page 83: both `fitted` and `predict` can be used to compute fitted values, the later on can be applied to new unseen data as well (**R1**).
- Page 87:  $\hat{y}_i$  instead of  $\hat{y}$  in the definition of the standardized residual.

### 16.6 Logistic Regression and Generalised Linear Models

- page 97: predictions are to be computed for `plasma_glm_2`, not `plasma_glm_1` (affects Figure~6.4) (**R2**).
- Function `myplot` (page 100): the `vfont` argument in `text` has been changed to `family = "HersheySerif"` (the resulting plots remain the same) (**R1**).

### 16.7 Density Estimation

- Page 117: typo: in instead of is
- Page 121: small numeric differences for the output of `optim`
- update to `mclust` version 3.0-0 (new names of parameters in `mclust` objects)

### 16.8 Recursive Partitioning

- Page 138: the probability for glaucoma is `predict(trees[[i]], newdata = GlaucomaM)[,1]` and the code for converting average class probabilities in factors has to be reverted, too. Affects Figure 8.4. (which is now in sync with the interpretation).
- Page 139: small differences in `predtab`
- Page 140: small differences in table at bottom of this page
- Reference [Hothorn et al. \(2006b\)](#) updated (**R1**)
- Page 142, Ex. 8.1.: regression tree, not classification tree.

### 16.9 Survival Analysis

- The name of the test statistic in the output of `surv_test` has been changed to `chi-squared` (**R1**).
- Denominator  $s$  was missing from  $h(t)$  (page 147) (**R2**).

### 16.10 Analysing Longitudinal Data I

Page 168, Figure 10.2: `summary` does not provide degrees of freedom and p-values in newer versions of `lme4`.

**16.11 Analysing Longitudinal Data II**

–nothing known–

**16.12 Meta-Analysis**

- Page 202:  $\mu_i \sim \mathcal{N}(\mu, \tau^2)$ , not  $N(\mu, \tau^2)$  (**R2**).
- Page 202:  $W_i = 1/(V_i + \hat{\tau}^2)$  since  $V_i$  is the within-study variance.
- Page 207: square for `selogs` was missing (**R2**).

**16.13 Principal Component Analysis**

–nothing known–

**16.14 Multidimensional Scaling**

In the formula for  $b_{ij}$  on page 231 the last term in the parentheses should have a plus sign not a minus sign.

**16.15 Cluster Analysis**

- update to *mclust* version 3.0-0 (new plot method)
- Page 248: the likelihood needs  $|\Sigma_j|^{-1/2}$
- Page 248:  $W_j$  is a  $q \times q$  matrix
- Page 248:  $\Sigma_j = \Sigma, j = 1, \dots, c$ .
- Page 248:

$$l(\vartheta, \gamma) = -\frac{1}{2} \sum_{j=1}^c \text{trace}(\mathbf{W}_j \Sigma_j^{-1}) + n_j \log |\Sigma_j|$$

- Page 248:  $\sum_{j=1}^c n_j \log |\mathbf{W}_j/n_j|$

**Thanks**

We would like to thank the following people for pointing out errors, typos etc and for making suggestions for improvements:

- Tobias Verbeke
- Brian D. Ripley
- Yihui Xie
- Mike Cheung
- Lothar Häberle
- Radoslav Harman



---

## Bibliography

---

- Hothorn, T., Hornik, K., van~de Wiel, M.~A., and Zeileis, A. (2006a), “A Lego system for conditional inference,” *The American Statistician*, 60, 257–263, URL <http://statmath.wu-wien.ac.at/~zeileis/papers/Hothorn+Hornik+VanDeWiel-2006.pdf>.
- Hothorn, T., Hornik, K., and Zeileis, A. (2006b), “Unbiased recursive partitioning: A conditional inference framework,” *Journal of Computational and Graphical Statistics*, 15, 651–674, URL <http://statmath.wu-wien.ac.at/~zeileis/papers/Hothorn+Hornik+Zeileis-2006.pdf>.